
### All questions are for separate science students only

### Q1.

(a)

A food web contains several food chains.

Figure 1 shows a food web.




Not to scale

D	escribe how the algae get energy.
_	
V	ame <b>one</b> primary consumer in <b>Figure 1</b> .

mbers of organisms	ns in <b>Figure 1</b> have differer	The different food cha			
ith <b>five</b> organisms,	show a food chain in <b>Figur</b>	Complete <b>Figure 2</b> to including the human.			
	Figure 2				
	81/8	1			
	Ţ				
		2			
	<b>↓</b>				
		3			
	Ţ				
		4			
	Ţ				
	Human	5			
_					
	ackerel eat krill and squid.	Figure 1 shows that m			
ned biomass of krill	erel is much less than the co	The biomass of macke			
One reason for this is that the mackerel cannot digest all parts of the krill and squid.					
	S.	Give <b>two</b> other reasor			
		1			

**Figure 3** shows how the biomass of adult herring in the North Sea has changed between 1950 and 2010.

Figure 3



(f) Calculate the percentage decrease in the biomass of herring between 1960 and 1977.

live your answer to the nearest whole number.					

Percentage decrease = \_

(4)

(g) Too many herring were caught by fishermen between 1960 and 1977.

Herring can live for up to 12 years and begin to reproduce when 3 to 4 years old.

Laws have been introduced to help conserve herring:

- 1977 to 1981 herring fishing was banned in the North Sea
- 1984 to present day control of mesh size of fishing nets
- 1997 to present day fishing quotas were introduced
- 1998 to present day herring fishing was banned in breeding grounds during the breeding season.

Figure 4 shows how a minimum mesh size helps to conserve herring.





Figure 3 is repeated below.

Figure 3




Evaluate the effect of these laws on the conservation of herring stocks.
Use data from Figure 3 and information from Figure 4 in your answer.

(6)		
(-, (-,l,-)	/Tatal 47.	
marks)	(Total 17 r	

**Q2.** 

The graph below shows the human population from 1600 to 2010.



In 1900 the human population was 1.6 billion.

(a) Calculate how many times greater the human population was in the year 2000 compared with the year 1900.

# **AQA Biology GCSE - Food Production**

		Number	of times greate	er =
n 1950 the l	numan populat	tion was 2.5	billion.	
Calculate th 1900 and 19		l increase ir	n the human po	pulation between
	Mean ann	ual increase	e =	billion per yea
Predict the h		on in 2050	if the current ra	ate of population
You should	draw an extrap	oolation line	on the graph a	above.
	F	Predicted hu	ıman populatic	n =
Γhe increasi	ng human pop	ulation has	caused a decl	ine in fish stocks.
Describe ho level.	w fishing quota	as can help	to return fish s	tocks to a sustainable

Describe:

• why more land is being used for farming

# **AQA Biology GCSE - Food Production**

Genetic modification of crop plants can help meet the demands of the increasing human population.
Golden rice is a genetically modified (GM) crop.
What is the advantage of golden rice compared with non-GM rice?
Tick ( <b>√</b> ) <b>one</b> box.
Golden rice contains protein-rich mycoprotein
Golden rice has improved nutritional value
Golden rice produces human insulin
Suggest <b>one</b> reason why some people are concerned about the use of golden rice.

(2)

#### Q3.

A new dog food has been developed that does **not** contain meat from cows, sheep or chickens.

The new dog food contains insects.

The insects in the dog food factory are fed on waste vegetables.

(a) Sketch the pyramid of biomass for the food chain that produces food for dogs from insects.

Label the pyramid.

ow making dog food from insects could improve <b>human</b> food n the future.
n the future.

	- Food Production PhysicsAr	ndMathsTut
	(Tota	(4) I 8 marks)
J۷	vort is a weed that grows on farmland.	
	vort is a weed that grows on farmland. vort is poisonous to horses.	
	vort is poisonous to horses.  Plan an investigation to estimate the size of a population of ragwort	
	vort is poisonous to horses.  Plan an investigation to estimate the size of a population of ragwort	
	vort is poisonous to horses.  Plan an investigation to estimate the size of a population of ragwort	
	vort is poisonous to horses.  Plan an investigation to estimate the size of a population of ragwort	
	vort is poisonous to horses.  Plan an investigation to estimate the size of a population of ragwort	

The herbicide glyphosate will kill ragwort and other weeds.

**AQA Biology GCSE -**


Q4.

Scientists use bacteria for the genetic engineering of crop plants to make the crops resistant to glyphosate.

**Figure 1** shows the growth of a culture of the bacteria in a solution of nutrients at 25 °C

(4)

Figure 1



(b)	Why did the rate of reproduction increase between 2 hours and 7 hours?

(1)

(c) After 12 hours, the rate of reproduction decreased.

Suggest **three** ways the scientists could maintain a high rate of reproduction in the bacterial culture.

(3)

(d) The rate of reproduction of the bacteria is fastest at 7 hours.

How many times faster is the rate of reproduction at 7 hours than the rate at 12 hours?

QA Biology GCSI	E - Food Production PhysicsAndMa	athsTu
	Rate at 7 hours is times faster.	(4)
(e)	Scientists transferred a gene for resistance to the herbicide glyphosate into the bacteria.	``
	The genetically-modified (GM) bacteria can then transfer the glyphosate-resistance gene to a crop plant.	
	Explain the advantage of making crop plants resistant to glyphosate.	

(3)

(Total 15 marks)


# Q5.

Mycoprotein is a protein-rich food.

Mycoprotein is made from the fungus *Fusarium*.

The diagram below shows a fermenter used for growing *Fusarium*.

(2)



(a)	Explain why the fermenter is sterilised before use.					
(b)	Cold water is pumped through the cooling coil at point <b>X</b> .					
	This maintains a constant temperature inside the fermenter.					
	Suggest the temperature at which Fusarium grows fastest.					
	Tick <b>one</b> box.					
	5 °C					
	20 °C					


# **AQA Biology GCSE - Food Production**

30 °C	
85 °C	
Glucose and	bubbles of air enter the fermenter.
The bubbles	of air supply oxygen.
Explain why <i>I</i>	Fusarium needs glucose and oxygen.
The bubbles	of air also move materials around the fermenter.
inside the feri	it is useful for bubbles of air and materials to move around menter.
100 grams of	chicken meat contains 22 grams of protein.
100 grams of	mycoprotein contains 11 grams of protein.
A man ate 10	0 grams of chicken in one meal.
	o grants of official in one mean.
	rams of mycoprotein would the man need to eat to get the of protein as in 100 grams of chicken?
	rams of mycoprotein would the man need to eat to get the of protein as in 100 grams of chicken?
same mass o	rams of mycoprotein would the man need to eat to get the of protein as in 100 grams of chicken?

(1) (Total 8 marks)

### Q6.

The graph shows information about the yield of cereal crops grown in the European Union.



(a) Calculate the increase in the yield of cereal between 1970 and 2010.

	Increase in yield =	tonnes/hectare
Estimate by w	what fraction the yield of cereal incr	reased between 1971 and
Tick <b>one</b> box.		
1 10	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
The increase	in yield is partly due to increased u	use of nitrate fertilisers.
Which substa	nce do plants make using nitrate id	ons?
Tick <b>one</b> box.		
Cellulose		
Fat		
Protein		
Starch		
The yield of c	ereal in 2004 was much greater th	an the yield in 2003.
Suggest three	e possible reasons for the increase	ed yield in 2004.
Tick <b>three</b> bo	xes.	
A genetically	-modified variety of seed was sowi	n in 2004.
A pathogenio	c fungus grew on the cereal in 2004	4.
Farmers add	ed more nitrate to the soil in 2003.	
More cereal:	seeds were sown in 2003.	

More rain fell in spring and early summer in 2004.	
The mean summer temperature was lower in 2003.	
	(3)
Humans eat cereals.	

PhysicsAndMathsTutor.com

Humans also eat the animals that feed on cereals.

Figure 1 and Figure 2 show two food chains.

**AQA Biology GCSE - Food Production** 

Figure 1






Figure 2



(e) Which pyramid of biomass is correct for the food chain shown in Figure 2?Tick one box.



In <b>Fig</b> for a	<b>jure 1</b> , 1 hectare of cereal cro year.	p would provide	enough energy fo	or 8 people	
	<b>Jure 2</b> , 10 hectares of cereal of your for only 1 person for a year.		eeded to provide e	nough	
(f)	It is much more efficient for h by eating chickens.	umans to get er	nergy by eating cer	reals than	
	Calculate how many times me	ore efficient.			
		Answer = _		times	1)
(g)	Why is it more efficient for hu eating chickens?	mans to get end	ergy by eating cere		,
	Tick <b>two</b> boxes.				
	Cereals gain extra energy from	om mineral ions	in the soil.		
	Chickens contain more prote	in per gram tha	n cereals.		
	Chickens use energy for mov	vement and for	keeping warm.		
	Much of the food eaten by ch	nickens is waste	ed as faeces.		
	Not all parts of the cereal pla	nts are edible.			
				(2 Total 11 marks)	2) s)

### Q7.

Cows are reared for meat production.

The cows can be reared indoors in heated barns, or outdoors in grassy fields.

The table shows energy inputs and energy outputs for both methods of rearing cows.

(3)

	kJ / m² / year			
	Energy input		Energy output	
	Food	Fossil fuels	Meat production	
Indoors	10 000	6 000	40	
Outdoors	5 950	50	Х	

alculate	e the energ	y output val	ue <b>X</b> .	
se the (	equation:			
	percentag	e efficiency	= energy out total energy	put input × 100

Energy output value **X** = \_\_\_\_\_kJ / m² / year

(b) The percentage efficiency for rearing cows **outdoors** is 0.03%

Calculate how many times more efficient it is to rear cows indoors than to rear cows outdoors.

Use the equation from (a).

Answer = \_\_\_\_\_ times

(3)

c)	A large amount of energy is wasted in both methods of rearing cows.
	Give <b>two</b> ways in which the energy is wasted.
	1.
	2.
l)	Suggest <b>two</b> reasons why it is more efficient to rear cows indoors than to rear cows outdoors.
	1.
	2.
	(Total 10 mai

# Q8.

Food security is when a population has enough food to stay healthy.

Lack of food security is a global problem.

One way to maintain food security is to increase the efficiency of food production.

The diagram below shows how some pigs are farmed using intensive methods.



© Ingram Publishing/Thinkstock

Suggest <b>two</b> othe	r possible disadvantages of	of intensive farming methods.
1.		<b>G</b>
2.		
Explain how the in production.	ntensive farming of pigs inc	creases the efficiency of food
A newspaper repo	orted that:	
Canada.	a serious problem in rei Aboriginal communities	mote communities in are eating fewer traditional
	od eaten by Aboriginal com	nmunities in Canada is seal.
Look at the table	pelow	
	Year Number of sea	als

	thousands
2004	362
2005	316
2006	348
2007	224
2008	215
2009	91
2010	67

	Decrease in seals =	%
The conclusio	n in the newspaper might <b>not</b> be correct.	
Suggest <b>two</b> i	reasons why.	
1.		
2.		

Q9.


It is important to conserve fish stocks.


Figure 1 shows a new type of fishing net and a traditional fishing net.

Figure 1

# New type of fishing net







Holes surrounded by rigid plastic lights

(a)	(i)	Describe how the new type of fishing net helps to conserve fish stocks.	
			-
			-
			-
	(ii)	Give <b>one</b> way, other than controlling nets, to reduce overfishing.	(3)
			- - <b>(1</b> )

(b) Another way to make sure there is food for an increasing human population is to make food production more efficient.

Figure 2 shows how some cows are farmed.





© Dageldog/iStock

	rmation from <b>Figure 2</b> to suggest <b>two</b> ways in which this
type of fa	arming reduces energy loss from the cows.
1.	
2.	
	o reasons why some people disagree with farming cows in
Give <b>twe</b> this way.	
this way.	
this way.	
this way.	
this way.  1.  ————	
this way.  1.  ————	
this way.  1.  ————	

#### Q10.

Figure 1 shows some information about 'stem cell burgers'.

#### Figure 1

#### The first laboratory burger has now been cooked

In July 2013 the first burger grown from cow stem cells was cooked.

Muscle stem cells from cows were grown into strands of beef in a laboratory. About 20 000 strands of beef were then made into a burger. The burger can be cooked and eaten by humans. This type of meat is called cultured meat.

The cultured meat is exactly the same as normal cow muscle tissue and the cells are not genetically modified.


(a)	(i)	Some scientists think using cultured meat instead of traditionally-produced meat will help reduce global warming.
		Suggest <b>two</b> reasons why using cultured meat may slow down the rate of global warming.
		1.
		2.
	(ii)	Suggest <b>two</b> other possible advantages of producing cultured meat instead of farmed meat.
		Do <b>not</b> refer to cost in your answer.
		1.
		2.

(4)

(Total 8 marks)

(b) Mycoprotein is one type of food that is mass-produced.

Figure 2 shows a fermenter used to produce mycoprotein.



Describe how mycoprotein is produced.					

Page 26 of 26