Question number	Answer	Notes	Marks
1 (a) (i)	A;	Only one letter in each box	
	(C)		
	B;		
	A;		3
(ii)	1. (le) emulsification / emulsifies;		
	2. small(er) d ps / increased surface area / more drops;		
	3. optimum pH / correct pH / best pH;		
	4. ipase) is an enzyme;		
	5. d estion / breakdown;		
	6. i o fatty acids / into glycerol;		
			4
(b)(i)	villus / villi;	allow phonetic spelling	
			1

(ii)	1. larg surface area;	1. ignor many	
	2. crovilli ;	villi idea	
	3. pillaries;		
	4. vement of blood / concentration gradient / eq;	4. ig re cell wall	
	5. o cell thick / thin wall / thin / short distance;	waii	
	6. ffusion;		
	7. active ansport;		5

Total 13 marks

Questi numb		Answer	Notes	Marks
2(a)	(i)	safety glasses / wear gloves ;	Ignore lab coat / tie hair back / eq	1
	(ii)	11/ eleven;		1
(b)	(i)	remove starch / solution from surface of syringe / eq;	Ignore get into syringe	1
	(ii)	mix <u>contents</u> / mix <u>amylase and starch</u> / eq;	Mix alone = 0 Allow enzyme and starch	1
	(iii)	keep at correct temperature / keep temperature constant / eq;	Ignore fair test	

(c)	(i)	 volume / concentration of amylase; volume / concentration of starch; volume / concentration of iodine / drops of iodine; volume / concentration of mixture; 	Allow amount only once	2
	(ii)	temperature;	Ignore time	1
(d)		 6 minutes / between 5 and 6 minutes / eq; iodine stays yellow / orange / brown / iodine stays same colour / colourless / not blue black; no starch present; digested/broken down; 	Reject 6-7 mins	3

Question number	Answer	Notes	Marks
(e)(i)	 fewer wells with blue black colour / more wells yellow / orange / brown / colourless / eq; starch digested sooner / quicker / reaction completed sooner / eq; 		2
(ii)	 enzymes work faster at 40°C / ref to optimum / eq; more (kinetic) energy / molecules move faster / eq; more collisions / more enzyme substrate complexes /eq; 	Ignore ref to denature	2

Question number		Answer			Notes	Marks
3 (a)						5
		Large food molecule	Enzyme involved in digestion	Small food molecule produced		
		starch	amylase	glucose / maltose;	Ignore simple sugars	
		protein;	protease	amino acids / polypeptides / peptides;		
		lipid	lipase;	fatty acids / glycerol;		
(b)	2. thir	rge surface area / microvilli; in / short diffusion distance / eq; bood / capillaries / eq; ermeable;		Ignore many villi / long villi	3	
	5. lact	teal;				

Total 8 marks

Question number	Answer	Notes	Marks
4 (a)	(trap/absorb) light / eq; chlorophyll; photosynthesis / starch / glucose / eq;	ignore trap energy	2
(b)	A cell wall; B vacuole; C cytoplasm;		3
(c) (i)	C; A;		2
(ii)	starch removed / starch used / no starch / eq; (converted to) glucose; respiration / energy;		2
(iii)	boil (in ethanol) / heat (in ethanol)/ eq; ethanol / alcohol; no naked flame / water bath / hot water / in water / eq;	allow water mark if linked to boil / heat	3
(iv)	iodine / iodide;		1
		Total	13

Question number	Answer			Notes	Marks
5(a)	 iodine; bl / black / blue black = starch; Benedict' / eq; heat / se water bath / eq; 			if iodine for glucose goes blue black = 0 only award Mp1 and Mp3 if linked to correct test heat must be linked to Benedict's	4 max
(b)	5. r / orange / y	Example from the group	Molecule used to store carbohydrate glycogen;		4
	plants fungi	(maize) mucor / yeast / mushroom / mould / eq;	starch / sucrose; glycogen;	Ignore in plants sugar / glucose / fructose Allow Fomes formentarius / eq	

Question number	Answer		Notes	Marks
6	C O R M1	plus and minus statin(s) / range / eq; same gender / same age / same mass / same level of cholesterol / eq; several people / group of people / repeat the test / eq; measure cholesterol level;	allow principles if lab based allow if use animals	
	M2 S1+ S2	at start and at end / time stated / measure change; same diet / same mass of food / same stress / same exercise / same smoking / eq;;	ignore temperature / light / water	6