

CAIE Chemistry A-level

Topic 4 - States of Matter

Flashcards

This work by [PMT Education](https://www.pmt.education) is licensed under [CC BY-NC-ND 4.0](https://creativecommons.org/licenses/by-nc-nd/4.0/)



What kinetic assumptions are made when dealing with an ideal gas?



What kinetic assumptions are made when dealing with an ideal gas?

1. The gas contains a large number of molecules moving in random directions at random speeds.
2. Electrostatic forces between molecules is negligible, except during collisions.
3. Collisions are perfectly elastic.
4. Time of collisions between molecules is negligible compared to time between collisions.
5. The molecules of a gas occupy negligible volume compared to the total volume of the gas.



What are the conditions necessary for a gas to approach ideal behaviour?



What are the conditions necessary for a gas to approach ideal behaviour?

- Low pressure
- High temperature



What are the limitations of an ideal gas at very low temperatures and very high pressures?



What are the limitations of an ideal gas at very low temperatures and very high pressures?

- Intermolecular forces are no longer negligible and have to be considered.
- Molecular size is also no longer negligible and has to be considered.



What is the ideal gas equation?



What is the ideal gas equation?

$$pV = nRT$$

p - pressure (Pa)

V - volume (m^3)

n - number of moles (mol)

R - gas constant ($8.314 \text{ J K}^{-1} \text{ mol}^{-1}$)

T - temperature (K)



The ideal gas equation can be used with which other equation to find molecular mass?



The ideal gas equation can be used with which other equation to find molecular mass?

$$M_r = m/n$$

M_r - molecular mass

n - number of moles (mol)

m - mass (g)




Describe the structure of a solid ionic compound



Describe the structure of a solid ionic compound

- Regular, repeating arrangement (lattice).
- Caused by the electrostatic attraction between the oppositely charged ions.




Describe the lattice structure of iodine



Describe the lattice structure of iodine

- Iodine is an example of a simple molecular lattice.
- Iodine molecules form a larger structure due to intermolecular forces (Van der Waals Forces) between molecules.
- The structure is described as a face centred cubic.



What is an allotrope?



What is an allotrope?

Allotropes are different physical forms of an element in the same state.




Describe the structure of a fullerene



Describe the structure of a fullerene

Molecules of carbon atoms with hollow shapes. The structures are based on hexagonal rings of carbon atoms but they may also contain rings with five or seven carbon atoms. Examples include Graphene and C_{60} .



[Mstroeck](#). Later versions uploaded by [Bryn C](#), [CC BY-SA 3.0](#)




What is a nanotube?



What is a nanotube?

A graphene sheet rolled up into a tube (single sheet of carbon atoms covalently bonded together)



[Schwarzlm](#), [CC BY-SA 3.0](#)




Describe the structure of diamond



Describe the structure of diamond

- Giant covalent lattice.
- Each carbon atom is covalently bonded to four other carbon atoms.
- Extremely strong structure.
- Bond shape and angle around each carbon: Tetrahedral, 109.5° .




Describe the structure of graphite



Describe the structure of graphite

- Giant covalent lattice.
- Made from layers of carbon arranged in hexagonal rings.
- Weak London forces between layers.
- Each carbon atom bonds covalently to 3 other carbon atoms.
- One delocalised electron per carbon.



[TschonDoe](#), [CC BY-SA 3.0](#)




Describe the structure of graphene



Describe the structure of graphene

- Giant covalent lattice.
- Single layer of graphite.
- Each carbon atom is bonded to 3 other carbon atoms to create a hexagonal ringed structure.
- One delocalised electron per carbon.



[AlexanderAIUS](#), [CC BY-SA 3.0](#)



Describe the structure of silicon(IV) oxide



Describe the structure of silicon(IV) oxide

- Giant covalent structure.
- Similar 3D structure to diamond.
- Silicon and oxygen atoms covalently bonded together.



Describe the structure of ice



Describe the structure of ice

- Open lattice structure.
- Hydrogen bonds hold water molecules apart in hexagonal rings. This means ice is less dense than water.



Describe the structure of a metal
(e.g. copper)



Describe the structure of a metal (e.g. copper)

Giant metallic lattice with positive ions packed closely together with delocalised electrons.

In copper, each atom is surrounded by 12 other copper atoms.




What does a diagram of metallic bonding look like?



What does a diagram of metallic bonding look like?

- Positive charges = ions
- Negative charges = electrons



How does hydrogen bonding affect the boiling and melting points of a substance?



How does hydrogen bonding affect the boiling and melting points of a substance?

Hydrogen bonding is the strongest type of intermolecular bond and hence requires a lot of energy to overcome when boiling/melting a substance. As a result, structures that contain hydrogen bonding often have higher melting and boiling points than expected.



What does boiling point suggest about structure and bonding?



What does boiling point suggest about structure and bonding?

A high boiling point indicates a giant structure (ionic, metallic or giant covalent).

A low boiling point indicates simple molecules (or atoms for noble gases).



What does solubility suggest about structure and bonding?



What does solubility suggest about structure and bonding?

Compounds that are soluble in water tend to be ionic.

If a soluble compound has a low boiling point, it may be small and very polar or be able to form hydrogen bonds.



What does electrical conductivity suggest about structure and bonding?



What does electrical conductivity suggest about structure and bonding?

If a solid substance conducts electricity, it is likely to be a metal, graphene or graphite.

If a substance only conducts when molten or dissolved, it is an ionic compound.



What do appearance and malleability suggest about structure and bonding?



What do appearance and malleability suggest about structure and bonding?

If a substance is brittle, it is likely to be ionic or giant covalent.

If a substance is shiny, malleable and ductile, it is likely to be a metal.

