



Cambridge International Examinations

Cambridge International Advanced Subsidiary and Advanced Level

CHEMISTRY 9701/12

Paper 1 Multiple Choice October/November 2017

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

Data Booklet

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

Electronic calculators may be used.



Section A

For each question there are four possible answers, A, B, C and D. Choose the one you consider to be correct.

Use of the Data Booklet may be appropriate for some questions.

- 1 In which pair do the atoms contain the same number of neutrons?
 - A ¹¹B and ¹²C
 - **B** ⁷Li and ⁹Be
 - C ²⁴Mg and ²⁸Si
 - D ¹⁴N and ¹⁶O
- **2** Two hydrocarbons have the formulae C_WH_X and C_YH_Z . W, X, Y and Z represent different whole numbers.

$$\frac{W}{X} = \frac{Y}{Z}$$

Which row is correct when comparing the two hydrocarbons?

	empirical formula	molecular formula	relative molecular mass
Α	different	same	different
В	different	same	same
С	same	different	different
D	same	different	same

3 The airbags in cars contain sodium azide, NaN₃, and an excess of potassium nitrate, KNO₃.

In a car accident, the reactions shown occur, producing nitrogen. This causes the airbag to inflate rapidly.

$$2NaN_3 \rightarrow 2Na + 3N_2$$

$$10Na + 2KNO_3 \rightarrow K_2O + 5Na_2O + N_2$$

How many moles of nitrogen gas are produced **in total** when 1 mol of sodium azide, NaN₃, decomposes in an airbag?

- **A** 1.5
- **B** 1.6
- **C** 3.2
- **D** 4.0

Ethane burns in oxygen to produce carbon dioxide and water vapour. 4


Which bond angles are present in the molecules of ethane and its combustion products?

ethane		combustion products	
Α	90°	104.5° and 180°	
В	90°	109.5° and 120°	
С	109.5°	104.5° and 180°	
D	109.5°	109.5° and 180°	

A sample of an ideal gas is contained at a constant temperature of 300 K in a gas syringe. 5

The pressure is increased and a graph of $\frac{pV}{RT}$ against pressure is plotted.

Which graph correctly represents the results?



In calculating the enthalpy change, ΔH , of an experiment involving solutions, the mass of the solution, m, specific heat capacity of the solution, c, and the temperature change, ΔT , are needed.

$$\Delta T = T_{\text{final}} - T_{\text{initial}}$$

Which expression for ΔH is correct?

$$\mathbf{A} \quad \Delta H = \frac{mc}{\Delta T}$$

A
$$\Delta H = \frac{mc}{\Delta T}$$
 B $\Delta H = \frac{-mc}{\Delta T}$ **C** $\Delta H = mc\Delta T$ **D** $\Delta H = -mc\Delta T$

C
$$\Delta H = mc\Delta T$$

D
$$\Delta H = -mc\Delta T$$

7 The following data are needed for this question.

$$\Delta H_{f}^{e} (P_{4}O_{10}(s)) = -3012 \text{ kJ mol}^{-1}$$

 $\Delta H_{f}^{e} (H_{2}O(I)) = -286 \text{ kJ mol}^{-1}$
 $\Delta H_{f}^{e} (H_{3}PO_{4}(s)) = -1279 \text{ kJ mol}^{-1}$

What is ΔH° for the reaction shown?

$$P_4O_{10}(s) + 6H_2O(l) \rightarrow 4H_3PO_4(s)$$

- A –9844 kJ mol⁻¹
- **B** -388 kJ mol⁻¹
- $\mathbf{C} = -97 \,\mathrm{kJ} \,\mathrm{mol}^{-1}$
- **D** +2019 kJ mol⁻¹
- 8 Which statement is always correct for an oxidation reaction?
 - **A** It involves the gain of oxygen by an element.
 - **B** For one reactant to be oxidised a different reactant must be reduced.
 - **C** The element or ion being oxidised will gain electrons.
 - **D** The oxidation number of the element being oxidised will increase.
- **9** Nitrogen dioxide, NO₂, is a brown gas.

Dinitrogen tetroxide, N₂O₄, is a colourless gas.

An equilibrium is established between NO₂ and N₂O₄ in a closed vessel.

$$2NO_2(g) \rightleftharpoons N_2O_4(g)$$
 $\Delta H = -57 \text{ kJ mol}^{-1}$
brown colourless


Which row describes the effects of changing conditions on the colour of an equilibrium mixture of NO_2 and N_2O_4 ?

	increasing the pressure	increasing the temperature
Α	colour becomes darker	colour becomes darker
В	colour becomes darker	colour becomes lighter
С	colour becomes lighter	colour becomes darker
D	colour becomes lighter	colour becomes lighter

10 A large excess of marble chips was reacted with 25 cm³ of 1.0 mol dm⁻³ hydrochloric acid at 40 °C.

How will the result be different when the reaction is repeated with 60 cm³ of 0.5 mol dm⁻³ hydrochloric acid at 40 °C?

- A The reaction is faster and less of the products are made.
- **B** The reaction is faster and more of the products are made.
- **C** The reaction is slower and less of the products are made.
- **D** The reaction is slower and more of the products are made.
- **11** Which change alters the activation energy of a given reaction?
 - A adding a suitable catalyst
 - **B** changing the particle size of the reactants
 - **C** changing the pressure at which the reaction is carried out
 - **D** changing the temperature at which the reaction is carried out
- 12 The relative magnitude of the property X of five elements is shown. P, Q, R, S and T are all in Period 3 and have consecutive atomic numbers.



Which row shows a correct pairing of property X and element R?

	property X	element R	
A electrical conductivity		Al	
В	electronegativity	Si	
С	melting point	Αl	
D	second ionisation energy	Si	

13	Element Z has	a d	giant	structure
----	---------------	-----	-------	-----------

The chloride of Z reacts with water to give a solution with a pH less than 5.

Which row shows two elements which could be Z?

- A aluminium, magnesium
- B aluminium, silicon
- C phosphorus, magnesium
- D phosphorus, silicon
- 14 Radium is an element below barium in Group 2 of the Periodic Table.

Which equation shows what happens when solid radium nitrate, Ra(NO₃)₂, is heated strongly?

- **A** $Ra(NO_3)_2(s) \rightarrow RaO(s) + N_2O(g) + 2O_2(g)$
- **B** $2Ra(NO_3)_2(s) \rightarrow 2RaO(s) + 2N_2(g) + 5O_2(g)$
- $\textbf{C} \quad 2Ra(NO_3)_2(s) \rightarrow 2RaO(s) + 4NO_2(g) + O_2(g)$
- **D** $4Ra(NO_3)_2(s) \rightarrow 2Ra_2O(s) + 8NO_2(g) + 3O_2(g)$
- **15** Exactly 3.705 kg of substance Y are needed to neutralise 100 moles of HC*l*(aq).

What could be substance Y?

- **A** Ca
- **B** CaO
- C Ca(OH)₂
- **D** CaCO₃
- 16 In an experiment, 0.125 mol of chlorine gas, Cl_2 , is reacted with an excess of cold, aqueous sodium hydroxide. One of the products is a compound of sodium, oxygen and chlorine.

Which mass of this product is formed?

- **A** 9.31 g
- **B** 13.3 g
- **C** 18.6 g
- **D** 26.6 g
- 17 Sodium bromide reacts with concentrated sulfuric acid.

Which observation will be made?

- **A** A coloured vapour is produced.
- **B** A purple solid is formed.
- **C** A strong smell of H₂S is detected.
- D Yellow sulfur is formed.

18 The reaction of nitrogen and oxygen to produce oxides of nitrogen happens at high temperatures in car engines or lightning strikes during thunderstorms.

What is the main reason for these reactions requiring such high temperatures?

- A the lack of reactivity of nitrogen, due to the half-filled 2p subshell in the nitrogen atom
- **B** the lack of reactivity of nitrogen, due to the strength of the bond in N₂
- **C** the lack of reactivity of oxygen, due to electron-electron repulsion in one of its 2p orbitals
- **D** the lack of reactivity of oxygen, due to the strength of the bond in O₂
- **19 X** is a mixture of two compounds of Group 2 elements.

X undergoes thermal decomposition to produce a white solid and only two gaseous products. One of the gaseous products relights a glowing splint.

What could be the components of mixture **X**?


- A MgC l_2 and CaCO $_3$
- **B** MgCO₃ and Ca(NO₃)₂
- **C** $Mg(NO_3)_2$ and $Ca(NO_3)_2$
- D MgO and CaO
- 20 Which compound does **not** exhibit stereoisomerism?
 - A CH₃CHC*l*CH₂CHO
 - B CH₃CHCHCH₃
 - C CH₂ClCH₂CCl₂H
 - **D** CHC1CHC1
- 21 The diagram shows the skeletal formula of citric acid.

citric acid

What is the molecular formula of citric acid?

- $A C_6H_8O_7$
- $\mathbf{B} \quad \mathsf{C}_6\mathsf{H}_4\mathsf{O}_7$
- \mathbf{C} $C_8H_8O_7$
- **D** $C_{10}H_8O_7$

22 Which compound would produce two different carboxylic acids when treated with hot, concentrated, acidified manganate(VII) ions?



23 Which types of bond are broken and formed in the addition polymerisation of alkenes?

	type of bond broken	type of bond formed
Α	π only	σ only
В	π only	σ and π
С	σ and π	σ only
D	σ and π	σ and π

24 2,3-dimethylpent-2-ene, (CH₃)₂C=C(CH₃)CH₂CH₃, is treated with cold, dilute KMnO₄. The product of this reaction is treated with an excess of concentrated H₂SO₄ at 180 °C, giving a mixture of isomeric hydrocarbons with molecular formula C₇H₁₂.

What is the name of one of the isomeric hydrocarbons?

- A 2,3-dimethylpenta-1,2-diene
- **B** cis-2,3-dimethylpenta-1,3-diene
- C 2,3-dimethylpenta-1,4-diene
- **D** 3,4-dimethylpenta-1,3-diene
- **25** Equal volumes of aqueous silver nitrate were added to separate small volumes of bromoethane and iodoethane in two test-tubes. The test-tubes were shaken.

Which row about the observations made for **bromoethane** is correct?

	colour of precipitate	rate of reaction
Α	cream	faster than for iodoethane
В	cream	slower than for iodoethane
С	yellow	faster than for iodoethane
D	yellow	slower than for iodoethane

26 Many, but not all, organic reactions need to be heated before a reaction occurs.

Which reaction occurs quickly at room temperature (20 °C)?

- $\textbf{A} \quad \text{CH}_3\text{OH} \, + \, \text{PC} \mathit{l}_5 \, \rightarrow \, \text{CH}_3\text{C}\mathit{l} \, + \, \text{POC} \mathit{l}_3 \, + \, \text{HC}\mathit{l}$
- B CH₃CH₂Br + KCN → CH₃CH₂CN + KBr
- $\textbf{C} \quad \text{CH}_3\text{CH}_2\text{OH} \, \rightarrow \, \text{C}_2\text{H}_4 \, + \, \text{H}_2\text{O}$
- **D** $CH_3CH_2CN + 2H_2O \rightarrow CH_3CH_2CO_2H + NH_3$
- 27 When compound X is warmed with dilute, acidified potassium dichromate(VI) there is no colour change. X does not give an orange precipitate with 2,4-dinitrophenylhydrazine reagent.

What could X be?

- A butan-2-ol
- **B** ethanal
- C methylpropan-2-ol
- **D** propanone
- 28 What are the only structures formed when butan-2-ol is heated with concentrated H₂SO₄?

A	CH ₃ CH ₂ C=	H =C H	CH ₃ C=	H CH ₃		
В	CH ₃ C=	CH ₃	CH₃ C=	H -C CH ₃	C= CH ₃ CH ₂	H H
С	CH ₃ CH ₂	H =C H	C= CH ₃	H CH ₃		
D	CH ₃ C= CH ₃	H =C H	CH ₃ CH ₂ C=	H -C H	C=	H =C CH ₃

29 Compound G

- has a chiral centre,
- gives a positive result with alkaline aqueous iodine,
- does not give a silver mirror with Tollens' reagent.

What could compound G be?

- A 1-hydroxybutan-2-one
- **B** 2-hydroxybutanal
- C 3-hydroxybutanal
- D 3-hydroxybutan-2-one
- **30** An ester with an odour of banana has the following formula.

Which pair of reactants, under suitable conditions, will produce this ester?

Section B

For each of the questions in this section, one or more of the three numbered statements 1 to 3 may be correct.

Decide whether each of the statements is or is not correct (you may find it helpful to put a tick against the statements that you consider to be correct).

The responses A to D should be selected on the basis of

Α	В	С	D
1, 2 and 3	1 and 2	2 and 3 only are correct	1 only
are	only are		is
correct	correct		correct

No other combination of statements is used as a correct response.

Use of the Data Booklet may be appropriate for some questions.

31 In 2011 an international group of scientists agreed to add two new elements to the Periodic Table. Both elements had been made artificially and are called flerovium, Fl, and livermorium, Lv.

	F <i>l</i>	Lv
proton number	114	116
nucleon number	289	292

From the information about atoms in the table, which statements are correct?

- 1 One atom of Lv has one more neutron than one atom of Fl.
- **2** One Fl^{2-} ion has the same number of electrons as one atom of Lv.
- **3** One Lv⁺ ion has the same number of electrons as one Fl^- ion.
- **32** The chlorine oxide free radical, ClO_{\bullet} , is produced by the reaction between chlorine atoms and ozone.

$$Cl^{\bullet} + O_3 \rightarrow ClO^{\bullet} + O_2$$

Which features are present in the chlorine oxide free radical?

- 1 an odd number of electrons
- 2 a single covalent bond
- a dative covalent bond from oxygen to chlorine

The responses A to D should be selected on the basis of

Α	В	С	D
1, 2 and 3 are correct	1 and 2 only are correct	2 and 3 only are correct	1 only is correct

No other combination of statements is used as a correct response.

33 Hydrogen sulfide can be oxidised to form sulfur dioxide.

$$2H_2S + 3O_2 \rightarrow 2SO_2 + 2H_2O$$

Which statements are correct?

- 1 The oxidation number of sulfur increases by 6.
- 2 The oxidation number of oxygen increases by 2.
- 3 The oxidation number of hydrogen decreases.
- **34** Methanoic acid, HCO₂H, and hydrocyanic acid, HCN, can both behave as acids.

A solution of methanoic acid has a lower pH than a solution of hydrocyanic acid of the same concentration.

Which statements explain this?

- 1 HCO₂H molecules dissociate more fully than HCN molecules do.
- 2 Each HCO₂H molecule has two hydrogen atoms; each HCN molecule only has one.
- **3** Methanoic acid is a weaker acid than hydrocyanic acid.
- 35 Which statements correctly describe a trend on going down Group 2?
 - 1 Reactivity of the elements increases.
 - 2 First ionisation energy of the elements decreases.
 - 3 The hydroxides become more soluble in water.
- **36** Modern cars are fitted with catalytic converters to reduce atmospheric pollution caused by unwanted reactions during the combustion of the fuel.

Which statements are correct?

- 1 Carbon monoxide is oxidised to carbon dioxide in a catalytic converter.
- 2 Catalytic converters have a very large surface area.
- 3 Nitrogen dioxide is reduced to nitrogen monoxide in a catalytic converter.

- 37 Which statements are correct for an S_N2 mechanism?
 - 1 One bond is being broken at the same time as another bond is being formed.
 - 2 The formation of the intermediate involves the collision of two molecules or ions.
 - **3** A carbon atom in the transition state is bonded, either fully or partially, to five atoms.
- **38** Bromoethane is heated under reflux with concentrated aqueous NaOH.

Which statements are correct?

- 1 The major product is a primary alcohol.
- **2** The major reaction is hydrolysis by an S_N 2 mechanism.
- 3 The major product would be the same if the NaOH is dissolved in ethanol.
- **39** Compound M is an important ingredient in perfume.

compound M

M reacts with HCN.

Which statements about this reaction are correct?

- 1 A small amount of NaOH will speed up the reaction.
- 2 The reaction is initiated by the transfer of a proton to one of the C=O groups.
- **3** Both of the C=O groups react with HCN.
- **40** Carboxylic acids can be converted into their salts by a number of reactions at room temperature.

Which reactions would produce sodium butanoate and a gas?

- 1 sodium carbonate + butanoic acid
- 2 sodium + butanoic acid
- 3 sodium hydroxide + butanoic acid

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.