

# Cambridge International AS & A Level

#### CHEMISTRY

Paper 1 Multiple Choice

**October/November 2021** 1 hour

9701/12

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended) Data booklet

#### INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions. •
- For each question there are four possible answers A, B, C and D. Choose the one you consider correct . and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the . spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

#### **INFORMATION**

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.

This document has 16 pages. Any blank pages are indicated.

## Section A

For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider to be correct.

Use of the Data Booklet may be appropriate for some questions.

**1** Compound X consists of 40.0% carbon, 6.7% hydrogen and 53.3% oxygen by mass.

What is the empirical formula of compound X?

- 2 Which statement is correct?
  - **A** 1.0 g of hydrogen gas contains  $3.0 \times 10^{23}$  atoms.
  - **B** 4.0 g of helium gas contains  $1.2 \times 10^{24}$  atoms.
  - **C** 16 g of methane gas contains  $3.0 \times 10^{24}$  atoms.
  - **D** 44 g of carbon dioxide gas contains  $6.0 \times 10^{23}$  atoms.
- **3** Technetium (Tc) is a second row transition element that does not occur naturally on Earth. One of its isotopes has 56 neutrons.

What is the nucleon number of this isotope?

|  | Α | 43 | В | 56 | С | 99 | D | 112 |
|--|---|----|---|----|---|----|---|-----|
|--|---|----|---|----|---|----|---|-----|

- **4** Which atom has more unpaired electrons than paired electrons in orbitals of principal quantum number 2?
  - A carbon
  - **B** nitrogen
  - **C** oxygen
  - **D** fluorine


5 Atom X is the central atom in a molecule.

In this molecule, atom X has four pairs of valence electrons in its outer shell.

The four pairs of valence electrons include at least one bond pair and at least one lone pair.

What could be a possible shape for the molecule?

- A linear
- B non-linear
- **C** trigonal bipyramidal
- D trigonal planar
- 6 Which molecule has the largest overall dipole?



**7** The strength of hydrogen bonding increases as the electronegativity of the element bonded to hydrogen increases.

Some information for a range of hydrides is given.

| hydride          | boiling point<br>/K |
|------------------|---------------------|
| PH₃              | 185                 |
| HC1              | 188                 |
| HF               | 293                 |
| H <sub>2</sub> O | 373                 |

Which statement and reason about these hydrides is correct?

- A The boiling point of PH<sub>3</sub> is much lower than the boiling point of H<sub>2</sub>O because PH<sub>3</sub> does not form hydrogen bonds or instantaneous dipole-induced dipole forces between its molecules.
- **B** The boiling point of HF is higher than the boiling point of HC*l* because the bond energy of H–F is greater than the bond energy of H–C*l*.
- **C** The boiling point of H<sub>2</sub>O is higher than the boiling point of HF because each hydrogen bond between the H<sub>2</sub>O molecules is stronger than each hydrogen bond between HF molecules.
- **D** The boiling points of  $PH_3$  and HCl are similar because the molecules of  $PH_3$  and HCl have the same number of electrons and similar intermolecular forces.

8 The general gas equation can be used to calculate the value of the  $M_r$  of a gas.


For a sample of a gas of mass m grams, which expression will give the value of  $M_r$ ?

**A** 
$$M_{\rm r} = \frac{mRT}{pV}$$
 **B**  $M_{\rm r} = \frac{pVRT}{m}$  **C**  $M_{\rm r} = \frac{mpV}{RT}$  **D**  $M_{\rm r} = \frac{pV}{mRT}$ 

**9** The equation for the formation of ammonium chloride is shown.

 $NH_3(g) + HCl(g) \rightleftharpoons NH_4Cl(s)$   $\Delta H = -314 \text{ kJ mol}^{-1}$ 

Which diagram shows the correctly labelled reaction pathway diagram for the decomposition of ammonium chloride?



**10** In a catalytic converter in the exhaust system of a car, carbon monoxide is oxidised to carbon dioxide, and nitrogen monoxide is reduced to nitrogen.

What are the changes in oxidation number of carbon and nitrogen in these two processes?

|   | carbon | nitrogen |
|---|--------|----------|
| Α | -2     | +2       |
| В | -1     | +1       |
| С | +1     | -1       |
| D | +2     | -2       |

**11** NO and NO<sub>2</sub> are both present in the lower atmosphere as pollutants.

The reaction sequence shows the production of ozone from oxygen in the lower atmosphere.

This sequence repeats many times.

$$\begin{array}{rl} \mathsf{NO}_2(\mathsf{g}) \ \rightarrow \ \mathsf{NO}(\mathsf{g}) \ + \ \mathsf{O}(\mathsf{g}) \\ \mathsf{NO}(\mathsf{g}) \ + \ \frac{1}{2}\mathsf{O}_2(\mathsf{g}) \ \rightarrow \ \mathsf{NO}_2(\mathsf{g}) \\ \mathcal{O}_2(\mathsf{g}) \ + \ \mathsf{O}(\mathsf{g}) \ \rightarrow \ \mathsf{O}_3(\mathsf{g}) \end{array}$$

Which statement about this reaction sequence is correct?

- A NO is acting as a catalyst, but NO<sub>2</sub> is not acting as a catalyst.
- **B** NO<sub>2</sub> is acting as a catalyst, but NO is not acting as a catalyst.
- **C** Neither NO nor NO<sub>2</sub> are acting as catalysts.
- **D** Both NO and NO<sub>2</sub> are acting as catalysts.
- **12** A mixture of two Period 3 oxides are added to water. A solution forms with a pH of just below 7.

What could be the constituents of the mixture?

- **A**  $Al_2O_3$  and MgO
- B Na<sub>2</sub>O and MgO
- C Na<sub>2</sub>O and P<sub>4</sub>O<sub>10</sub>
- $\boldsymbol{D} \quad SO_3 \text{ and } P_4O_{10}$

- **13** Which statement about the compounds of the Group 2 metals is correct?
  - **A** Barium carbonate is less thermally stable than strontium carbonate.
  - **B** Barium sulfate is less soluble than magnesium sulfate.
  - **C** Calcium hydroxide is less soluble than magnesium hydroxide.
  - **D** Calcium nitrate is more thermally stable than strontium nitrate.
- **14** A 0.005 mol sample of anhydrous calcium carbonate is completely thermally decomposed to give 100 cm<sup>3</sup> of gas.

In a separate experiment carried out under the same conditions, a 0.005 mol sample of anhydrous calcium nitrate is completely thermally decomposed. The volume of gaseous products is measured.

What total volume of gaseous products is produced from the calcium nitrate?

| Α | 50 cm <sup>3</sup> | В | 100 cm <sup>3</sup> | С | 200 cm <sup>3</sup> | D | 250 cm <sup>3</sup> |
|---|--------------------|---|---------------------|---|---------------------|---|---------------------|
|---|--------------------|---|---------------------|---|---------------------|---|---------------------|

**15** Redox reactions are common in the chemistry of Group 17 elements.

Which statement is correct?

- **A**  $Br^-$  ions will reduce  $Cl_2$  but not  $I_2$ .
- **B**  $Cl_2$  will oxidise Br<sup>-</sup> ions but not I<sup>-</sup> ions.
- $\boldsymbol{\mathsf{C}} \quad \mathsf{F}_2 \text{ is the weakest oxidising agent out of } \mathsf{F}_2, \, \mathsf{Cl}_2, \, \mathsf{Br}_2 \text{ and } \mathsf{I}_2.$
- **D**  $I^-$  ions are the weakest reducing agent out of F<sup>-</sup>,  $Cl^-$ , Br<sup>-</sup> and I<sup>-</sup>.

**16** Silver chloride and silver iodide form equilibria when added to water.

$$AgCl(s) \rightleftharpoons Ag^{+}(aq) + Cl^{-}(aq) \qquad K_{c} = K_{1}$$
$$AgI(s) \rightleftharpoons Ag^{+}(aq) + I^{-}(aq) \qquad K_{c} = K_{2}$$

Each equilibrium position lies well to the left.

Silver iodide will not dissolve in aqueous ammonia. Silver chloride will dissolve in aqueous ammonia. Another equilibrium is formed.

$$Ag^{+}(aq) + 2NH_{3}(aq) \rightleftharpoons Ag(NH_{3})_{2}^{+}(aq) \quad K_{c} = K_{3}$$

The position of this equilibrium lies to the **right**.

What is the order of magnitude for these three equilibrium constants?

|   | smallest |                | largest        |
|---|----------|----------------|----------------|
| Α | $K_3$    | K <sub>2</sub> | <b>K</b> 1     |
| в | $K_3$    | $K_1$          | $K_2$          |
| С | $K_2$    | $K_1$          | $K_3$          |
| D | $K_1$    | K <sub>2</sub> | K <sub>3</sub> |

**17** X is the ion of a metal which burns with a red flame.

Y is an ion that reacts with concentrated  $H_2SO_4$  to produce  $H_2S$ .

What could be the formula of a compound containing X and Y?

18 Oxides of nitrogen are present in the environment due to natural and man-made sources. Which row is correct?


|   | natural source of nitrogen oxides       | man-made source of nitrogen oxides   |
|---|---|--------------------------------------|
| Α | electrical discharges in the atmosphere | internal combustion engines          |
| в | electrical discharges in the atmosphere | as a by-product of the Haber process |
| С | decomposition of dead plants in rivers  | internal combustion engines          |
| D | decomposition of dead plants in rivers  | as a by-product of the Haber process |

**19** Magnesium hydroxide dissolves in aqueous ammonium chloride, but not in aqueous sodium chloride.

Which statement explains this observation?

- **A** The ionic radius of the  $NH_4^+$  ion is similar to that of  $Mg^{2+}$  but not that of  $Na^+$ .
- **B**  $NH_4Cl$  dissociates less fully than NaCl.
- $\label{eq:constraint} \textbf{C} \quad \text{The Na}^{\scriptscriptstyle +} \text{ and } Mg^{2^{\scriptscriptstyle +}} \text{ ions have the same number of electrons.}$
- 20 The formula of hydrocortisone acetate is shown.





Which row is correct?

|   | number of C atoms<br>in one molecule | number of chiral atoms<br>in one molecule |
|---|--------------------------------------|---|
| Α | 22                                   | 7   |
| в | 22                                   | 8   |
| С | 23                                   | 7   |
| D | 23                                   | 8   |

**21** Bromomethane, CH<sub>3</sub>Br, decomposes in the stratosphere forming methyl free radicals and bromine free radicals.

Which row correctly describes this decomposition?

|   | type of bond fission | number of electrons in a bromine free radical |
|---|----------------------|---|
| Α | homolytic            | 35  |
| В | heterolytic          | 35  |
| С | homolytic            | 36  |
| D | heterolytic          | 36  |

22 Structural and stereoisomerism should be taken into account when answering this question.

Y is a gaseous hydrocarbon which decolourises aqueous bromine. It contains no rings.

10.0 g of Y occupies a volume of  $3.43 \, \text{dm}^3$  under room conditions.

How many isomeric structures are possible for Y?

**A** 4 **B** 5 **C** 6 **D** 7

23 Which equation represents a valid propagation step in the chlorination of ethane?

 $\textbf{A} \quad C_2H_5C\mathit{l} \ \textbf{+} \ C\mathit{l} \ \textbf{+} \ \rightarrow \ C_2H_4C\mathit{l} \ \textbf{+} \ \textbf{+} \ HC\mathit{l}$ 

- $\mathbf{B} \quad C_2H_6 \ + \ Cl^{\bullet} \ \rightarrow \ C_2H_5Cl \ + \ H^{\bullet}$
- $\mathbf{C} \quad C_2H_5Cl + H \bullet \rightarrow C_2H_5 \bullet + HCl$
- $\textbf{D} \quad C_2H_5 \bullet \ + \ C \mathit{l} \bullet \ \rightarrow \ C_2H_5C \mathit{l}$
- 24 Butanoic acid can be made from 1-bromopropane in two stages.

stage 1  $CH_3CH_2CH_2Br \rightarrow CH_3CH_2CH_2CN$ 

stage 2  $CH_3CH_2CH_2CN \rightarrow CH_3CH_2CO_2H$ 

Which types of reaction are stage 1 and stage 2?

|   | stage 1                   | stage 2    |
|---|---------------------------|------------|
| Α | electrophilic addition    | hydrolysis |
| в | electrophilic addition    | oxidation  |
| С | nucleophilic substitution | hydrolysis |
| D | nucleophilic substitution | oxidation  |

**25** A halogenoalkane has the molecular formula  $C_5H_{11}Br$ . The halogenoalkane does **not** form an alkene when treated with ethanolic sodium hydroxide.

What could be the halogenoalkane?

- A 1-bromo-2-methylbutane
- B 2-bromo-2-methylbutane
- **C** 3-bromopentane
- **D** 1-bromo-2,2-dimethylpropane

**26** Compound P is heated under reflux with an excess of acidified potassium dichromate(VI) to form compound Q.

Compound Q has a **lower** boiling point than compound P.


What could be compound P?

- A 2-methylbutan-1-ol
- B 2-methylbutan-2-ol
- C pentan-1-ol
- D pentan-2-ol
- 27 Structural and stereoisomerism should be taken into account when answering this question.

An organic compound, X, is dehydrated by heating with concentrated phosphoric(V) acid.

Only two organic products are formed.

What could be X?



- **28** Which compound produces a precipitate with 2,4-dinitrophenylhydrazine reagent **and** also with alkaline aqueous iodine?
  - A butan-2-ol
  - B butanal
  - **C** butanone
  - D pentan-3-one


**29** Organic compound Z has an alcohol group and a carboxylic acid group.

Compound Z reacts with magnesium carbonate to make a salt with a relative formula mass of 230.3.

Compound Z does not react with acidified potassium manganate(VII).

What could be the identity of compound Z?

- A 2-hydroxy-2-methylbutanoic acid
- B 2-hydroxy-2-methylpropanoic acid
- **C** 3-hydroxy-2-methylbutanoic acid
- D 3-hydroxy-2-methylpropanoic acid
- **30** The infra-red spectrum of Y is shown.



What could Y be?

- $\textbf{A} \quad CH_3CO_2C_2H_5$
- B CH<sub>2</sub>(OH)CH=CHCH<sub>2</sub>OH
- C  $CH_3(CH_2)_2CO_2H$
- D CH<sub>2</sub>(OH)(CH<sub>2</sub>)<sub>2</sub>CHO

# Section B

For each of the questions in this section, one or more of the three numbered statements **1** to **3** may be correct.

Decide whether each of the statements is or is not correct (you may find it helpful to put a tick against the statements that you consider to be correct).


The responses **A** to **D** should be selected on the basis of

| Α          | В        | С        | D       |
|------------|----------|----------|---------|
| 1, 2 and 3 | 1 and 2  | 2 and 3  | 1 only  |
| are        | only are | only are | is      |
| correct    | correct  | correct  | correct |

No other combination of statements is used as a correct response.

Use of the Data Booklet may be appropriate for some questions.

**31** The Boltzmann distribution diagram shows a fixed amount of a gas at two different temperatures,  $T_1$  and  $T_2$ .



Which statements correctly describe the features of this diagram?

- **1** Temperature  $T_1$  is lower than temperature  $T_2$ .
- **2** The shaded area indicates the particles that have sufficient energy to react at  $T_2$ .
- **3** The total area under each curve is the same for both temperatures.

| solution | formula of acid or base           | pН |
|----------|-----------------------------------|----|
| acid 1   | CH <sub>3</sub> CO <sub>2</sub> H | 4  |
| acid 2   | HNO <sub>3</sub>                  | 1  |
| base 1   | CH <sub>3</sub> NH <sub>2</sub>   | 11 |
| base 2   | NaOH                              | 14 |

**32** Four solutions, each of concentration 0.1 mol dm<sup>-3</sup>, were tested with a pH meter. The results are shown.

Which statements explain these results?

- 1 Acid 2 has a lower pH than acid 1 because it is more soluble.
- **2** Base 2 has a higher concentration of hydroxide ions in solution than base 1.
- **3** Acid 1 dissociates less than acid 2.
- **33** Which reactions are redox reactions?
  - 1 Mg + 2HC $l \rightarrow$  MgC $l_2$  + H<sub>2</sub>
  - $\textbf{2} \quad 2K_2CrO_4 \ + \ 2H^{\scriptscriptstyle +} \ \rightarrow \ K_2Cr_2O_7 \ + \ 2K^{\scriptscriptstyle +} \ + \ H_2O$
  - **3**  $CuCO_3$  + 2HC $l \rightarrow CuCl_2$  + H<sub>2</sub>O + CO<sub>2</sub>
- **34** When the liquid  $N_2F_4$  is heated, it decomposes into a **single** product, X.

Which statements are correct?

- 1 N–F bonds are broken during this decomposition.
- 2 The enthalpy change when  $N_2F_4$  decomposes into X is approximately +160 kJ mol<sup>-1</sup>.
- **3** Molecules of X are non-linear.
- **35** The following statements compare some properties of the oxides and chlorides of sodium and silicon.

Which statements are correct?

- 1 The melting point of  $SiCl_4$  is higher than the melting point of  $SiO_2$ .
- **2** SiC $l_4$  reacts with water, NaCl does not.
- **3** The melting point of SiC $l_4$  is lower than the melting point of NaC $l_2$ .

The responses **A** to **D** should be selected on the basis of

| Α          | В                     | С        | D       |
|------------|-----------------------|----------|---------|
| 1, 2 and 3 | <b>1</b> and <b>2</b> | 2 and 3  | 1 only  |
| are        | only are              | only are | is      |
| correct    | correct               | correct  | correct |

No other combination of statements is used as a correct response.

- 36 Which statements about ammonium chloride are correct?
  - 1 It reacts with hot aqueous sodium hydroxide to produce an alkaline gas.
  - 2 In solution, it reacts with aqueous silver nitrate to produce a white precipitate.
  - **3** When solid, it reacts with concentrated sulfuric acid to produce chlorine.
- 37 What is the same for a pair of optical isomers?
  - 1 their empirical formula
  - 2 their functional groups
  - 3 their structural formula
- **38** Which of the molecular formulae represent at least one compound that can undergo addition polymerisation?
  - 1 C<sub>4</sub>H<sub>8</sub>
  - **2** C<sub>2</sub>H<sub>3</sub>C*l*
  - **3** C<sub>3</sub>H<sub>6</sub>O
- **39** Which of the reactions give products containing a chiral centre?
  - 1 CH<sub>2</sub>(OH)COCO<sub>2</sub>H + an excess of HCN
  - 2 CH<sub>2</sub>(OH)COCO<sub>2</sub>H + an excess of NaBH<sub>4</sub>
  - **3**  $CH_2(OH)COCO_2H$  + an excess of LiA $lH_4$
- **40** Ethyl butanoate is heated with a dilute aqueous solution of sodium hydroxide.

Which substances are products of this reaction?

- 1 sodium butanoate
- 2 water
- 3 sodium ethanoate

# 15

## **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.