UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Advanced Subsidiary Level and GCE Advanced Level

## MARK SCHEME for the October/November 2011 question paper

## for the guidance of teachers

## 9701 CHEMISTRY

9701/34

Paper 3 (Advanced Practical Skills 2), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2011 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2011	9701	34
-			

Qu	estion	Sections	Indicative material	Mark	
1	(a)	MMO Collection	I Performs experiment and records <b>all</b> sensible thermometer readings.	1	
		PDO Collection	II Records all thermometer readings to 0.0/0.5 °C.	1	
		ACE Interpretation	<b>III</b> Correctly calculates the temperature rises.	1	
		MMO Quality	Award IV, V and VI for a $\Delta T$ within 0.5 °C of Supervisor's result.	3	
			ard IV and V for a $\Delta T$ within 1.0 °C of Supervisor's llt.		
			ard IV only for a $\Delta T$ within 1.5 °C of Supervisor's ult.		
			for 35 cm <sup>3</sup> by multiplying candidate's result for $30 \text{ cm}^3$ of und up to the nearest 0.5 °C.		
			Award VII and VIII if candidate's temperature rise for $35 \text{ cm}^3$ <b>FB 1</b> is within 0.5 °C of calculated value. Award VII only if $\Delta T$ is within 1.0 °C	2	[8]
	(b)	PDO Display	I Axes labelled: temperature/T change or ΔT and volume/Vol/V sodium hydroxide/NaOH and correct units /°C or (°C) or 'in °C', /cm <sup>3</sup> or (cm <sup>3</sup> ).		
			<ul> <li>II Suitable scales chosen so that the points, if plotted, would occupy at least half the available length for <i>x</i>- and <i>y</i>-axes.</li> <li>Do not award if 50 cm<sup>3</sup> not included.</li> </ul>		
			III Plotting – accurate to within half a small square and in the correct square.	1	
			IV Draws two straight lines of best fit which intersect. Allow coming to a point (not curved).	1	
			Does not have to go through (0,0).		[4]

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – October/November 2011	9701	34

(c)	ACE Interpretation	(i)	Ι	Reads to nearest $\frac{1}{2}$ square temperature rise to 1 dp at point of intersection. Do not award if intersection < largest $\Delta T$ .	1	
		(ii)	II	Reads to nearest $\frac{1}{2}$ square volume of <b>FB 1</b> to 1 dp or nearest 0.5 cm <sup>3</sup> at point of intersection.	1	
		(iii)	III	Correctly calculates moles of sodium hydroxide [volume of <b>FB 1</b> in <b>(ii)</b> × 1.5/1000] to 2 to 4 sf.	1	
		(iv)	IV	Heat energy produced = 50 × 4.3 × temperature rise from (i)	1	
			V	Correct answer calculated to 3 or 4 sf. ecf from incorrect <b>volume</b>	1	
		(v)	VI	candidate's answer to (iv) candidate's answer to (iii)	1 1	
			VI	Negative sign and answer in kJ to 2 to 4 sf	1	[7]
(d)	ACE Interpretation			es a source of error e.g. precision of neter, precision of measuring cylinder*	1	
	ACE Improvements	Sug (0.1	ges <sup>:</sup> °C),	ts thermometer with smaller scale divisions use of burette*	1	[2]
(e)	ACE Interpretation	(i)	Ι	Calculates or expression for the volume of <b>FB 2</b> which reacts [50 – (c)(ii)].	1	
			II	Correctly calculates the concentration of H <sup>+</sup> in mol dm $^{3}$ (≥ 2 sf) [(c)(iii) × 1000/{50 – (c)(ii)}].	1	
	PDO Display	(ii)	III	Divides the answer from (i) by 2	1	
	Decisions	(iii)	IV	Describes test and result for sulfate ion. White ppt with (aq) barium chloride or nitrate	1	[4]
					[Tot	al: 25]

* e.g.	1 <sup>st</sup> mark	2 <sup>nd</sup> mark
	use more sensitive thermometer	0.5, 0,2, 0.1°C or smaller % error
	smaller divisions in measuring cylinder	burette or decrease % error
	use burette as more accurate	
	cup has little water, use dry cup	
	10 cm <sup>3</sup> too small to take T, start with 20 cm <sup>3</sup>	

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
G	CE AS/A LEVEL – October/November 2011	9701	34

		<b>FB 3</b> is Na <sub>2</sub> CO <sub>3</sub> (aq); <b>FB 4</b> is Na <sub>2</sub> CrO <sub>4</sub> (aq); <b>FB 5</b> is NaBr; <b>FB 6</b> is MnO <sub>2</sub>					
2	<ul> <li>(a) PDO (i) I All observations in a single table (2 × 3) No repeat of headings &amp; ≥ 4 boxes filled.</li> </ul>		1				
		MMO Collection			Observations for <b>both</b> tests on each solution are correct.		
				Π	FB 3	1	
				III	FB 4	1	
				IV	FB 5	1	

Solution	H₂SO₄	Pb(NO <sub>3</sub> ) <sub>2</sub>
FB 3	bubbling/effervescence <b>and</b> CO <sub>2</sub> identified by test (allow <b>gas</b> turns limewater milky)	white ppt
FB 4	turns orange/orange (solution) forms ( <b>not</b> ppt but not CON for identity)	yellow ppt
FB 5	no change/no reaction [not " – "]	white ppt

	ACE Conclusions	V	<b>FB 3</b> carbonate/ $CO_3^2$ from effervescence <b>or</b> positive limewater test	1	
		VI	<b>FB 4</b> chromate(VI)/chromate/ $CrO_4^2$ from either observation but no CON obs	1	[6]
	MMO Decisions	(ii) I	Addition of (aq) silver nitrate to <b>FB 5</b> . <b>ecf</b> on obs in table if no ppt with <b>FB 5</b> + $Pb^{2^+}$	1	
	Collection	П	<b>Cream</b> ppt (white ppt loses <b>II</b> and <b>III</b> ) If NH <sub>3</sub> used obs must be correct.	1	
	ACE Conclusions	Ш	<b>FB 5</b> bromide/Br from cream ppt (or off- white ppt insol or partially soluble in NH <sub>3</sub> )	1	[3]
(b)	MMO Collection	(i) I	(bubbling/effervescence and) gas rekindles glowing splint	1	
		(ii) II	filtrate is yellow/qualified yellow/yellowish green/light brown <b>and</b> produces a red- brown/brown/rust/black (not red) ppt with aqueous sodium hydroxide	1	
		(iii) III	filtrate is green/qualified green	1	
		IV	filtrate turns purple/pink (with acid)	1	
	ACE Conclusions	V	<ul> <li>(i) FB 6 is a catalyst Allow O<sub>2</sub> formed or H<sub>2</sub>O<sub>2</sub> decomposes if glowing splint test correct.</li> </ul>	1	
		VI	(ii) <b>FB 6</b> is an oxidant/oxidising agent/is reduced.	1	[6]
				[Tot	al: 15]