

CHEMISTRY**9701/51**

Paper 5 Planning, Analysis and Evaluation

May/June 2018**MARK SCHEME**

Maximum Mark: 30

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2018 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

IGCSE™ is a registered trademark.

This document consists of **7** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

PUBLISHED**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).


GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

PUBLISHED

| Question | Answer | Marks |
|----------|---|-------|
| 1(a) | Complete circuit with ammeter in series and DC power supply | 1 |
| | Anode, cathode and solution labelled | 1 |
| 1(b) | wear gloves | 1 |
| | do not dispose into the water waste / sink OR do not put down drain / sewage OR put in waste bottles | 1 |
| | | |
| 1(c) | Mass (of electrode) before and after experiment AND mass unit | 1 |
| 1(d) | charge = $0.5 \times 30 \times 60 = 900$ C | 1 |
| 1(e) | $0.282 / 63.5 = 4.44 \times 10^{-3}$ (mol) OR 0.00444 | 1 |
| 1(f) | $(900 / 4.44 \times 10^{-3}) = 202702.7027$ C | 1 |
| 1(g) | 2 moles of electrons are produced / removed / released (so 2 Faradays OR $2 \times 96\,500$) | 1 |
| 1(h) | (Faraday) value is smaller AND (apparent) mass / moles / amount is more (for same charge passed) | 1 |
| 1(i) | CuO is formed / oxidation of copper / carbon / soot is formed | 1 |
| 1(j) | Some copper falls off the electrode during electrolysis / falls to the bottom of the beaker OR Some copper is lost during washing | 1 |

PUBLISHED

| Question | Answer | Marks |
|----------|--|-------|
| 2(a) | Water bath/beaker of water containing thermometer around flask | 1 |
| | Controlled heat source or heater/temperature regulator | 1 |
| 2(b)(i) | Moles $N_2 = 72 / 24\,000 = 0.003$ moles (1 mol $C_6H_5N_2^+Cl^- \rightarrow 1$ mol N_2) | 1 |
| | Moles $C_6H_5N_2^+$ in 1000 cm^3 solution = $0.003 \times (1000 / 200) = 1.50 \times 10^{-2}$ (mol) | 1 |
| 2(b)(ii) |  <p style="text-align: center;">OR</p> | |
| | Axes (label with quantity or correct unit) and values correct | 1 |
| | Straight line from axis marks OR from 0,0 over most of the axes | 1 |

PUBLISHED

| Question | Answer | | | | Marks | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|------------------------|---|----------|---|---|---|------------|--|------------------------|---|-----|---|-------|--------|-----|---|-------|--------|-----|----|-------|--------|-----|----|-------|--------|-----|----|-------|---------|------|----|-------|---------|------|----|-------|---------|------|----|-------|---------|------|----|-------|---------|--|
| 2(c) | <table border="1"> <thead> <tr> <th data-bbox="595 218 824 268">A</th> <th data-bbox="824 218 1048 268">B</th> <th data-bbox="1048 218 1272 268">C</th> <th data-bbox="1272 218 1677 268">D</th> </tr> <tr> <th data-bbox="595 268 824 387">Time / min</th> <th data-bbox="824 268 1048 387">volume of nitrogen, V / cm³</th> <th data-bbox="1048 268 1272 387">V / V_{FINAL}</th> <th data-bbox="1272 268 1677 387">[C₆H₅N₂⁺Cl⁻(aq)] / mol dm⁻³</th> </tr> </thead> <tbody> <tr> <td data-bbox="595 387 824 437">0.0</td> <td data-bbox="824 387 1048 437">0</td> <td data-bbox="1048 387 1272 437">0.000</td> <td data-bbox="1272 387 1677 437">0.0150</td> </tr> <tr> <td data-bbox="595 437 824 486">2.0</td> <td data-bbox="824 437 1048 486">9</td> <td data-bbox="1048 437 1272 486">0.125</td> <td data-bbox="1272 437 1677 486">0.0131</td> </tr> <tr> <td data-bbox="595 486 824 536">4.0</td> <td data-bbox="824 486 1048 536">17</td> <td data-bbox="1048 486 1272 536">0.236</td> <td data-bbox="1272 486 1677 536">0.0115</td> </tr> <tr> <td data-bbox="595 536 824 585">6.0</td> <td data-bbox="824 536 1048 585">24</td> <td data-bbox="1048 536 1272 585">0.333</td> <td data-bbox="1272 536 1677 585">0.0100</td> </tr> <tr> <td data-bbox="595 585 824 635">8.0</td> <td data-bbox="824 585 1048 635">30</td> <td data-bbox="1048 585 1272 635">0.417</td> <td data-bbox="1272 585 1677 635">0.00875</td> </tr> <tr> <td data-bbox="595 635 824 684">10.0</td> <td data-bbox="824 635 1048 684">35</td> <td data-bbox="1048 635 1272 684">0.486</td> <td data-bbox="1272 635 1677 684">0.00771</td> </tr> <tr> <td data-bbox="595 684 824 734">12.0</td> <td data-bbox="824 684 1048 734">40</td> <td data-bbox="1048 684 1272 734">0.556</td> <td data-bbox="1272 684 1677 734">0.00666</td> </tr> <tr> <td data-bbox="595 734 824 783">14.0</td> <td data-bbox="824 734 1048 783">44</td> <td data-bbox="1048 734 1272 783">0.611</td> <td data-bbox="1272 734 1677 783">0.00584</td> </tr> <tr> <td data-bbox="595 783 824 833">16.0</td> <td data-bbox="824 783 1048 833">48</td> <td data-bbox="1048 783 1272 833">0.667</td> <td data-bbox="1272 783 1677 833">0.00500</td> </tr> </tbody> </table> | | | | A | B | C | D | Time / min | volume of nitrogen, V / cm ³ | V / V _{FINAL} | [C ₆ H ₅ N ₂ ⁺ Cl ⁻ (aq)] / mol dm ⁻³ | 0.0 | 0 | 0.000 | 0.0150 | 2.0 | 9 | 0.125 | 0.0131 | 4.0 | 17 | 0.236 | 0.0115 | 6.0 | 24 | 0.333 | 0.0100 | 8.0 | 30 | 0.417 | 0.00875 | 10.0 | 35 | 0.486 | 0.00771 | 12.0 | 40 | 0.556 | 0.00666 | 14.0 | 44 | 0.611 | 0.00584 | 16.0 | 48 | 0.667 | 0.00500 | |
| | A | B | C | D | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Time / min | volume of nitrogen, V / cm ³ | V / V _{FINAL} | [C ₆ H ₅ N ₂ ⁺ Cl ⁻ (aq)] / mol dm ⁻³ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0.0 | 0 | 0.000 | 0.0150 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.0 | 9 | 0.125 | 0.0131 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.0 | 17 | 0.236 | 0.0115 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.0 | 24 | 0.333 | 0.0100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8.0 | 30 | 0.417 | 0.00875 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10.0 | 35 | 0.486 | 0.00771 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12.0 | 40 | 0.556 | 0.00666 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 14.0 | 44 | 0.611 | 0.00584 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16.0 | 48 | 0.667 | 0.00500 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Column values for D correctly calculated | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 sf in C and D | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2(d) | Candidate's calculated points correctly plotted from table in 2(c) | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Smooth curve of best fit | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2(e) | Tangent drawn at time zero | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 sets of co-ordinates shown | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | calculation of gradient of tangent | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | mol dm ⁻³ minute(s) ⁻¹ | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

PUBLISHED

| Question | Answer | | | | | Marks | | | | | | | | | | | | | | | |
|----------------------------------|---|--------|-----------------|--------|-----------|-----------------|--------|-----------------|--------|-----------|----------|---|----------|------|------|-------|---|-------|------|------|--|
| 2(f) | <table border="1"> <thead> <tr> <th data-bbox="638 217 875 268">concentration 1</th> <th data-bbox="875 217 1008 268">Time 1</th> <th data-bbox="1008 217 1254 268">concentration 2</th> <th data-bbox="1254 217 1456 268">time 2</th> <th data-bbox="1456 217 1635 268">$t_{1/2}$</th> </tr> </thead> <tbody> <tr> <td data-bbox="638 268 875 319">(0.0120)</td> <td data-bbox="875 268 1008 319">3</td> <td data-bbox="1008 268 1254 319">(0.0060)</td> <td data-bbox="1254 268 1456 319">13.4</td> <td data-bbox="1456 268 1635 319">10.4</td> </tr> <tr> <td data-bbox="638 319 875 370">0.010</td> <td data-bbox="875 319 1008 370">6</td> <td data-bbox="1008 319 1254 370">0.005</td> <td data-bbox="1254 319 1456 370">16.0</td> <td data-bbox="1456 319 1635 370">10.0</td> </tr> </tbody> </table> | | | | | concentration 1 | Time 1 | concentration 2 | time 2 | $t_{1/2}$ | (0.0120) | 3 | (0.0060) | 13.4 | 10.4 | 0.010 | 6 | 0.005 | 16.0 | 10.0 | |
| | concentration 1 | Time 1 | concentration 2 | time 2 | $t_{1/2}$ | | | | | | | | | | | | | | | | |
| | (0.0120) | 3 | (0.0060) | 13.4 | 10.4 | | | | | | | | | | | | | | | | |
| | 0.010 | 6 | 0.005 | 16.0 | 10.0 | | | | | | | | | | | | | | | | |
| Columns 1 and 3 | | | | | 1 | | | | | | | | | | | | | | | | |
| Columns 2 and 4 | | | | | 1 | | | | | | | | | | | | | | | | |
| Half-lives correctly calculated. | | | | | 1 | | | | | | | | | | | | | | | | |
| 2(g) | First order AND because half-lives are constant/equal | | | | | 1 | | | | | | | | | | | | | | | |