



Mark Scheme (Results)

Summer 2021

Pearson International Advanced Subsidiary Level In Chemistry (WCH13) Paper 01: Practical Skills in Chemistry I

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <u>www.edexcel.com</u> or <u>www.btec.co.uk</u>. Alternatively, you can get in touch with us using the details on our contact us page at <u>www.edexcel.com/contactus</u>.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2021 Question Paper Log Number P64625A Publications Code WCH13_01_2106_MS All the material in this publication is copyright © Pearson Education Ltd 2021

PMT

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

PMT

Using the mark scheme

Examiners should look for qualities to reward rather than faults to penalise. This does NOT mean giving credit for incorrect or inadequate answers, but it does mean allowing candidates to be rewarded for answers showing correct application of principles and knowledge. Examiners should therefore read carefully and consider every response: even if it is not what is expected it may be worthy of credit.

The mark scheme gives examiners:

- an idea of the types of response expected
- how individual marks are to be awarded
- the total mark for each question
- examples of responses that should NOT receive credit.

/ means that the responses are alternatives and either answer should receive full credit. () means that a phrase/word is not essential for the award of the mark, but helps the examiner to get the sense of the expected answer.

Phrases/words in **bold** indicate that the meaning of the phrase or the actual word is **essential** to the answer. ecf/TE/cq (error carried forward) means that a wrong answer given in an earlier part of a question is used correctly in answer to a later part of the same question.

Candidates must make their meaning clear to the examiner to gain the mark. Make sure that the answer makes sense. Do not give credit for correct words/phrases which are put together in a meaningless manner. Answers must be in the correct context.

Question number	Answer		Additional Guidance	Mark
1(a)(i)	An answer that makes reference to the following points:			2
	identification of material	(1)	nichrome / nickel-chromium (alloy) / NiCr / platinum / Pt	
			Do not award just "nickel" or "chromium"	
	justification of use	(1)	inert / does not react / does not give a flame colour	
			Allow does not react with HCl Allow high melting temperature / does not melt in the flame	
			Ignore does not burn	

Question number	Answer		Additional Guidance	Mark
1(a)(ii)	A description that makes reference to the following points:		Ignore reference to incorrect wires	4
	use of hydrochloric acid	(1)	Allow any mention of HCl(aq) e.g. cleaning the wire or mixing solid and acid or making a paste/solution	
			Ignore dilute	
			HCl instead of HCl(aq)	
	description of method	(1)	(wire then) dipped in solid / paste / solution and placed in (hot / roaring / colourless / blue-cone) (Bunsen) flame	
			Allow salt / compound / substance / paste /sample / solution for 'solid' on / over / under / near / show / above for 'in'	
	flame colour of sodium	(1)	yellow / gold / golden	
			Allow orange Allow combinations of allowed colours such as yellow- orange	
			Ignore persistent / bright	
	• flame colour of potassium	(1)	Lilac Do not award purple If both correct colours are given without assigning to the correct metal/compound award 1 mark out of the 2. If colours are reversed award 1 mark out of 2.	

Question number	Answer		Additional Guidance	Mark
1(b)	A description that makes reference to the following points:		Tests can be in either order. Penalise unspecified acid once only in the two tests For both tests the second mark depends on the first mark being scored, or a near miss.	4
	test for a sulfate	(1)	barium chloride (solution) / BaCl ₂ ((aq)) and hydrochloric acid / HCl((aq)) or barium nitrate (solution) / Ba(NO ₃) ₂ ((aq)) and nitric acid / HNO ₃ ((aq)) Do not award sulfuric acid / H ₂ SO ₄	
	 result of test for a sulfate 	(1)	white precipitate	
			Allow solid / suspension /ppt / ppte	
	 test for a carbonate 	(1)	addition of hydrochloric acid / HCI((aq))	
			Allow any named acid	
	 result of test for a carbonate 	(1)	effervescence / fizzing / bubbles	
			Allow gas given off which turns limewater cloudy <mark>/milky</mark>	
			Ignore just "gas"	

(Total for Question 1 = 10 marks)

Question number	Answer		Additional Guidance	Mark
2(a)	An answer that makes reference to the following points:			2
	 (add a few crystals / small amount of) phosphorus(V) chloride / phosphorus pentachloride / PCl₅ 	(1)	Allow thionyl chloride / SOCl ₂ / Ester formation / reaction with Na Do not award PCl ₃	
	• steamy / misty fumes (of HCl)	(1)	Allow white fumes Do not award white smoke	
			Allow the formation of an ester	
			M1 Addition of a carboxylic acid / named carboxylic acid and any identified strong acid Or Addition of an acyl chloride / named acyl chloride	
			M2 Fruity / glue / characteristic smell of product	
			Allow for addition of sodium	
			M1 Addition of sodium / Na	
			M2 formation of bubbles / fizzing / formation of a gas which burns with a squeaky pop	
			Ignore just formation of gas / hydrogen	

Answer		Additional Guidance	Mark
An answer that makes reference to one of the following pairs of points:		In the results of both tests ignore "clear"	2
 bromine water / aqueous bromine / bromine solution / bromine in organic solvent / Br₂(aq) 	(1)	Allow bromine / Br ₂ ((I))	
 orange / yellow / brown to colourless 	(1)	Allow just decolourises Do not award red / red-brown with	
OR		aqueous bromine but allow with bromine	
• potassium manganate(VII) / KMnO4 and sulfuric acid / H_2SO_4	(1)	Allow potassium permanganate Allow acidified potassium manganate(VII)	
purple to colourless	(1)	Allow just decolourises	
	 of points: bromine water / aqueous bromine / bromine solution / bromine in organic solvent / Br₂ (aq) orange / yellow / brown to colourless OR potassium manganate(VII) / KMnO₄ and sulfuric acid / H₂SO₄ 	of points: • bromine water / aqueous bromine / bromine solution / (1) bromine in organic solvent / Br ₂ (aq) • orange / yellow / brown to colourless (1) OR • potassium manganate(VII) / KMnO ₄ and sulfuric acid / (1) H ₂ SO ₄ (1)	of points: bromine water / aqueous bromine / bromine solution / bromine in organic solvent / Br₂(aq) orange / yellow / brown to colourless orange / yellow / brown to colourless Allow just decolourises Do not award red / red-brown with aqueous bromine but allow with bromine Allow potassium permanganate Allow acidified potassium manganate(VII) • potassium manganate(VII) / KMnO4 and sulfuric acid / H ₂ SO4 (1) Allow just decolourises (1) Allow potassium permanganate Allow acidified potassium manganate(VII) (1) Allow just decolourises

Question number	Answer	Additional Guidance	Mark
2(b)(ii)	 An answer that makes reference to one of the following points: orange / yellow / brown colour still present OR purple colour remains 	Allow TE on colours from b(i), e.g red-brown with bromine water Allow no change Allow does not decolourise Allow no reaction	1

Question number	Answer	Addit	ional Guidance		Mark
2(c)	• any two correct (1)		Compound	Colour change	2
	• third correct (1)		OH	orange to green	
			ОН	orange to green	
			ОН	no change / stays orange	
		Award	d orange to blue		
			correct scores 2 vo correct scores 1		
			ree with the colours to orange and stays	reversed (green to orang s green) scores 1	e,
			ise the omission of t ise yellow as the star	he start colour once only <mark>rt colour once only</mark>	

Question	Answer	Additional Guidance	Mark
number			
2(d)(i)	 An answer that makes reference to the following points: O-H bond and 3750–3200 (cm⁻¹) 	In d(i) and d(ii) penalise a single value or a range within the range once only Allow 3200-3750 (cm ⁻¹)	1
		Do not award –OH / -O-H	

Question number	Answer	Additional Guidance	Mark
2(d)(ii)	 An answer that makes reference to the following points: C=C bond and 1669–1645 (cm⁻¹) 	Allow 1645-1669 (cm ⁻¹) If no other mark awarded in (d)(i) and (d)(ii) allow (1) in (d)(ii) for identification of both bonds or both ranges	1

Question number	Answer	Additional Guidance	Mark
2(d)(iii)	 all three molecular ions have a <i>m/z</i> = 100 / all three compounds have a molar mass of 100 (g mol⁻¹) 	Allow this is the molecular ion peak of all three compounds Allow this is the molecular mass of all three compounds Allow the three compounds are isomers Allow the compounds have the same molar mass Allow the compounds are C ₆ H ₁₂ O / have the same molecular formula Do not award the compounds have the same molecular ion	1

Question number	Answer		Additional Guidance	Mark
2(d)(iv)	An answer that makes reference to the following points:			2
		(1)	Allow the + anywhere including outside of brackets around the structure Allow displayed formula Allow $CH_2CH_2CH_2CH_2COH^+$ showing linked carbons in ring Do not award structures with extra –H on C–OH Do not award structures which do not contain a ring Ignore $C_5H_9O^+/C_5H_8OH^+/CH_2CH_2CH_2CH_2OH^+$	
	• CH₃•/CH₃ (radical)	(1)	Allow displayed formula Allow methyl (radical) Allow CH_3^+ Allow (1) for H_3 and $OH \cdot / OH / OH^+$	

(Total for Question 2 = 12 marks)

Question number	Answer		Additional Guidance	Mark
3(a)			Correct colours reversed scores (1)	2
	• (from) yellow	(1)	Allow peach for orange	
	• (to) orange	(1)	lgnore modifiers e.g. pale	
			Do not award to red or to pink	

Question number	Answer	Addition	al Guidance			Mark
3(b)(i)			Γ	Γ	1	1
	two correct values		3	4		
			23.05	45.1(0)		
			1.25	23.20		
			21.8(0)	21.90		
					-	

Question number	Answer	Additional Guidance	Mark
3(b)(ii)	An answer that makes reference to the following points:		1
	• it is not concordant / not within 0.2 (cm ³)	Allow not within 0.1 (cm ³)	
		Allow just 'it is rough / a trial / a rangefinder'	
		Do not award uncertainty e.g. $\pm 0.1 / \pm 0.2$ (cm ³)	

Question number	Answer	Additional Guidance	Mark
3(b)(iii)		Example of calculation:	2
	• calculation of mean titre (1)	<u>21.85 + 21.80 + 21.90</u> 3	
		= 21.85 (cm ³)	
	• calculation of moles of hydrochloric acid (1)	<u>21.85 x 0.200</u> 1000	
		= 0.00437 / 4.37 x 10 ⁻³ (mol)	
		Correct answer with some working scores (2)	
		Allow TE on incorrect volumes in (b)(i) and on incorrect calculation of mean titre.	
		Ignore SF except 1SF	

Question number	Answer		Additional Guidance	Mark
3(b)(iv)			Example of calculation:	3
	• calculation of moles of barium hydroxide in 10 cm ³	(1)	moles of Ba(OH) ₂ in 10 cm ³	
			= ans(b)(iii) / 2	
			= 0.002185 / 2.185 x 10 ⁻³ (mol) (ans(1))	
	• calculation of moles of barium hydroxide in 1 dm ³	(1)	moles of Ba(OH) ₂ in 1 dm ³	
			= ans(1) x 100	
			= 0.2185 / 2.185 x 10 ⁻¹ (mol) (ans(2))	
	• calculation of concentration in g dm ⁻³ to 2 or 3 SF	(1)	= ans(2) x 171.3	
			= 37.429 g	
			= 37 / 37.4 (g dm ⁻³) to 2 or 3 SF	
			Do not award 37.0	
			Correct answer with some working scores (3) Use of 171 gives 37.4 / 37.364	
			ALLOW TE throughout	

Question number	Answer	Additional Guidance	Mark
3(c)	An answer that makes reference to the following points:		1
	use of a fume cupboard	Allow (face) mask	
		Ignore laboratory coat / goggles / gloves / well ventilated laboratory	
		Comment: Allow respiratory equipment	

Question number	Answer	Additional Guidance	Mark
3(d)	An answer that makes reference to the following points:		1
	• oxidising (agent) / oxidiser / oxidant	Do not award flammable	

(Total for Question 3 = 11 marks)

Question number	Answer		Additional Guidance	Mark
4(a)	An answer that makes reference to the following points:			2
	• gives a reason for cooling	(1)	reaction is exothermic / vigorous / gives off heat / Do not award Explosive Ignore violent / quick reaction	
	• gives a reason why this causes a reduction in yield	(1)	mixture may boil causing reactant / product to escape / butan-1-ol /reactant or 1-bromobutane / product might evaporate or reaction may bubble / fizz / effervesce and overflow the round bottom flask (causing loss of reactant / product) Allow alkene formation / charring Ignore reference to equilibrium / rate / side reactions	
			Do not award transfer losses	

Question number	Answer	Additional Guidance	Mark
4(b)(i)	 anti-bumping granules 	Allow description of anti-bumping granules Allow other names: anti-bumping chips / beads boiling stones broken porcelain boiling chips	1

Question number	Answer		Additional Guidance	Mark
<u>number</u> 4(b)(ii)	 A diagram that contains a round bottom flask with contents and any indication of heating contains a vertical condenser with water jacket and correct water flow is a working apparatus: not stoppered, no gaps, a joint between flask and condenser 	(1) (1) (1)	Example of diagram: water out condenser water in water in round-bottom flask	3
			Allow apparatus unlabelled but must have correct water flow for M2 Allow pear shaped flask Allow an arrow pointing upward as an indication of heat Ignore thermometers which do not seal the apparatus M1 is available for a distillation apparatus	

Question	Answer	Additional Guidance	Mark
number			
4(c)(i)	An answer that makes reference to the following points:		1
	 to neutralise (excess sulfuric) acid 	Allow to remove (excess sulfuric) acid	
		Allow hydrobromic acid / HBr / sodium	
		hydrogensulfate / NaHSO₄ / <mark>H⁺</mark>	
		Do not award just 'to neutralise' without	
		mention of acid	

Question number	Answer		Additional Guidance	Mark
4(c)(ii)	An explanation that makes reference to the following points:			2
	• identifies the problem	(1)	build-up of pressure (in the separating funnel) Ignore causes frothing Ignore formation of CO ₂	
	• gives a solution	(1)	<mark>open /</mark> remove the stopper (with the funnel upright) or open the tap (with funnel inverted)	
			Note: Remove the stopper to release the pressure would score 2. Comment: mark independently	

Question number	Answer	Additional Guidance	Mark
4(c)(iii)	An answer that makes reference to the following points:		1
	drying agent / to remove water	Do not award dehydration	

Question number	Answer	Additional Guidance	Mark
4(c)(iv)	An answer that makes reference to the following points:turns from cloudy to clear	Ignore colourless Allow solution becomes clear Allow stops being cloudy Allow is no longer turbid <mark>Allow less cloudy / more clear</mark>	1

Question number	Answer	Additional Guidance	Mark
4(d)	An answer that makes reference to the following points:		1
	integer values of temperature in the ranges	Award values to nearest 0.5 °C	
	lower value 99 / 100 / 101(°C) and upper value 103 / 104 / 105(°C)	Do not award other fractions or decimals of degrees other than nearest 0.5 °C	
		Do not award single values even if between the two ends of the range, e.g. 102 °C	
		Allow a value for the size of the range around a stated temperature as long as it is within the given values e.g. 3 °C around 102 °C	

Question number	Answer	Additional Guidance	Mark
4(e)(i)		Example of reasons:	1
	 reason for yield being less than 100% 	reaction incomplete transfer losses side reactions	
		Ignore equilibrium reached <mark>Ignore impure reagents / impurities</mark>	
		Do not award the cold water bath was not used Do not award the procedure was not followed correctly Do not award spillages	

Question number	Answer		Additional Guidance	Mark
4(e)(ii)			Example of calculation:	4
	• calculation of mass of 1-bromobutane required	(1)	= 20 x 1.27 = 25.4 (g)	
	• calculation of moles of 1-bromobutane required	(1)	= 25.4 ÷ 137 = 0.18540 (mol)	
	calculation of mass butan-1-ol required	(1)	= 0.18540 x 74 = 13.720	
	calculation of percentage yield assumed	(1)	= 100 x 13.720 ÷ 21.0 = 65.332 (%)	
	OR			
	• calculation of moles of butan-1-ol used	(1)	= 21 ÷ 74 = 0.28378 mol	
	• calculation of mass of 1-bromobutane for 100 % yield	(1)	= 0.28378 x 137 = 38.878 g	
	 calculation of volume of 1-bromobutane for 100 % yield 	(1)	= 38.878 ÷ 1.27 = 30.613 (cm ³)	
	• calculation of % yield if 20 cm ³ prepared	(1)	= 100 x 20 ÷ 30.613 = 65.332 (%)	
			Do not award M4 if yield greater than 100%	
			Use of 0.810 instead of 1.27 gives 41.699 (%) scores (3)	
			Use of transposed M _r values gives 223.9 (%) scores (2)	
			Allow use of 136.9 (giving 65.381(%))	
			Allow TE throughout	
			Ignore SF except 1SF Correct answer with some working scores (4)	

Total for Paper = 50 marks

PMT