

GCE

Chemistry B

H033/01: Foundations of chemistry

AS Level

Mark Scheme for June 2023

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2023

June 2023

MARKING INSTRUCTIONS

PREPARATION FOR MARKING

RM ASSESSOR

- 1. Make sure that you have accessed and completed the relevant training packages for on-screen marking: *RM Assessor Online Training*; *OCR Essential Guide to Marking*.
- 2. Make sure that you have read and understood the mark scheme and the question paper for this unit. These are available in RM Assessor.
- 3. Log-in to RM Assessor and mark the **required number** of practice responses ("scripts") and the **required number** of standardisation responses.

MARKING

- 1. Mark strictly to the mark scheme.
- 2. Marks awarded must relate directly to the marking criteria.
- 3. The schedule of dates is very important. It is essential that you meet the RM Assessor 50% and 100% (traditional 50% Batch 1 and 100% Batch 2) deadlines. If you experience problems, you must contact your Team Leader (Supervisor) without delay.
- 4. If you are in any doubt about applying the mark scheme, consult your Team Leader by telephone, email or via the RM Assessor messaging system.

H033/01

- 5. Work crossed out:
 - a. where a candidate crosses out an answer and provides an alternative response, the crossed out response is not marked and gains no marks
 - b. if a candidate crosses out an answer to a whole question and makes no second attempt, and if the inclusion of the answer does not cause a rubric infringement, the assessor should attempt to mark the crossed out answer and award marks appropriately.
- 6. Always check the pages (and additional objects if present) at the end of the response in case any answers have been continued there. If the candidate has continued an answer there then add a tick to confirm that the work has been seen.
- 7. There is a NR (No Response) option. Award NR (No Response)
 - if there is nothing written at all in the answer space
 - OR if there is a comment which does not in any way relate to the question (e.g. 'can't do', 'don't know')
 - OR if there is a mark (e.g. a dash, a question mark) which isn't an attempt at the question.

Note: Award 0 marks – for an attempt that earns no credit (including copying out the question).

8. The RM Assessor **comments box** is used by your Team Leader to explain the marking of the practice responses. Please refer to these comments when checking your practice responses. **Do not use the comments box for any other reason.**

If you have any questions or comments for your Team Leader, use the phone, the RM Assessor messaging system, or email.

9. Assistant Examiners will send a brief report on the performance of candidates to their Team Leader (Supervisor) via email by the end of the marking period. The report should contain notes on particular strengths displayed as well as common errors or weaknesses. Constructive criticism of the question paper/mark scheme is also appreciated.

H033/01

June 2023

10. Annotations available in RM Assessor

Annotation	Meaning
	Correct response
×	Incorrect response
	Omission mark
BOD	Benefit of doubt given
CON	Contradiction
RE	Rounding error
SF	Error in number of significant figures
ECF	Error carried forward
LI	Level 1
L2	Level 2
L3	Level 3
NBOD	Benefit of doubt not given
SEEN	Noted but no credit given
I	Ignore

11. Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
1	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
_	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

H033/01

June 2023

12. Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

Mark Scheme

June 2023

SECTION A

Q	KEY	AO
1	D	1.1
2	В	2.5
3	Α	1.1
4	Α	1.1
5	Α	2.4
6	D	1.1
7	Α	2.1
8	Α	1.1
9	D	2.8
10	В	2.2
11	D	1.1
12	С	1.2
13	С	1.1
14	D	2.2
15	Α	2.2
16	Α	2.1
17	С	2.1
18	В	2.1
19	Α	2.5
20	В	2.5

SECTION B

Q	Question		Answer		AO element	Guidance
21	(a)	(i)	Repeated heating and (re)weighing until no change (AW) \checkmark	1	1.1	ALLOW heating and reweighing
		(ii)	Mass left /g Mass left /g Mass heated /g Labelled axes (mass heated on x axis) \checkmark Points plotted correctly, at least half the grid used in both axes \checkmark Straight line of best fit through origin (ignoring anomalous point) \checkmark	3	3 x 2.8	IGNORE numbers for first marking point, but must include either '/g' or '(g)' mp2 Check points by eye (ALLOW +/- 1 square) mp3 All non-anomalous points (including zero) must be one within one square of straight line.
	(b)	(iii)	FIRST CHECK ANSWER LINE If $x = 0.5$, award 3 marks Amount anhydrous: Any mass $(4 - 8g)$ divided by 136(.2) \checkmark Amount water: <i>Corresponding</i> difference (read from line or from table for a non-anomalous point) divided by 18 \checkmark (ecf from mp1) Ratio = 0.5 \checkmark ecf on ratio (brick)red \checkmark	3	3 x 2.6	Example (using top point): Amount anhydrous = $6.65/136 = 4.89 \times 10^{-2} \mod \checkmark$ Amount water = $(7.09 - 6.65)/18 = 2.44 \times 10^{-2} \mod \checkmark$ Ratio = $2.44/4.89 = 0.5$ (to one sf) \checkmark must be water:anhydrous Example using average of four valid points Amount anhydrous = $4.71/136 = 0.0346 \checkmark$ Amount water = $0.31/18 = 0.017 \checkmark$ ALLOW brick red or orange-red
						DO NOT ALLOW any other colour IGNORE references to intensity e.g. bright

PMT

June 2023

Q	Question		Answer		AO element	Guidance	
	(c)		(Mg and Ca) in same group/ Group 2 ✓ s² ✓		2 x 1.1	ALLOW Same number of outer shell electrons for mp2 but NOT same number of protons; IGNORE 2+ ions	
	(d)	(i)	42 ✓	1	1.1		
	(d)	(ii)	FIRST CHECK ANSWER LINE If answer = 40.12 award 2 marks [(96.968 x 40) + 0.652 x 42) + (2.19 x 44) + 0.19 x 48)]/100 ✓ = 40.12 ✓	2	2 x 1.2	For mp1 ALLOW 40.115(84) (as must have used expression correctly to calculate this) ALLOW any answer calculated from any previous expression expressed to 2dp (correct rounding needed) for mp2	
			Total	13			
22	(a)	(i)	ci-ci	1	1.1	Must be half arrows IGNORE any products	
		(ii)	homolytic ✓	1	1.1	ALLOW homolysis	
	(b)	(i)	Equation 22.3 AND (two radicals) forming a molecule/non-radical (AW)√	1	1.1	ALLOW 'CI + CI \rightarrow Cl ₂ ' for "equation 22.3" IGNORE 'chlorine formed'	
		(ii)	Do cause breakdown of ozone (AW) \checkmark (but) Equation is O ₃ + O \rightarrow 2O ₂ \checkmark chlorine atoms are catalytic/ Cl not used up (AW) \checkmark so can break down many ozone molecules \checkmark Equation 22.3 is slow/ not very fast - because chlorine atoms are so few/widely spaced (AW) \checkmark	5	3.1 2.3 3.1 2.7 3.2	mp2 or mp4 subsumes mp1 mp4 only scored if mp3 scored ALLOW Reference to regeneration of CI radicals by UV radiation for mp5	
	(c)	(i)	<u>chloromethane</u> ✓	1	1.2	NOT 1-chloromethane	
		(ii)	Cl is more electronegative than C \checkmark molecule is asymmetric (and thus has a dipole) (AW) \checkmark	2	2 x 1.1	mp1 - Must be 'electronegative', not just 'negative' mp2 e.g. Molecule has one side slightly positive, the other slightly negative	
	(d)		$\begin{array}{rcl} Ag^{+}(aq) + & CI^{-}(aq) & \to & AgCI(s) \\ & Equation \checkmark \\ & SS \checkmark \end{array}$	2	2 x 1.2	ALLOW mp2 for any balanced precipitation reaction between 2 ions	

Mark Scheme

June 2023

Question	Answer	Marks	AO element	Guidance
		13		

Qı	Question		Answer		AO element	Guidance
23	(a)		based on several/many compounds/molecules (AW) ✓	1	1.1	IGNORE several/many tests/samples
	(b)		FIRST CHECK ANSWER LINE If bond enthalpy = (+)863 (kJ mol ⁻¹), award 3 marks 1. $2(C \equiv N) + 347 + 498 - 945 - 2(1077) = -529 \checkmark$ 2. $2(C \equiv N) = 945 + 2(1077) - 498 - 529 - 347 \checkmark$ 3. $C \equiv N = 1725/2 = 862.5/863$ (kJ mol ⁻¹) \checkmark	3	3 x 2.2	ALLOW 862.5 ALLOW ecf mp 2 subsumes mp1 mp2 – ALLOW 2(C \equiv N) calculated correctly (with ecf) mp3 – Dividing evaluated expression by 2 (ecf) If no other marks scored award 1 mark for (-)3099 anywhere
	(c)	(i)	(The table shows the) energy needed/taken in ✓ to break bonds ✓	2	2 x1.2	Reference to balance between breaking and making bonds is a CON of mp2
		(ii)	C≡O shorter(than C=O) (ora) ✓	1	1.1	No need to specify both species (in the stem) IGNORE any reference to material not mentioned in table 23.1 unless CON
	(d)	(i)	Experiment 1 tube extended to dip under water in suitable vessel with measuring cylinder above ✓	3	3 x 3.3	IGNORE clamps Expt 1 Measuring cylinder to be labelled or indicated by calibration marks.
			thermometer beaker (AW) Experiment 2			Expt 2 Tube may not be extended but flame must be shown

June 2023

Qu	Question		Answer		AO element	Guidance
			Tube with flame playing on a suitable vessel containing liquid ✓ vessel and a thermometer labelled ✓			Second mark for Expt 2 scores on its own
		(ii)	Vessel lagged/Draught excluder/Lid on beaker/stir water ✓	1	3.4	IGNORE bomb calorimeter Credit any modifications shown in diagram 2 in part d(i) IGNORE any modifications which affect precision rather than accuracy, eg thermometer with more graduations/repeat and average
		(iii)	FIRST CHECK ANSWER LINE If rise = 12 (°C), award 4 marks Amount cyanogen = 240/24000 = 0.01(0) mol \checkmark E(or Q etc) = mc $\Delta T \checkmark$ ΔT = 529000 x 0.01/110 x 4.18 = 11.5 \checkmark ΔT = 12 (°C) to 2 sf \checkmark	4	4 x 2.8	mp1 – moles of cyanogen mp2 – expression written or use implied T interpreted as time is CON mp3 - Calculated value of ∆T scores (ecf) mp4 - Award sf mark for any calculated number to 2sf
	(e)		carbon monoxide	1	1.1	IGNORE CO
				16		

Question	Answer	Marks	AO element	Guidance
24 (a)		1	1.2	IGNORE brackets or 'n'.
				Must be full structural but ALLOW CH_3
	НО			
	C=O			
	 H_C_H			
	 H ✓			

Question	Answer	Marks	AO element	Guidance
(b)	permanent dipole-permanent dipole✓	1	2.1	ALLOW pd-pd ALLOW ecf from wrong structure in 24a, eg accept hydrogen bonding if O-H bonds shown in 24a
(c)	Bromine (water) decolorised/ turned orange to colourless ✓	1	1.2	ALLOW brown, orange or yellow (or combinations) for description of aqueous bromine IGNORE colours if 'decolorised' is stated.
(d)	Aldehyde/carbonyl ✓	1	1.1	
(e)	vinyl acetate ✓ C=C peak identified at (around) 1600 ✓ 2 marks for any two peaks identified from ✓✓ C=O at 1750, C-O at 1000 to 1300 and no OH at (around) 3000	4	3.2 3.1 3.1 3.1	
		8		

Need to get in touch?

If you ever have any questions about OCR qualifications or services (including administration, logistics and teaching) please feel free to get in touch with our customer support centre.

Call us on

01223 553998

Alternatively, you can email us on

support@ocr.org.uk

For more information visit



ocr.org.uk

Twitter/ocrexams

/ocrexams

/company/ocr

/ocrexams



OCR is part of Cambridge University Press & Assessment, a department of the University of Cambridge.

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored. © OCR 2023 Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered office The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA.

Registered company number 3484466. OCR is an exempt charity.

OCR operates academic and vocational qualifications regulated by Ofqual, Qualifications Wales and CCEA as listed in their qualifications registers including A Levels, GCSEs, Cambridge Technicals and Cambridge Nationals.

OCR provides resources to help you deliver our qualifications. These resources do not represent any particular teaching method we expect you to use. We update our resources regularly and aim to make sure content is accurate but please check the OCR website so that you have the most up-to-date version. OCR cannot be held responsible for any errors or omissions in these resources.

Though we make every effort to check our resources, there may be contradictions between published support and the specification, so it is important that you always use information in the latest specification. We indicate any specification changes within the document itself, change the version number and provide a summary of the changes. If you do notice a discrepancy between the specification and a resource, please <u>contact us</u>.

Whether you already offer OCR qualifications, are new to OCR or are thinking about switching, you can request more information using our Expression of Interest form.

Please get in touch if you want to discuss the accessibility of resources we offer to support you in delivering our qualifications.