



F

GCE

Chemistry B (Salters)

H033/01: Foundations of chemistry

Advanced Subsidiary GCE

Mark Scheme for June 2019

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.















This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2019

Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

H033/01

Mark Scheme

June 2019

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

H033/01

Mark Scheme

June 2019

Section A


Question	Key	AO element
1	A	2.1
2	B	1.1
3	D	2.5
4	B	2.7
5	D	1.2
6	A	1.2
7	B	1.2
8	A	1.2
9	C	1.2
10	D	2.6
11	C	1.1
12	D	1.1
13	B	1.2
14	A	2.5
15	C	1.2
16	D	2.1
17	C	2.1
18	B	1.2
19	C	1.1
20	A	2.5

H033/01

Mark Scheme

June 2019

Section B

Question			Answer	Mark	AO element	Guidance
21	(a)		-46 kJ mol^{-1} ✓	1	1.1	Units and sign required
21	(b)		rates are equal / rates are the same ✓	1	1.1	
21	(c)	(i)	 <p>pressure labelled on x-axis ✓</p> <p>linear scales (filling at least $\frac{1}{2}$ of grid in both directions) ✓</p> <p>plot and lines of best fit ✓</p>	3	2.6	<p>Units not required. Y-axis does not require label but if present must be “yield” or “(eqm) %”</p> <p>y-axis scale should not extend beyond 100%</p> <p>ALLOW point to point or a curve which misses one point. labels/key not required but if present must be correct Line can extend to 0:0 or beyond 1000 atm</p>
21	(c)	(ii)	<p>no difference ✓</p> <p>Catalysts do not affect yield/equilibrium (position) AW ✓</p>	2	2.6	<p>ALLOW Catalysts <u>only/just</u> affect rate OR Catalysts <u>only/just</u> affect the speed at which equilibrium is attained but IGNORE any other reference to rates</p>
21	(c)	(iii)	more moles/molecules of reactants/left (ora) ✓	1	1.2	ALLOW 4 moles/molecules gives 2
21	(c)	(iv)	Two from ✓✓	2	3.2	

H033/01

Mark Scheme

June 2019

Question		Answer	Mark	AO element	Guidance
		<ul style="list-style-type: none"> Yield cannot increase much/ is already nearly 100% (Increasing pressure) is unsafe (AW)/expensive (AW)/uses more energy (AW) (Increasing pressure means) equilibrium will be reached sooner 		2.1	ALLOW Correct (AW) ✓ If linked to one of first two bullet points OR Incorrect (AW) ✓ If linked to the third bullet point
	(c) (v)	Molecules/particles move faster/have more energy ✓ More (frequent) collisions with energy greater than activation enthalpy/ E_a ✓	2	1.2	“Atoms” CON first marking point ALLOW more successful collisions ✓
	(d)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 0.0869 award 2 marks $K_c = \frac{[\text{NH}_3]^2}{[\text{N}_2] [\text{H}_2]^3}$ ✓ $(= 0.00271^2 / 0.0403 \cdot 0.128^3) = 0.0869$ ✓	2	2.6	IGNORE units (not required at AS) DO NOT ALLOW ecf from wrong equation for K_c 1 mark is scored by a correct equation for K_c but an incorrect calculation.

H033/01

Mark Scheme

June 2019

Question		Answer	Mark	AO element	Guidance
22	(a)	It would react with BaO/BaO ₂ ✓	1	2.5	ALLOW BaCO ₃ would form
	(b) (i)	BaCO ₃ has higher (thermal) stability AW/ora ✓ Barium ion is larger <i>ora</i> ✓ Barium (ion) has smaller charge density <i>ora</i> / Both ions have the same/+2 charge ✓ carbonate ion distorted/polarised less (by barium ion) <i>ora</i> ✓	4	1.2	NOTE “Ba ²⁺ is bigger than Ca ²⁺ ” scores 2 nd and 3 rd marking points
	(b) (ii)	Both (barium and calcium) are in same group/ same charge/2+ on ions ✓	1	1.1	
	(c) (i)	Ba(OH) ₂ + 2HCl → BaCl ₂ + 2H ₂ O ✓	1	2.5	IGNORE state symbols
	(c) (ii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 0.0566 / 0.057 (mol dm⁻³) award 2 marks amount HCl = 0.12 x 23.6/1000 OR 2.83(2)x 10 ⁻³ mol ✓ concentration Ba(OH) ₂ = (ans to first mark x 1000/ 25 ÷2) = 0.0566 / 0.057 (mol dm ⁻³) ✓	2	2.8	ALLOW two or more sf. ALLOW ecf from (c)(i), i.e. incorrectly balanced equation 0.114 or 0.113 scores 1 mark unless correctly scored by ecf from c(i)
	(iii)	(0.0566 x 171.3 =) 9.70 (g dm ⁻³) ✓	1	2.8	ALLOW two or more sf. ALLOW ecf from c(ii) ALLOW 9.76 (Concentration rounded to 0.057) ALLOW 9.68 or 9.75 (Mr 171 used)

H033/01

Mark Scheme


June 2019

Question			Answer	Mark	AO element	Guidance
23	(a)	(i)	<p>FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 25 (kJ mol⁻¹) award 3 marks</p> <p>Energy absorbed = $200 \times 4.18 \times 3 = 2.508$ (kJ) ✓ $2.508 \times 80/8 = 25$ (to any sf) (kJ mol⁻¹) ✓ 2 sf ✓</p>	3	2.4	<p>ALLOW ecf</p> <p>ALLOW use of 208 for mass of water (gives 26)</p> <p>Award third mark separately for any <u>calculated</u> answer to 2 sf</p>
23	(a)	(ii)	<p>Greater mass/moles (of nitrate) (in same volume of water) is correct (AW). AND more water is incorrect. AW ✓</p> <p>Greater volume (with same mass of nitrate) would decrease temperature change AW ✓</p>	2	3.3	<p>ALLOW mathematical treatment stating effect of changed mass/moles (of nitrate) AND changed volume (of water) on ΔT</p> <p>NOTE second marking point subsumes part of first marking point</p>
23	(b)	(i)	<p>Weigh out CuSO₄•5H₂O/copper sulfate ✓</p> <p>Dissolve to make 0.2 moldm⁻³ solution ✓</p> <p>Put 100cm³ (of solution) into a suitable vessel (e.g insulated cup) and measure temperature ✓</p> <p>(Weigh) less than 1.3g/0.02 mol of Zn (powder) ✓</p> <p>Add (zinc powder), (stir) and measure highest temperature reached ✓</p>	5	3.3 3.3 1.2 3.4 1.2	<p>ALLOW for first two marking points any method that produces a 0.2M solution</p> <p>NOTE Dissolve 5g of CuSO₄•5H₂O/copper sulfate in 100 cm³ (of water) gains first two marking points</p> <p>If 100cm³ is mentioned as above it is not required here</p> <p>ALLOW ecf based on incorrect molarity of copper sulfate solution but not volume</p>

H033/01

Mark Scheme



June 2019

Question			Answer	Mark	AO element	Guidance
23	(b)	(ii)	 <p>line plotted and extrapolated back to 3 minutes ✓</p> <p>value read off at 3 mins = 24.5, so rise is 9.5(°C) ✓</p>	2	3.3	<p>Must be some evidence of extrapolation on graph for first marking point (e.g. a cross at 3mins/24.5C)</p> <p>ALLOW 9.25 to 9.75</p> <p>“8” gains 1 mark (peak T minus starting T)</p>

H033/01

Mark Scheme

June 2019

Question			Answer	Mark	AO element	Guidance
24	(a)		phenol ✓ (primary) alcohol ✓	2	1.1	
24	(b)		(conc sulfuric) acid/H ⁺ /acidified AND (potassium/sodium) dichromate(VI)/ dichromate ✓ Heat/reflux ✓	2	1.2	ALLOW formulae but ignore if correct names given. ALLOW minor spelling mistakes ALLOW specified temperature between 60 and 100C ALLOW high temperature ALLOW warm
24	(c)	(i)	dissolve in hot/warm water/solvent ✓ minimum volume ✓	2	1.2	
24	(c)	(ii)	melting point is higher/ has smaller range/ more defined ✓	1	1.2	ALLOW melting point is closer to text book/reference value IGNORE references to TLC
24	(d)		No reaction with sodium carbonate – phenols (and alcohols) do not react with carbonates ✓ will not dehydrate/make a double bond ✓ because there is no H on the carbon adjacent to the carbon with the OH group ✓	3	3.2	DO NOT ALLOW ecf from (a) ALLOW “2 nd statement is incorrect” for 2 nd marking point.
24	(e)	(i)		1	2.3	ALLOW any correct formula including C ₇ H ₇ OCl
24	(e)	(ii)		1	2.3	Must be skeletal ALLOW O-H

H033/01

Mark Scheme

June 2019

Question		Answer	Mark	AO element	Guidance
24	(f)	Both form hydrogen bonds because of OH groups/hydroxyl/O bonded to H ✓ salicyl alcohol has more (hydrogen bonds/OH) so has stronger intermolecular bonds/forces ✓	2	2.1	ALLOW salicyl alcohol has more (hydrogen bonds/OH) so more energy is needed to overcome them - for second marking point

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2019

