



GCE

Chemistry B

H433/02: Scientific literacy in chemistry

A Level

Mark Scheme for June 2024

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2024

PREPARATION FOR MARKING

RM ASSESSOR

1. Make sure that you have accessed and completed the relevant training packages for on-screen marking: *RM Assessor Online Training*; *OCR Essential Guide to Marking*.
2. Make sure that you have read and understood the mark scheme and the question paper for this unit. These are available in RM Assessor.
3. Log-in to RM Assessor and mark the **required number** of practice responses (“scripts”) and the **required number** of standardisation responses.

MARKING

1. Mark strictly to the mark scheme.
2. Marks awarded must relate directly to the marking criteria.
3. The schedule of dates is very important. It is essential that you meet the RM Assessor 50% and 100% (traditional 50% Batch 1 and 100% Batch 2) deadlines. If you experience problems, you must contact your Team Leader (Supervisor) without delay.
4. If you are in any doubt about applying the mark scheme, consult your Team Leader by telephone, email or via the RM Assessor messaging system.

5. **Crossed Out Responses**

Where a candidate has crossed out a response and provided a clear alternative then the crossed out response is not marked. Where no alternative response has been provided, examiners may give candidates the benefit of the doubt and mark the crossed out response where legible.

Rubric Error Responses – Optional Questions

Where candidates have a choice of question across a whole paper or a whole section and have provided more answers than required, then all responses are marked and the highest mark allowable within the rubric is given. Enter a mark for each question answered into RM assessor, which will select the highest mark from those awarded. *(The underlying assumption is that the candidate has penalised themselves by attempting more questions than necessary in the time allowed.)*

Multiple Choice Question Responses

When a multiple choice question has only a single, correct response and a candidate provides two responses (even if one of these responses is correct), then no mark should be awarded (as it is not possible to determine which was the first response selected by the candidate).

When a question requires candidates to select more than one option/multiple options, then local marking arrangements need to ensure consistency of approach.

Contradictory Responses

When a candidate provides contradictory responses, then no mark should be awarded, even if one of the answers is correct.

Short Answer Questions (requiring only a list by way of a response, usually worth only **one mark per response**)

Where candidates are required to provide a set number of short answer responses then only the set number of responses should be marked. The response space should be marked from left to right on each line and then line by line until the required number of responses have been considered. The remaining responses should not then be marked. Examiners will have to apply judgement as to whether a 'second response' on a line is a development of the 'first response', rather than a separate, discrete response. *(The underlying assumption is that the candidate is attempting to hedge their bets and therefore getting undue benefit rather than engaging with the question and giving the most relevant/correct responses.)*

Short Answer Questions (requiring a more developed response, worth **two or more marks**)

If the candidates are required to provide a description of, say, three items or factors and four items or factors are provided, then mark on a similar basis – that is downwards (as it is unlikely in this situation that a candidate will provide more than one response in each section of the response space.)

Longer Answer Questions (requiring a developed response)

Where candidates have provided two (or more) responses to a medium or high tariff question which only required a single (developed) response and not crossed out the first response, then only the first response should be marked. Examiners will need to apply professional judgement as to whether the second (or a subsequent) response is a 'new start' or simply a poorly expressed continuation of the first response.

6. Always check the pages (and additional objects if present) at the end of the response in case any answers have been continued there. If the candidate has continued an answer there then add 'SEEN' to confirm that the work has been seen.
7. Award No Response (NR) if:
 - there is nothing written in the answer space.

Award Zero '0' if:

- anything is written in the answer space and is not worthy of credit (this includes text and symbols).

Team Leaders must confirm the correct use of the NR button with their markers before live marking commences and should check this when reviewing scripts.

8. The RM Assessor **comments box** is used by your Team Leader to explain the marking of the practice responses. Please refer to these comments when checking your practice responses. **Do not use the comments box for any other reason.**

If you have any questions or comments for your Team Leader, use the phone, the RM Assessor messaging system, or email.

9. Assistant Examiners will send a brief report on the performance of candidates to their Team Leader (Supervisor) via email by the end of the marking period. The report should contain notes on particular strengths displayed as well as common errors or weaknesses. Constructive criticism of the question paper/mark scheme is also appreciated.

10. For answers marked by levels of response:

Read through the whole answer from start to finish, using the Level descriptors to help you decide whether it is a strong or weak answer. The indicative scientific content in the Guidance column indicates the expected parameters for candidates' answers, but be prepared to recognise and credit unexpected approaches where they show relevance. Using a 'best-fit' approach based on the skills and science content evidenced within the answer, first decide which set of level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer.

Once the level is located, award the higher or lower mark:

The higher mark should be awarded where the level descriptor has been evidenced and all aspects of the communication statement (in *italics*) have been met.

The lower mark should be awarded where the level descriptor has been evidenced but aspects of the communication statement (in *italics*) are missing.

In summary:

The skills and science content determines the level.

The communication statement determines the mark within a level.

Level of response questions on this paper are **3b** and **5d**

The **only** annotation on a level of response question should be the **indication of the level**.
Please do not use ticks or highlight areas.

The appropriate level annotation should be used e.g. If a candidate has 6 marks, they would have the annotation **L3** on their script.

If a candidate has achieved 5 marks then they have reached Level 3 but without the communication mark. They should have the following annotations on their script: **L3**

A

The same principle should be applied to Level 2 and Level 1.

No marks (0) should have a cross.

Please place the annotations in the left-hand margin of the main answer space.

On additional pages, please annotate using 'SEEN'

H433/02

Mark Scheme

June 2024

11. Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

12. Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

13. Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:


- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

Question			Answer	Mark	Guidance
1	a	i	saturated C AND trans unsaturated A ✓	1	
	a	ii	+3NaOH ✓ $\rightarrow$ R'COO ⁻ + R''COO ⁻ + R'''COO ⁻ + 3Na ⁺ ✓ + CH ₂ (OH)CH(OH)CH ₂ OH ✓	3	ALLOW R'COONa etc for second mark but DO NOT ALLOW R'COOH etc ALLOW any unambiguous formulae.
	b		RCOOH + CH ₃ OH ✓ $\rightarrow$ RCOOCH ₃ + H ₂ O ✓	2	ALLOW any unambiguous formulae
	c	i	Nitrogen/N ₂ ✓	1	ALLOW argon/Ar IGNORE other noble gases
		ii	high-boiling liquid ✓ porous (solid) support ✓	2	ALLOW non-volatile solvent
		iii	(relative) mol(ecul)ar mass/ <i>M_r</i> ✓	1	ALLOW <i>M/z</i>
	d		palmitate at 22±2 ✓ stearate at 27±2 ✓ linseed oil is E ✓ because ratio is 5:4 ✓	4	
	e	i	FIRST CHECK ANSWER ON ANSWER LINE If answer in the range 88.8 - 90.1 (g), award 2 marks (amount of oleic acid =) 100/282 (mol) /0.3546/0.355 (mol) ✓ x 2 x 126.9 = 90 (g) ✓	2	ALLOW ECF from incorrect <i>Mr</i> of oleic acid
	e	ii	Only 1 hydroxyl group/molecule of water will add across the double bond ✓ substance formed: CH ₃ (CH ₂) ₇ CH(OH)(CH ₂) ₈ COOH. ✓	2	ALLOW CH ₃ (CH ₂) ₈ CH(OH)(CH ₂) ₇ COOH ALLOW any unambiguous formula
				18	

Question			Answer	Mark	Guidance
2	a	i	FIRST CHECK ANSWER ON ANSWER LINE If answer = 86.8/86.9 (g), award 4 marks mass = 0.305 g ✓ amount $\text{MgCO}_3 = 0.305/84.3 = 3.62 \times 10^{-3} \text{ (mol)}$ ✓ vol $\text{CO}_2 = 24000 \times 3.62 \times 10^{-3} = 86.832\ldots \text{ (cm}^3\text{)}$ ✓ 3 sf 86.8 ✓	4	If candidate uses $\text{MgCO}_3 = 84$ NOT MP2 but allow ECF If use of $pV = nRT$ answer in the range 88.8 – 89.6 to 3sf scores MP3 & 4 Last mark can be awarded for any calculated number to 3sf.
	a	ii	 Created with Chemix (https://chemix.org) Flask or test-tube, connected without leaks and with clear passage for gas ✓ to either a labelled gas syringe or a labelled measuring cylinder over water ✓	2	Independent marking points
	b	i	Si: $(1s^2)2s^22p^63s^23p^2$ ✓ Mg^{2+}: $(1s^2)2s^22p^6$ ✓	2	
	b	ii	Si atoms are <u>smaller</u> ✓ more protons ✓ attract outer/valence electrons (in the same shell) more strongly ✓ more energy required to remove (an electron) ✓	4	ALLOW ORA throughout ALLOW atomic radius of Si is less than Mg IGNORE nucleus is bigger IGNORE 'shielding'


	c	i	FIRST CHECK ANSWER ON ANSWER LINE If answer = 7 award 3 marks Amount $\text{FeSO}_4 = 3.1/151.9 = 0.020 \checkmark$ Amount $\text{H}_2\text{O} = 2.5/18 = 0.139 \checkmark$ Ratio = 1:7, so $x = 7 \checkmark$	3	ALLOW ECF
	c	ii	Equation: $2\text{FeSO}_4 \rightarrow \text{Fe}_2\text{O}_3 + \text{SO}_2 + \text{SO}_3 \checkmark$ Iron product /brown solid is $\text{Fe}_2\text{O}_3 \checkmark$ acidic gases are SO_2 and $\text{SO}_3 \checkmark$	3	ALLOW iron product has $M_r = 159.6$
	d	i	bidentate $\checkmark$	1	ALLOW polydentate
	d	ii	(dative) covalent OR co-ordinate $\checkmark$	1	ALLOW dative on its own
		iii	square planar $\checkmark$	1	ALLOW tetrahedral
	e	i	FIRST CHECK ANSWER ON ANSWER LINE If answer = 65.7(mg) award 4 marks (Amount KMnO_4) = $25.5 \times 0.00277/1000$ (= 7.0635×10^{-5}) (mol) $\checkmark$ (Mass Fe) = $5 \times 55.8 \times 7.0635 \times 10^{-5}$ (=0.0197(g)) in 25 cm^3 $\checkmark$ = 0.197 g in $250 \text{ cm}^3 \checkmark$ Per tablet $0.197 \times 10^3/3 = 65.7 \text{ (mg)} \checkmark$	4	ALLOW 2 or more sf ALLOW ECF MP3 can be scored from a calculation where mass/moles Fe in 25cm^3 is multiplied by 10 AND evaluated
	e	ii	Manganate (VII) in burette $\checkmark$ End point – first permanent trace of pink colour (AW) $\checkmark$ Repeat until concordant $\checkmark$	3	DO NOT ALLOW use of indicators ALLOW solution turns pink at end point ALLOW titres within 0.2cm^3
				28	

Question			Answer	Mark	Guidance
3	a	i	$\text{HOOC}(\text{CH}_3)\text{CHNHCOCH}(\text{CH}_2\text{OH})\text{NH}_2$ OR $\text{HOOC}(\text{CH}_2\text{OH})\text{CHNHCOCH}(\text{CH}_3)\text{NH}_2$ peptide link ✓ complete structure ✓	2	ALLOW any unambiguous structure/zwitterion
	a	ii	<u>secondary</u> amide ✓	1	ALLOW 2°/2 ^y
	a	iii	<u>Water/H₂O</u> is formed ✓	1	
	b		Please refer to the marking instructions on page 5 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Gives most main points and some fine detail for each area <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i> Level 2 (3–4 marks) Gives most main points and some fine detail from one area OR Gives some main points from both areas <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i> Level 1 (1–2 marks) Gives some main points from one area <i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i> 0 marks <i>No response or no response worthy of credit.</i>	6	Indicative scientific points include: <i>fine detail in italic</i> Experimental detail AO1.2 (2) and AO 3.3 (1) • spotting mixture and two aa's separately • <i>pencil line</i> • place in (suitable) solvent • <i>below line/spots</i> • <i>cover</i> • <i>remove and dry paper</i> • mark solvent front • use locating agent/ ninhydrin / uv lamp Results AO3.4 (3) can be on diagram • <i>starting line</i> • two spots from mixture and one each from aa • <i>solvent front marked</i> • aa spots at correct relative levels to mixture • R_f values roughly correct

H433/02

Mark Scheme

June 2024


	c	i	secondary ✓	1	ALLOW α-helix ALLOW 2°/2ʸ
	c	ii	hydrogen (bonds) ✓	1	IGNORE other imf's
	d	i	 any one arrow as shown ✓	1	Arrow must cleave DNA chain as shown to release a PO_4^{3-} ion, any additional arrow is CON if it cleaves any other group from the DNA chain
	d	ii	(Nitrogenous) base ✓	1	ALLOW nucleotide DO NOT ALLOW base pairs/pairings
	e	i	Active Site has complementary shape to DNA/substrate ✓ only specific shape/correct bases on DNA will bind/fit ✓	2	ALLOW Active Site is where DNA/substrate binds/fits
	e	ii	DNA codes for amino acids ✓ Incorrect coding/ mutation would produce wrong protein/enzymes/genetic information/ORF ✓	2	
				18	

H433/02

Mark Scheme

June 2024

Question			Answer	Mark	Guidance
4	a	i	$[H^+] [CH_3COO^-]/[CH_3COOH] \checkmark$	1	
	a	ii	FIRST CHECK ANSWER ON ANSWER LINE If answer = 2.8, award 2 marks $[H^+] = \sqrt{(1.7 \times 10^{-5} \times 0.15)} = 1.59 \times 10^{-3} \checkmark$ $pH = 2.8 \checkmark$	2	ALLOW more places (2.799/ 2.80) ALLOW ecf for second mark from $10^{-5} < [H^+] < 10^{-2}$
	a	iii	Strong acid should have a lower pH $\checkmark$ Stronger acid would produce greater $[H^+]$ (as it dissociates more into its ions) $\checkmark$	2	
	b		Student 2 because NaOH/ OH^- removes H^+ $\checkmark$ equilibrium (position) moves to right (until all CH_3COOH used up) $\checkmark$	2	IGNORE choice of student, marks are for the explanation
	c		FIRST CHECK ANSWER ON ANSWER LINE If answer = 8.8, award 3 marks $(OH^-) = \sqrt{(0.075 \times 1 \times 10^{-14}/1.7 \times 10^{-5})} = 6.64 \times 10^{-6} \text{ (mol dm}^{-3}\text{)} \checkmark$ $(H^+) = 1 \times 10^{-14}/6.64 \times 10^{-6} = 1.5 \times 10^{-9} \text{ (mol dm}^{-3}\text{)} \checkmark$ $pH = 8.8 \checkmark$	3	ALLOW more places (8.822) ALLOW ECF Can be awarded from any expression " $[H^+] = \dots$ "
	d	i	FIRST CHECK ANSWER ON ANSWER LINE If answer = 3.4×10^{-5}, award 2 marks $[H^+] = K_a \times [CH_3COOH]/[CH_3COO^-] \checkmark$ $= K_a \times 2 = 3.4 \times 10^{-5} \text{ (mol dm}^{-3}\text{)} \checkmark$	2	ALLOW $[H^+] = K_a \times (0.15)/(0.15) = 1.7 \times 10^{-5} / K_a/2 = 8.5 \times 10^{-6}$ for 1 mark
	d	ii	Equilibrium moves to left/reactant (removing H^+) $\checkmark$ $[H^+]$ remains (virtually) constant because $[CH_3COOH]$ and $[CH_3COO^-]$ are (relatively) large $\checkmark$	2	ALLOW 'moves backwards' / additional H^+ reacts with CH_3COO^-
				14	

Question			Answer	Mark	Guidance
5	a	i	 $\text{HF}_2\text{C}-\text{Cl}$ ✓	1	
	a	ii	homolytic (fission) AND electrons go back to their original atoms/ one electron to each atom / forms TWO radicals ✓	1	IGNORE 'molecules;
5	a	iii	$\text{O}_3 + \text{Cl} \rightarrow \text{O}_2 + \text{ClO}$ ✓ $\text{ClO} + \text{O} \rightarrow \text{Cl} + \text{O}_2$ ✓	2	ALLOW $\text{ClO} + \text{O}_3 \rightarrow \text{Cl} + 2\text{O}_2$
5	a	iv	FIRST CHECK ANSWER ON ANSWER LINE If answer is 1.3×10^5 award 3 marks (amount Cl) = $1/86.5 \text{ mol} = 1.16 \times 10^{-2} \text{ (mol)}$ ✓ (amount O_3) = $70000/48 = 1458 \text{ (mol)}$; ✓ no. of ozone molecules = $1.3 \times 10^5 \text{ (to 1 dp)}$ ✓	3	ALLOW ECF IGNORE use of the Avogadro constant twice To score third mark, answer must be a correct evaluation of their ratio to 1 dp and in standard form
	b	i	 $\text{H} \times \ddot{\text{O}} \times \ddot{\text{O}} \times \text{H}$ ✓	1	ALLOW any angles for H-O-O-H ALLOW all dots/all crosses for electrons
5	b	ii	Four electron pairs/ areas of electron density/ two lone pairs and two bonding pairs (around O) ✓ Lone pairs repel more/take up more room (AW) ✓ Bond angle = 104.5° ✓	3	ALLOW tetrahedral angle is 109.5°
5	b	iii	$\text{H}_2\text{O}_2 + 2\text{e}^- + 2\text{H}^+ \rightarrow 2\text{H}_2\text{O}$ ✓ $\text{H}_2\text{O}_2 \rightarrow \text{O}_2 + 2\text{H}^+ + 2\text{e}^-$ ✓ Reducing agent supplying electrons and oxidising agent removing electrons ✓	3	ALLOW any correctly balanced equations using species present in the ANA Correct equations in wrong order score 2 marks Wrong equations with electrons on correct sides (ie right for reducing agent and left for oxidising agent) score 1 mark
5	c		-1 ✓ $-1/2$ ✓	2	

5	d	Please refer to the marking instructions on page 5 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Makes most main points for all three ROS (reactive oxygen species) with some fine detail points overall. <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i> Level 2 (3–4 marks) Makes most of the main points from two ROS OR Makes some of the main points from all three ROS <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i> Level 1 (1–2 marks) Makes some of the main points from one or two ROS. <i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i> 0 marks <i>No response or no response worthy of credit.</i>	6 <i>Indicative Scientific points include (fine detail in italic)</i> hydroxyl • very reactive • <i>react at rate of diffusion</i> • remove electrons from biological(AW) molecule • eg <i>protein, lipid, DNA</i> • example: DNA damage (mutations, cancer) or lipid peroxidation • <i>presence or absence of iron does not matter</i> hydrogen peroxide • forms hydroxyl with Fe²⁺ (Fenton reaction) • equation ` $\text{H}_2\text{O}_2 + \text{Fe}^{2+} \rightarrow \text{OH}^- + \text{OH} + \text{Fe}^{3+}$ • slow diffusion into cell • <i>thus dangerous as forms hydroxyl there</i> superoxide • <i>not reactive in itself</i> • returns Fe³⁺ to Fe²⁺ • equation • continues Fenton reaction in presence of iron.
			22

Need to get in touch?

If you ever have any questions about OCR qualifications or services (including administration, logistics and teaching) please feel free to get in touch with our customer support centre.

Call us on

01223 553998

Alternatively, you can email us on

support@ocr.org.uk

For more information visit



ocr.org.uk/qualifications/resource-finder



ocr.org.uk



Twitter/ocrextams



/ocrextams



/company/ocr



/ocrextams



OCR is part of Cambridge University Press & Assessment, a department of the University of Cambridge.

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored. © OCR 2024 Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered office The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA.

Registered company number 3484466. OCR is an exempt charity.

OCR operates academic and vocational qualifications regulated by Ofqual, Qualifications Wales and CCEA as listed in their qualifications registers including A Levels, GCSEs, Cambridge Technicals and Cambridge Nationals.

OCR provides resources to help you deliver our qualifications. These resources do not represent any particular teaching method we expect you to use. We update our resources regularly and aim to make sure content is accurate but please check the OCR website so that you have the most up-to-date version. OCR cannot be held responsible for any errors or omissions in these resources.

Though we make every effort to check our resources, there may be contradictions between published support and the specification, so it is important that you always use information in the latest specification. We indicate any specification changes within the document itself, change the version number and provide a summary of the changes. If you do notice a discrepancy between the specification and a resource, please [contact us](#).

Whether you already offer OCR qualifications, are new to OCR or are thinking about switching, you can request more information using our [Expression of Interest form](#).

Please [get in touch](#) if you want to discuss the accessibility of resources we offer to support you in delivering our qualifications.