

1 Which of the following mixtures would form the best buffer solution with pH 9 for use in a school laboratory?

- A Ethanoic acid and sodium ethanoate
- B Sodium chloride and sodium hydroxide
- C Hydrocyanic acid and sodium cyanide
- D Ammonium chloride and ammonia

(Total for Question = 1 mark)


2 Which of the following mixtures would form the best buffer solution with pH 5 for use in a school laboratory?

- A Ethanoic acid and sodium ethanoate
- B Hydrochloric acid and sodium chloride
- C Sodium hydroxide and sodium methanoate
- D Ammonium chloride and ammonia


(Total for Question = 1 mark)

3 The titration curves below were obtained using different acids and bases, each with concentration 0.1 mol dm^{-3} .


A




B



C



D



(a) Which curve is produced by adding ammonia to 25 cm³ of hydrochloric acid? (1)

A

B

C

D

(b) Which curve is produced by adding ethanoic acid to 25 cm³ of sodium hydroxide? (1)

A

B

C

D

(c) An indicator with pK_{In} 8.5 is suitable for the following titrations. (1)

A Titrations A and B only.

B Titrations A, B and D only.

C Titration C only.

D Titrations A, B, C and D.

(Total for Question 3 marks)

4 Which of the following solutions, when mixed, would make a buffer with pH more than 7?

A Methanoic acid and sodium methanoate.

B Sodium hydroxide and sodium chloride.

C Ammonia and ammonium chloride.

D Ammonium chloride and ammonium ethanoate.

(Total for Question = 1 mark)

5 What is the approximate pH of a buffer solution containing 0.20 mol of a weak acid, HA, ($pK_a = 4.8$) and 0.20 mol of the sodium salt of the acid, NaA, in a total volume of 1 dm³ of solution?

- A 7.0
- B 5.8
- C 4.8
- D 3.8

(Total for Question = 1 mark)

6 When equimolar amounts of the solutions below are mixed, which forms a buffer solution with a pH less than 7?

- A Hydrochloric acid and sodium chloride
- B Ethanoic acid and sodium ethanoate
- C Sodium hydroxide and sodium chloride
- D Ammonia and ammonium chloride

(Total for Question 1 mark)

7 A buffer solution is made from ammonia and ammonium chloride. When a small amount of acid is added to this buffer

- A hydrogen ions in the acid combine with chloride ions to make HCl.
- B hydrogen ions in the acid combine with NH₃ to make NH₄⁺.
- C NH₄⁺ ions dissociate to make more NH₃.
- D the hydrogen ions in the acid prevent dissociation of the NH₄Cl.

(Total for Question 1 mark)