

Question Number	Acceptable Answers	Reject	Mark
1 (a)	$\Delta S_{\text{system}} = (3 \times 2 \times 65.3 + 197.6) - (186.2 + 188.7)$ Correct data for CH <sub>4</sub> and CO (186.2 and 197.6) (1) = (+) 214.5 / 215 (J mol <sup>-1</sup> K <sup>-1</sup> ) / (+) 0.2145 / 0.215 kJ (mol <sup>-1</sup> K <sup>-1</sup> ) (1) Units must be shown if data has been converted to kJ Full marks (2) for correct answer without working Ignore sf except 1 Answer of -214.5 scores (1) Answer of +18.6 if entropy of H not doubled scores (1) Answer of -46.7 if entropy of H <sub>2</sub> not tripled scores (1) ALLOW TE in second mark for minor error in data e.g. writing 63.5 instead of 65.3. No TE if data used is not entropy of compounds.	214 0.214	2

Question Number	Acceptable Answers	Reject	Mark
1 (b)	$(\Delta S_{\text{surroundings}}) = \frac{-\Delta H}{T}$ Expression or use of expression, $\frac{-206.1 \times (1000)}{298}$ (1) = -691.6 J (mol <sup>-1</sup> K <sup>-1</sup> ) / -0.6916 kJ (mol <sup>-1</sup> K <sup>-1</sup> ) (1) Ignore sf except 1		2

Question Number	Acceptable Answers	Reject	Mark
1 (c)	$\Delta S_{\text{total}} = (214.5 + (-691.6)) = -477.1 \text{ (J mol}^{-1} \text{ K}^{-1}) /$ $- 0.4771 \text{ (kJ mol}^{-1} \text{ K}^{-1}) \text{ (1)}$ <p>ALLOW TE for answer to (a) plus answer to (b). If 214.5 is added to -0.69 no TE unless -0.69 is specified to be in joules. Ignore sf except 1</p> <p>Negative / less than zero (so not spontaneous) / would be positive if spontaneous. (1)</p> <p>ALLOW "feasible" for spontaneous.</p> <p>If answer to calculation is positive, accept comment that it would be expected to be negative if not spontaneous</p>	<p>Addition of value in J to specified value in kJ</p> <p>Comments on kinetic stability</p>	2



Question Number	Acceptable Answers	Reject	Mark
1 (d) (ii)	$\Delta S_{\text{total}} = (8.31 \ln 8.54) = (+)17.8 \text{ (J mol}^{-1} \text{K}^{-1}\text{)}$ Accept any value that rounds to 17.8  TE from value in (i)  $K_p$ value of 87.48 (obtained by treating calculation in (i) as $K_c$ ) gives $\Delta S_{\text{total}} = 37.16 / 37.12$		1

Question Number	Acceptable Answers	Reject	Mark
1 (d) (iii)	$17.8 = 225 - \frac{206.1 \times 1000}{T} \quad (1)$ $T = \frac{(206.1 \times 1000)}{207.2} = 995 / 990 \text{ (K)} \quad (1)$  Correct answer with no working shown scores 2 Correct method with wrong answer or missing $10^3$ scores 1  TE from (ii) $K_p$ value of 87.48 gives $T = 1097$  <b>OR</b>  If $\Delta S_{\text{total}}$ is taken as zero $0 = 225 - \frac{206.1 \times 1000}{T} \quad (1)$ $T = 916\text{K} \quad (1)$  $K_p$ value of 87.48 gives $T = 916$  Ignore sf except 1		2

Question Number	Acceptable Answers	Reject	Mark
*1 (e)	$\frac{\Delta S_{\text{surroundings}}}{T} / \frac{-\Delta H}{T}$ <p>becomes less negative making <math>\Delta S_{\text{total}}</math> more positive (as T increases)</p> <p><b>OR</b> <math>\frac{\Delta S_{\text{surroundings}}}{T} / \frac{-\Delta H}{T}</math></p> <p>becomes less negative making <math>\Delta S_{\text{total}}</math> greater (as T increases)</p> <p><b>OR</b> (magnitude of) <math>\Delta S_{\text{surroundings}}</math> becomes less / lower making <math>\Delta S_{\text{total}}</math> more positive / greater (as T increases) (1)</p> <p>Because <math>\Delta S_{\text{total}}</math> increases equilibrium constant increases (1)</p> <p><b>OR</b></p> <p>value of <math>\Delta S_{\text{total}}</math> at new temperature is more than at 298K (1) (must be clear that the two <math>\Delta S_{\text{total}}</math> values at the different temperatures have been considered)</p> <p>Because <math>\Delta S_{\text{total}}</math> increases equilibrium constant increases (1)</p>	<p>Le Chatelier statements without reference to entropy changes</p>           <p>Just 'as temperature increases <math>\Delta S_{\text{total}}</math> increases'</p>	2

Question Number	Acceptable Answers	Reject	Mark
2 (a)	$\Delta S^{\circ}_{\text{total}}$ is positive / $\Delta S^{\circ}_{\text{total}} > 0$ with or without superscript  <b>NOTE: This mark may be awarded from answer to Q25(b)(v)</b>  <b>Accept</b> $\Delta G^{\circ}$ is negative	<b>Just</b> “the entropy is positive”	<b>1</b>

Question Number	Acceptable Answers	Reject	Mark
2 (b)(i)	(+)27.3 and (+)87.4 (J mol <sup>-1</sup> K <sup>-1</sup> )  <i>IGNORE</i> incorrect units		<b>1</b>

Question Number	Acceptable Answers	Reject	Mark
2 (b)(ii)	$\Delta S^{\circ}_{\text{sys}} = (2 \times 87.4) - \{4 \times 27.3 + (3 \times 205.0)\}$ (1) = -549.4 / -549 (J mol <sup>-1</sup> K <sup>-1</sup> ) (1) Correct answer with or without correct units (2) <i>IGNORE any wrong units</i>  <b>Accept TE from (b)(i)</b>  <b>NOTE: +549/+549.4 scores (1)</b>  <b>Check working</b>  <b>NOTE:</b> 1 <sup>st</sup> mark: for x2, x4 and x3 2 <sup>nd</sup> mark: for (products - reactants), with correct arithmetic		<b>2</b>

Question Number	Acceptable Answers	Reject	Mark
2 (b)(iii)	$\Delta S_{\text{surr}} = -\frac{\Delta H}{T}$ $= -(-1648 \times 10^3) \div 298(.15) \text{ (J mol}^{-1} \text{ K}^{-1}\text{)}$ $= (+) 5530 \text{ (J mol}^{-1} \text{ K}^{-1}\text{)}$ OR $= (+) 5.53 \text{ kJ mol}^{-1} \text{ K}^{-1} \quad (1)$ <b>NOTES:</b> <ul style="list-style-type: none"> <li>• Correct answer, with or without working, scores <span style="float: right;">(1)</span></li> <li>• If <b>5530</b> (J mol<sup>-1</sup> K<sup>-1</sup>) given, <b>IGNORE</b> any subsequent incorrect attempts to convert it to a value in kJ mol<sup>-1</sup> K<sup>-1</sup></li> </ul> <i>IGNORE</i> s.f. except one s.f.	<b>Just (+)5.53 with no units OR (+)5.53 kJ mol<sup>-1</sup></b>	<b>1</b>

Question Number	Acceptable Answers	Reject	Mark
2 (b)(iv)	$\Delta S_{\text{total}} = (-549.4) + (+5530)$ $= +4980.6 / + 4981 \text{ J mol}^{-1} \text{ K}^{-1}$ OR $+4.981 \text{ kJ mol}^{-1} \text{ K}^{-1}$ <b>(1)</b> for value <b>(1)</b> for correct sign and units <i>IGNORE</i> s.f. except one s.f. <b>Accept TE from (b)(ii) and (b)(iii)</b>	<b>Just the formula:</b> $\Delta S_{\text{total}} = \Delta S_{\text{sys}}^{\circ} + \Delta S_{\text{surr}}$	<b>2</b>

Question Number	Acceptable Answers	Reject	Mark
2 (b)(v)	<p>(<math>\Delta S_{\text{system}}</math> is negative):</p> <p>as loss of disorder as gas <math>\rightarrow</math> solid</p> <p>OR</p> <p>more order as gas <math>\rightarrow</math> solid</p> <p>OR</p> <p>as decrease in entropy as gas <math>\rightarrow</math> solid</p> <p style="text-align: right;">(1)</p> <p>(<math>\Delta S_{\text{surr}}</math> is positive):</p> <p>(heat) energy released (increases kinetic energy and hence movement of the surrounding molecules)</p> <p style="text-align: right;">(1)</p> <p><math>\Delta S_{\text{total}}</math> is positive because <math>\Delta S_{\text{surr}}</math> is (numerically) greater than <math>\Delta S_{\text{sys}}</math></p> <p>OR</p> <p><math>\Delta S_{\text{surr}}</math> “outweighs” <math>\Delta S_{\text{sys}}</math></p> <p>OR</p> <p><math>\Delta S_{\text{surr}}</math> sufficiently large so that <math>\Delta S_{\text{total}}</math> is positive</p> <p style="text-align: right;">(1)</p>	<p><b>Just “reaction is exothermic”</b></p> <p><math>\Delta S_{\text{total}}</math> is negative <b>(0)</b> for third scoring point</p>	3



