F324: Rings, Polymers & Analysis 4.3.1 - Chromatography

1. α-Amino acids are found in human sweat. A student had read that chromatography could be used to separate and identify the amino acids present in human sweat. The student used Thin-Layer Chromatography (TLC) to separate the α-amino acids in a sample of human sweat and discovered that three different α-amino acids were present. Name the process by which TLC separates α -amino acids. (i) [1] The chromatogram was treated to show the positions of the separated α -amino (ii) acids. Explain how the student could analyse the chromatogram to identify the three α-amino acids that were present. [2]

Several α-amino acids have structures that are very similar.

Suggest why this could cause problems when using TLC to analyse mixtures of

(iii)

α-amino acids.

[1] [Total 4 marks]

2. Amino acids can act as monomers in the formation of polypeptides and proteins. The structures below show three amino acids, glycine, phenylalanine and proline.

Glycine, phenylalanine and proline can react together to form a mixture of tripeptides.

(i) Draw the structure of the **tri**peptide formed in the order glycine, phenylalanine and proline.

(ii)	How many different tri petides could have been formed containing glycine, phenylalanine and proline?	
		[1]

[3]

(iii)	The mixture of tripeptides can be analysed by using gas chromatography, coupled with mass spectrometry.		
	Summarise how each method contributes to the analysis.		
		[3	
	[Total 7 ma	_	
	omatography is an important analytical technique used to separate mixtures into rindividual components.		
(a)	Define the following terms used in chromatography.		
	R _f value		
	retention time		
		[2	
(b)	Volatile organic compounds that enter soil via waste disposal sites affect the quality of the soil.		
	A preliminary step in analysing soil quality involves separation of these volatile components using gas/liquid chromatography.		
	(i) What name is given to the process by which components in a mixture are separated during gas/liquid chromatography?		
		[1]	

What are the roles of the gas and liquid in gas/liquid chromatography? role of gas	
role of liquid	
	[2]
Draw a diagram of a gas/liquid chromatogram for a mixture containing two components.	
time	[1]
Explain how the gas/liquid chromatogram could be used to determine the percentage composition of each component in the mixture.	
	[3]
	role of liquid

[Total 9 marks]

4.		romatography is a versatile technique that may be used to separate and identity inpounds.				
	(i)		e a type of chromatography that is used to separate and identify dissolved tances.			
				[1]		
	(ii)		e what quantitative value may be determined from the chromatogram to tify the substances present in the solution.			
				[1]		
	(iii)	Sket	ch a chromatogram to show how the value in (ii) is determined.			
			[Total 3 m	[1] narks		
5.	(a)	Gas-	liquid chromatography is used to separate and identify gases and liquids.			
		(i)	State what quantitative value is normally used to identify the components in this type of chromatography.			
				[1]		
		/;;\	Sketch the chromotogram to show how the value in (i) is determined			
		(ii)	Sketch the chromatogram to show how the value in (i) is determined.			

Plymstock School 5

[1]

(b)	State the physical process on which the separation used in gas-liquid chromatography depends.	
		[1]
	[Tot	al 3 marks]