

GCSE Chemistry

CH3HP Final Mark scheme

4402 June 2017

Version/Stage: v1.0

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

- 2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- **2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- **2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a /; eg allow smooth / free movement.
- **2.4** Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

	orano conamorri		[1 mark]
Student	Response	Marks awarded	
1	green, 5	0	
2	red*, 5	1	
3	red*, 8	0	

Example 2: Name two planets in the solar system.

[2 marks]

Student	Response	Marks awarded	•	
1	Pluto, Mars, Moon	1		
2	Pluto, Sun, Mars,	0		
	Moon			

3.2 Use of chemical symbols/formulae

If a student writes a chemical symbol/formula instead of a required chemical name, full credit can be given if the symbol/formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, without any working shown. However, if the answer is incorrect, mark(s) can be gained by correct substitution/working and this is shown in the 'extra information' column or by each stage of a longer calculation.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only. Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation 'ecf' in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Accept/allow

Accept is used to indicate an equivalent answer to that given on the left-hand side of the mark scheme. Allow is used to denote lower-level responses that just gain credit.

3.9 Ignore/Insufficient/Do not allow

Ignore or insufficient is used when the information given is irrelevant to the question or not enough to gain a marking point. Any further correct amplification could gain the marking point.

Do **not** allow means that this is a wrong answer which, even if the correct answer is given, will still mean that the mark is not awarded.

4. Quality of Written Communication and levels marking

In Question 2(c)(i) students are required to produce extended written material in English, and will be assessed on the quality of their written communication as well as the standard of the scientific response.

Students will be required to:

- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

Level 1: Basic

- Knowledge of basic information.
- · Simple understanding.
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail.
- The spelling, punctuation and grammar are very weak.

Level 2: Clear

- Knowledge of accurate information.
- Clear understanding.
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given.
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

Level 3: Detailed

- Knowledge of accurate information appropriately contextualised.
- Detailed understanding, supported by relevant evidence and examples.
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar.

Question	Answers	Extra information	Mark	AO / Spec. Ref.
1(a)	calcium/magnesium (ions) dissolve or go into solution		1	AO1 3.2.1b
	from rocks	allow limestone	1	
1(b)	solubility increases to 68 (°C) and/or until solubility		1	AO2 AO3
	reaches 59 (g/100g water) then decreases		1	3.2.1b
1(c)	advantage: • good for bones or teeth or heart. disadvantage: • any one from: • scale • more soap used • scum • reduce efficiency of heating systems or	ignore cost ignore time	1	AO1 3.2.1a,e,f
1(d)	kettles. (Resin) contains sodium or hydrogen ions (so these ions) replace / exchange with (so water) no longer contains magnesium ions or calcium ions	do not accept references to reactivity	1 1 1	AO1 3.2.1g
Total			10	

Question		Answers		Extra infor	mation	Mark	AO / Spec. Ref.
2(a)	tick (✓ CH ₃ Oł	, -				1	AO2 3.6.1a
2(b)	tick (✓ C) by:				1	AO2 3.3.1d
2(c)(i)						6	AO1
Communic	awarded for this answer will be determined by the Quality of Written unication (QWC) as well as the standard of the scientific response. Examiners also refer to the information on page 5 and apply a 'best-fit' approach to the g.				AO2 AO3 3.3.1a		
0 marl	ks	Level 1 (1–2 marks)	Le	vel 2 (3-4 marks)	Level 3 (5–6 ı	marks)	
no relevant content	t	some of the steps for a method or measurements are stated	me	nethod and some easurements are scribed			
measure mass or volume of water measure initial mass of ethanol (and burner) measure initial temperature of water ignite alcohol to heat the water stir water after a suitable temperature rise or time (or after a given volume is burned) extinguish the flame measure final temperature of water measure final mass of ethanol (and burner) repeat with next alcohol calculate the energy released and compare or compare temperature rise (for given mass of alcohol burnt or for given time of burning).							

2(c)(ii)		M2 dependent on M1		AO3
	lid or lagging or windshield or copper/metal container	ignore digital thermometer	1	3.3.1a
	(so that) less energy lost (to surroundings)	ignore evaporation	1	
	OR			
	stir(rer) (1)			
	(so that) energy distributed (1)			
Total			10	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
3(a)(i)	 any one from: for undiscovered elements so elements with similar properties were in same column / group 	ignore so they fit the pattern	1	AO1 3.1.1b
3(a)(ii)	 any one from: they have different properties from elements above them they are (transition) metals. 	ignore electronic configuration ignore they did not fit the pattern allow transition elements	1	AO1 3.1.1a,b
3(b)(i)	7 electrons in outer shell / highest energy level	ignore gain of 1 electron	1	AO2 3.1.2b
3(b)(ii)		'outer' must be mentioned once for 3 marks. comparatives required. ignore references to bromide / iodide		AO1 AO2 3.1.3g,h
	for bromine: outer shell closer to nucleus	allow converse for iodine allow fewer shells allow smaller atom	1	
	stronger force of attraction (to nucleus) electron more easily gained to outer shell	allow less shielding	1	

3(c)(i)	yellow precipitate	allow yellow or dark yellow or light yellow or pale yellow allow dark yellow or light yellow or pale yellow precipitate allow dark yellow or light yellow or pale yellow ppt allow dark yellow or light yellow or pale yellow solid	1	AO1 3.4.1e
		do not allow yellow solution		
3(c)(ii)	green precipitate	allow green or dark green or light green or pale green or dirty green	1	AO1 3.4.1b
		allow dark green or light green or pale green or dirty green precipitate		
		allow dark green or light green or pale green or dirty green ppt		
		allow dark green or light green or pale green or dirty green solid		
		do not allow green solution		
3(d)	one colour obscures the other	allow colours mix / blend allow only one colour seen	1	AO3 3.4.1a
3(e)(i)	H O H-C-C H O-H	allow -OH in the structure without the -O-H bond shown	1	AO1 3.6.2a
	T. Control of the con			

3(e)(ii)	weak acid	allow converse for hydrochloric acid	1	AO3 3.6.2a,b
	(because) ethanoic acid is not fully ionised / dissociated	allow (the solution) has a lower concentration of hydrogen ions allow (produces) fewer hydrogen ions. do not allow ionising	1	
Total			12	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
4(a)(i)	2 (K +) 2 (H ₂ O →) 2 (KOH) +	allow multiples	2	AO1
	H_2	allow H ₂ for 1 mark		AO2
		allow 2 (K +) 2 (H ₂ O \rightarrow) 2 (KOH) + 2H for 1 mark		3.1.3a
4(a)(ii)	any two from:	accept converse for Li	2	AO1
	 potassium reacts more quickly / vigorously 	allow dissolves more quickly		AO3
	potassium moves around			3.1.3a
	more quickly	allow more gas / hydrogen from		
	more bubbles from potassiumpotassium melts	potassium		
	potassium produces a (lilac)			
	flame	allow potassium catches fire		
4(b)	add alkali to acid from burette	allow alternative apparatus for	1	AO1
		measuring volume		AO3
	until indicator changes colour	allow appropriate use of pH probe	1	3.4.1g
	take reading of volume at start	allow record the volume used	1	
	and end			
	repeat (and find mean)		1	
	any one from		1	
	swirl / stiradd dropwise / slowly			
	white tile			
	rinse apparatus			
	meniscusread at eye level			
	, , , , , , , , , , , , , , , , , , , ,			

4(c)	0.21	if incorrect,	3	AO2
		26.25 x 0.2/1000 or 0.00525 for 1 mark		3.4.1h
		their moles x 1000/25.00 or their moles x 40 for 1 mark		
		correct evaluation for 1 mark		
		0.19(0476) gains only 1 mark with or without working		
Total			12	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
5(a)(i)	high temp increases rate	allow converse for low temperature	1	AO1 AO2
	but decreases yield	allow shifts equilibrium to the left	1	AO3 3.5.1d,e,f,h
	because (forward) reaction is exothermic	this mark dependent on M2	1	
	or so this (temperature) is a compromise	this mark dependent on both M1 and M2		
5(a)(ii)	high pressure increases yield	allow converse for low pressure allow shifts equilibrium to the right	1	AO1 AO2 3.5.1d,g,h
	(because) more moles / molecules of gas on LHS	allow (because) greater volume of gas on LHS If no other mark gained, allow 1 mark for high pressure increase rate because molecules closer together or increased frequency of collisions.	1	
5(a)(iii)	any one from: • less risk of explosion/safer • less energy required • less likely to leak.	allow converse for high pressure ignore cost / strength of plant	1	AO3 3.5.1g

5(b)	white precipitate (forms) with aluminium, the ppt dissolves in excess or with magnesium, the ppt does not dissolve in excess	1	AO1 3.4.1b
Total		8	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
6(a)(i)	natural gas or water / steam	allow methane / crude oil / petroleum	1	AO1 3.5.1a
		ignore processes		
6(a)(ii)	cool to any temp in the range		1	AO1
	-33 to -196 °C			AO3
	because (at this temperature) ammonia becomes a liquid or ammonia condenses		1	3.5.1b
0(1)(1)	044.15			100
6(b)(i)	81(kJ)	ignore sign	3	AO2
		((4 x 391 + 160) =) 1724 for 1 mark, and		3.3.1f
		((2 x 432 + 941) =) 1805 for 1 mark		
		correct subtraction using one correct value for 1 mark		
6(b)(ii)	because energy taken in to	allow converse	1	AO1
	break bonds			3.3.1e,f
	is less than energy given out when bonds form		1	,
Total			8	