# Cambridge Assessment

# Cambridge IGCSE<sup>™</sup>

### CHEMISTRY

Paper 1 Multiple Choice (Core)

0620/11 May/June 2024 45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

#### INSTRUCTIONS

- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

#### INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has 16 pages.

1 The boiling point of sodium is 890 °C.

What happens to sodium atoms as the temperature of a sample of sodium changes from 950  $^\circ\text{C}$  to 900  $^\circ\text{C}?$ 


2

- **A** The atoms move more quickly and bonds are formed.
- **B** The atoms move more quickly and bonds are neither broken nor formed.
- **C** The atoms move more slowly and bonds are formed.
- **D** The atoms move more slowly and bonds are neither broken nor formed.
- 2 Which row shows the conditions for the particles of a gas colliding most frequently?

	pressure	temperature
Α	high	high
В	high	low
С	low	high
D	low	low

**3** The diagram shows some properties of particles in an atom.

To which labelled part of the diagram do electrons belong?



**4** Some properties of substances W, X, Y and Z are shown.

	melting point / °C	electrical conductivity
W	801	conducts when molten
Х	-182	does not conduct
Y	840	conducts when solid
Z	501	conducts when molten

Which substances are ionic?

- **A** W, X and Y **B** W and Y only **C** W and Z **D** X and Z
- 5 Atoms lose or gain electrons to become ions.

Which row is correct?

	change to the atom	type of ion	charge on ion
Α	loss of two electrons	cation	2–
В	loss of one electron	anion	1–
С	gain of three electrons	anion	3–
D	gain of one electron	cation	1–

6 A covalent molecule, M, contains four shared pairs of electrons.

What is M?

- **A** ammonia,  $NH_3$
- **B** hydrogen chloride, HC*l*
- **C** methane,  $CH_4$
- **D** water,  $H_2O$
- 7 Which substance has a giant covalent structure?
  - A sodium chloride
  - **B** sodium
  - **C** ethane
  - D diamond

8	Iron(III) oxide is re	educed by carbon n	nonoxide to produce	e iron and carbon dioxi	ide.
---	-----------------------	--------------------	---------------------	-------------------------	------

What is the balanced equation for this reaction?

- $\label{eq:constraint} \mbox{C} \quad 2\mbox{Fe}_2\mbox{O}_3 \mbox{ + } 6\mbox{CO} \mbox{ } \rightarrow \mbox{ } 2\mbox{Fe} \mbox{ + } 6\mbox{CO}_2$
- $\textbf{D} \quad 2\text{Fe}_2\text{O}_3 \ \textbf{+} \ 3\text{CO} \ \rightarrow \ 4\text{Fe} \ \textbf{+} \ 3\text{CO}_2$
- **9** The equation for the reaction between magnesium and dilute hydrochloric acid is shown.

Mg + 2HCl 
$$\rightarrow$$
 MgCl<sub>2</sub> + H<sub>2</sub>

Which mass of magnesium chloride is formed when 48.0g of magnesium completely reacts with excess dilute hydrochloric acid?

**A** 23.8g **B** 47.5g **C** 95.0g **D** 190g

**10** Dilute sulfuric acid and lead(II) bromide are electrolysed separately.


Which statements are correct?

- 1 Colourless gases are produced when dilute sulfuric acid is electrolysed.
- $\label{eq:lead} \mbox{Lead}({\rm II}) \mbox{ bromide can be electrolysed when molten}.$
- 3 Lead is formed at the positive electrode when lead(II) bromide is electrolysed.
- 4 Sulfate ions are produced at the negative electrode when dilute sulfuric acid is electrolysed.
- **A** 1 and 2 **B** 1 and 3 **C** 2 and 3 **D** 3 and 4
- 11 Which statements about a hydrogen–oxygen fuel cell are correct?
  - 1 The main form of energy released by the fuel cell is heat.
  - 2 The reaction is a redox reaction.
  - 3 An acidic gas is produced.
  - 4 Water is the only chemical product.
  - **A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

**12** Which row describes what happens during an endothermic reaction?

	thermal energy is transferred	change in temperature of the reaction mixture
Α	from the surroundings	decrease
В	from the surroundings	increase
С	to the surroundings	decrease
D	to the surroundings	increase

**13** Which diagram represents a chemical change?



- **14** A method used to investigate the rate of reaction of calcium carbonate with dilute hydrochloric acid under different conditions is shown.
  - Place  $50 \text{ cm}^3$  of dilute hydrochloric acid in a conical flask.
  - Add a known volume of water to the conical flask.
  - Heat the conical flask to the required temperature.
  - Add 1.0 g of calcium carbonate to the conical flask.
  - Measure the time taken for the reaction to finish.


Which volume of water and which temperature give the shortest time taken for the reaction to finish?

	volume of water added/cm <sup>3</sup>	temperature / °C
Α	10	30
В	10	50
С	40	30
D	40	50

**15** The rate of reaction between magnesium and hydrochloric acid is investigated.

The total volume of hydrogen given off is measured at different times.

A graph of the results is shown.



Which conclusions are correct?

- 1 The rate is fastest between 0 and 30 seconds.
- 2 The maximum volume of hydrogen given off is  $22 \text{ cm}^3$ .
- 3 At 40 seconds,  $20 \text{ cm}^3$  of hydrogen is given off.
- **A** 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3
- **16** Water is added to anhydrous copper(II) sulfate.

Which row describes the direction of energy change and the colour change of the mixture during the reaction?

	direction of energy change	colour change
Α	absorbed from the surroundings	blue to white
В	absorbed from the surroundings	white to blue
С	released to the surroundings	blue to white
D	released to the surroundings	white to blue

- 17 Which equation represents an oxidation reaction?
  - **A**  $CaCO_3 \rightarrow CaO + CO_2$
  - $\textbf{B} \quad 4\text{FeO} \ \textbf{+} \ \textbf{O}_2 \ \rightarrow \ 2\text{Fe}_2\text{O}_3$
  - $\label{eq:constraint} \mbox{C} \quad 2 \mbox{NO}_2 \ \rightarrow \ \mbox{N}_2 \mbox{O}_4$
  - $\boldsymbol{D} \quad 2P_2O_5 \ \rightarrow \ P_4O_{10}$
- **18** A farmer treats a field with calcium hydroxide to make it less acidic.

When the farmer adds ammonium nitrate fertiliser to the field immediately after the calcium hydroxide, the two substances react.

Why does this reaction make the fertiliser less effective?

- A It makes ammonia gas, so less nitrogen is absorbed by the soil.
- **B** It makes an acid, making the soil acidic again.
- **C** It makes nitrogen gas, so less nitrogen is absorbed by the soil.
- **D** It makes the fertiliser too strong, stopping the plants growing well.
- **19** Which statement about sodium oxide or nitrogen dioxide is correct?
  - A Nitrogen dioxide is a solid at room temperature.
  - **B** Nitrogen dioxide is acidic.
  - **C** Sodium oxide has a lower melting point than nitrogen dioxide.
  - **D** Sodium oxide is covalently bonded.
- **20** A titration method is used to prepare a pure soluble sulfate salt from dilute sulfuric acid.

What is the other reagent?

- A copper(II) oxide
- **B** magnesium
- **C** sodium hydroxide
- D zinc carbonate

**21** Which row about elements in the Periodic Table is correct?

	statement 1	statement 2
Α	two elements in the same group have similar chemical properties	metals are on the left of the table
В	two elements in the same group have similar chemical properties	metals are on the right of the table
С	two elements in the same period have similar chemical properties	metals are on the left of the table
D	two elements in the same period have similar chemical properties	metals are on the right of the table

**22** The table gives some information about three elements in Group I of the Periodic Table.


element	atomic number	melting point in °C	density in g/cm <sup>3</sup>
lithium	3	181	0.53
sodium	11	98	0.97
rubidium	37	Х	Х

Which row identifies the melting point and the density of rubidium?

	melting point in °C	density in g/cm <sup>3</sup>
A	39	0.38
В	39	1.53
С	253	0.38
D	253	1.53

- 23 Which statement describes a transition element?
  - **A** It is a dull grey metal that only forms white compounds.
  - **B** It is a high-density metal with a high melting point that is used as a catalyst.
  - **C** It is a low-density metal with a high melting point that reacts with steam to make hydrogen.
  - **D** It is a soft, shiny silver metal that reacts vigorously with water.

**24** The electronic configurations of helium, neon and argon are shown.



#### Which row describes these gases?

	reactivity	form of the gas	electronic configuration
Α	reactive	monatomic	incomplete outer shell of electrons
в	unreactive	diatomic	complete outer shell of electrons
С	unreactive	diatomic	incomplete outer shell of electrons
D	unreactive	monatomic	complete outer shell of electrons

- **25** X is a shiny silver-coloured solid at room temperature and pressure.
  - X is a good conductor of heat and electricity when solid.

Which statement about X is correct?

- **A** X is an ionic compound or a metallic element.
- **B** X is a metallic element or a non-metallic element.
- **C** X is an alloy or a metallic element.
- **D** X is an alloy or a non-metallic element.
- 26 Which elements can be combined to produce an alloy?
  - 1 magnesium and aluminium
  - 2 nitrogen and oxygen
  - 3 iron and carbon
  - 4 copper and zinc
  - **A** 1, 3 and 4 **B** 1 and 2 **C** 2 and 3 **D** 4 only

 $\label{eq:27} \ensuremath{\text{Three metals, L, M}} \ensuremath{\text{and N, are added separately to dilute hydrochloric acid and cold water.}$ 

The results are shown.

metal	reaction with dilute hydrochloric acid	reaction with cold water
L	hydrogen forms	no reaction
М	hydrogen forms	hydrogen forms
N	no reaction	no reaction

## What is the order of reactivity of the metals?

	least reactive		most reactive
Α	L	N	М
В	М	L	N
С	Ν	L	М
D	Ν	М	L

- 28 Which reaction produces carbon dioxide?
  - A cracking of large hydrocarbon molecules
  - **B** photosynthesis
  - **C** reaction of a base with a carbonate
  - **D** thermal decomposition of calcium carbonate

**29** A sample of air containing four gases only is analysed.

99.0% of the sample contains the two main gases in the same percentages as in clean, dry air.

The remaining 1.0% of the sample contains argon and carbon dioxide.

The gas that makes up 0.1% of the sample turns limewater milky.

Which row shows the percentage composition of the sample of air?


	99.0% of the sample	0.9% of the sample	0.1% of the sample
A	78.0% nitrogen, 21.0% oxygen	argon	carbon dioxide
В	78.0% nitrogen, 21.0% oxygen	carbon dioxide	argon
С	78.0% oxygen, 21.0% nitrogen	argon	carbon dioxide
D	78.0% oxygen, 21.0% nitrogen	carbon dioxide	argon

- 30 Which substance contains two elements that are found in NPK fertilisers?
  - A ammonium chloride
  - B calcium hydroxide
  - **C** potassium nitrate
  - D sodium phosphate
- 31 Which statement about sulfur is correct?
  - **A** When sulfur is burned, it produces a substance that causes acid rain.
  - **B** Sulfur is produced by the thermal decomposition of limestone.
  - **C** Compounds of sulfur make up approximately 1% of unpolluted air.
  - **D** Sulfur is a member of the family of elements called halogens.
- 32 What are two adverse effects of particulates in the air?
  - 1 acid rain
  - 2 cancer
  - 3 photochemical smog
  - 4 respiratory problems
  - **A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

- 33 Which formula represents a compound that is a member of the homologous series of alkanes?
  - **A**  $C_2H_4$  **B**  $C_3H_6$  **C**  $C_4H_8$  **D**  $C_5H_{12}$
- 34 Which statement about ethane is correct?
  - A It rapidly decolourises aqueous bromine.
  - B It does not burn.
  - C It forms long-chain compounds called polymers.
  - D It only contains single bonds between its atoms.
- **35** Which raw material is used to make ethanol by fermentation?
  - A carbon dioxide
  - B ethene
  - **C** glucose
  - D natural gas
- **36** Which statement about ethanoic acid is correct?
  - A It contains a –COOH group.
  - **B** It has a pH greater than pH 7.
  - **C** It reacts with sodium carbonate to form hydrogen gas.
- 37 Which statement explains why the disposal of plastic waste leads to environmental problems?
  - A Plastic waste forms toxic gases when it is burned.
  - **B** Plastic waste contains many small molecules.
  - **C** Plastic waste rapidly dissolves in the oceans.
  - D Plastic waste reacts with both acids and bases.

**38** Substance X and four known substances, P, Q, R and S, are analysed by chromatography.

The chromatogram produced is shown.



Which statement about X is correct?

- **A** It is a mixture of P, Q and S.
- **B** It contains P and S only.
- **C** It contains P, S and another unknown substance.
- **D** It is a mixture of Q, R and S.
- **39** Copper is insoluble in water.

Copper(II) oxide is a solid that is insoluble in water but reacts with dilute hydrochloric acid.

Which method is used to separate copper from a mixture of copper and copper(II) oxide?

- A dissolve the mixture in water then filter
- **B** dissolve the mixture in water then crystallise
- C react the mixture with dilute hydrochloric acid then filter
- **D** react the mixture with dilute hydrochloric acid then crystallise

**40** A salt, S, is dissolved in water and three tests are carried out on the solution formed.

	test	result
1	aqueous sodium hydroxide is added	green precipitate forms, insoluble in excess sodium hydroxide
2	dilute nitric acid is added	no reaction
3	aqueous barium nitrate is added to the solution from test 2	white precipitate forms

What is the identity of S?

- A copper(II) chloride
- B copper(II) sulfate
- **C** iron(II) chloride
- D iron(II) sulfate

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

I       II       IV       V       VI       VI </th <th></th> <th>Τ</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>Τ</th> <th></th> <th></th> <th>_</th>															Τ						Τ			_										
III       III       IV       V       VI       VI       VI         1		III/	2	He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	Ъ	krypton 84	54	Xe	xenon 131	86	Rn	radon	I	118	0g	oganessor -										
III       III       III       V       V         1       1       1       1       1       1       V       V         1       1       1       1       1       1       1       V       V         1       1       1       1       1       1       V       V         1       1       1       1       1       1       1       V       V         1       1       1       1       1       1       1       1       V       V         1<		IIΛ		_			_			ш	fluorine 19	17	Cl	chlorine 35.5	35	Ъ	bromine 80	53	_	iodine 127	85	At	astatine	ı	117	Ъ	tennessine -							
III       III       III       III       III       IV         1       4       4       1 </td <td></td> <td>١٨</td> <td></td> <td></td> <td></td> <td>8</td> <td>0</td> <td>oxygen 16</td> <td>16</td> <td>ი</td> <td>sulfur 32</td> <td>34</td> <td>Se</td> <td>selenium 79</td> <td>52</td> <td>Te</td> <td>tellurium 128</td> <td>84</td> <td>Ъо</td> <td>polonium</td> <td>ı</td> <td>116</td> <td>۲&lt;</td> <td>livermorium –</td>		١٨				8	0	oxygen 16	16	ი	sulfur 32	34	Se	selenium 79	52	Te	tellurium 128	84	Ъо	polonium	ı	116	۲<	livermorium –										
III       III       III         Image: Section of the sectin of the section of the section of the sectin of the sec		>										7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	B	bismuth	209	115	Mc	moscovium -				
$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$		2													9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead	207	114	Fl	flerovium -	
IIIIII $II$ $II$ $II$ $II$ $II$ $II$ $II$ $II$ $III$ $III$ $III$ $III$ $III$ $IIII$ $III$ $IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII$		≡									5	ш	boron 11	13	Al	aluminium 27	31	Ga	gallium 70	49	믹	indium 115	81	11	thallium	204	113	ЧN	nihonium –					
III       III       III         11       1       1       1         11       1       1       1       1         11       1       1       1       1       1         11       1       1       1       1       1       1         11       1       1       1       1       1       1       1         11       11       1												30	Zn	zinc 65	48	Cq	cadmium 112	80	Нg	mercury	201	112	C	copernicium -										
III       III         11       1         4       4         benyllum       benyllum         9       12         Mig       mane         magnesium       24         9       22         23       24         0       21       22         23       24       Min         magnesium       sandum       mane         24       Min       Fe       Co         23       24       Min       Fe       Co         23       33       39       40       41       42         24       Min       Fe       Co       Co       Co         23       33       39       40       41       42       44         86       91       98       -       101       103       103         137       141       184       106       107       103       103         137       138       104       105       106       107       103         137       138       104       105																						29	Cu	copper 64	47	Ag	silver 108	79	Au	gold	197	111	Rg	roentgenium -
II   II     4   4     9   Image statistic number beryllum     9   Image statistic beryllum     12   Mg     12   Mg     12   Image statistic mage statistic     12   Sr     12   Z     13   Z     14   Z     137   Z     138   S     137   Z     138   S     137   Z     138   Z     139   Z     131   Z     132   Z     1	dno											28	ïZ	nickel 59	46	Ъd	palladium 106	78	Ţ	platinum	195	110	Ds	darmstadtium -										
II   II     4   Key     9   berylium 9     9   atomic number 12     9   atomic number adomic symbol     12   Mg     9   magnesium 224     20   21   22     23   21   22     24   51   52     56   57-71   73     88   33   40     9   anthium   anthium     11   73   74     12   73   74     13   104   105     13   104   105     14   105   106     17   105   106     17   105   106     17   105   106	Gro											27	ပိ	cobalt 59	45	Rh	rhodium 103	77	<u>_</u>	iridium	192	109	Mt	meitnerium -										
II   II     4   Key     beryllum   4     beryllum   4     beryllum   9     12   Key     Mgg   matomic number     atomic number   atomic number     12   Mg     magnesium   20     23   21     24   20     23   21     24   21     23   23     24   23     23   24     38   39     40   41     41   42     74   72     74   73     74   74     75   73     74   73     74   74     75   73     74   73     74   74     75   73     74   73     74   73     74   73     74   74     74   74     75   73     76   73     77   74     74   74     75   73     74   76     75   73     <			1	т	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	76	SO	osmium	190	108	Hs	hassium 										
II   II     4   A     beryllum   4     beryllum   atomic number     9   Iz     Mgg   atomic number     atomic number     12     Mg     magnesium     23     24     23     24     23     24     38     39     40     41     7     7     7     88     88     89     88     89     88     88     89     88     904     778     778     778     778     778     778     876  <												25	Mn	manganese 55	43	Ч	technetium -	75	Re	rhenium	186	107	Bh	bohrium –										
Image       A         9       9         9       9         9       9         12       Mg         magnesuum       23         23       23         24       23         23       33         24       22         23       23         38       39         9       40         86       57–71         137       178         137       137         137       104         actinoids       89         actinoids       104         actinoids       Rf         actinoids       Rf							bol	ss				24	ŗ	chromium 52	42	Mo	molybdenum 96	74	>	tungsten	184	106	Sg	seaborgium -										
Image       A         9       9         9       9         9       9         12       Mg         magnesuum       23         23       23         24       23         23       33         24       22         23       23         38       39         9       40         86       57–71         137       178         137       137         137       104         actinoids       89         actinoids       104         actinoids       Rf         actinoids       Rf					Key	atomic number	mic syml	name tive atomic ma				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum	181	105	Db	dubnium –										
Image: Section management of the section manage							ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Ŧ	hafnium	178	104	Ŗ	rutherfordium -										
												21	Sc	scandium 45	39	≻	yttrium 89	57-71	lanthanoids			89-103	actinoids											
- 3 3 3 2 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	56	Ba	barium	137	88	Ra	radium -										
		_				ю	:	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium	133	87	Ļ	francium -										

71 Lu	lutetium 175	103	L	lawrencium	I
<sup>٥2</sup> ۲	ytterbium 173	102	No	nobelium	I
<sup>69</sup> Tm	thulium 169	101	Md	mendelevium	I
в 88 Г	erbium 167	100	Еm	fermium	I
67 Ho	holmium 165	66	Еs	einsteinium	I
°8 D	dysprosium 163	98	Ç	californium	I
65 Tb	terbium 159	97	离	berkelium	I
64 Gd	gadolinium 157	96	Cm	curium	I
e3 Eu	europium 152	95	Am	americium	I
Sm <sup>62</sup>	samarium 150	94	Pu	plutonium	I
Pm 61	promethium -	93	ЧN	neptunium	I
00 Nd	neodymium 144	92		uranium	238
Pr 50	praseodymium 141	91	Ра	protactinium	231
e <sup>88</sup>	cerium 140	06	Th	thorium	232
57 La	lanthanum 139	89	Ac	actinium	I
lanthanoids			actinoids		

Г

Т

