Cambridge IGCSE[™]

CHEMISTRY 0620/12

Paper 1 Multiple Choice (Core)

October/November 2024

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

1 The table shows some information about the three states of matter.

	particle separation	particle arrangement	type of motion
1	touching with some particles having spaces between them	random	slide past each other at low speed
2	particles are far apart	random	rapid motion in straight lines
3	touching with very little space between the particles	regular	vibration only

Which row is correct?


	1	2	3
Α	gas	liquid	solid
В	liquid	solid	gas
С	liquid	gas	solid
D	solid	gas	liquid


2 Which arrow represents evaporation?


solid
$$\stackrel{A}{\longleftarrow}$$
 liquid $\stackrel{B}{\longleftarrow}$ gas

- 3 In which states of matter does diffusion occur readily?
 - A gases and liquids
 - **B** gases only
 - C liquids and solids
 - **D** solids only

4 Which statement about the boxes P, Q and R is correct?







- **A** Box P contains two compounds, and box R contains two elements.
- **B** Box P contains two elements, and box Q contains a mixture.
- **C** Box P contains two elements, and box Q contains one compound.
- **D** Box Q contains two compounds, and box R contains a mixture.
- **5** Which information about an element is given by its atomic number?
 - A the number of protons in the nucleus of an atom of an element
 - **B** the number of particles in the nucleus of an atom of an element
 - **C** the relative mass of one atom of an element
 - **D** the total number of particles in one atom of an element
- **6** The symbols represent four atoms. The letters used are **not** the usual atomic symbols.

$$^{40}_{20}$$
W $^{40}_{19}$ X $^{46}_{20}$ Y $^{46}_{22}$ Z

Which atoms are isotopes of the same element?

- ı
- **A** W and X **B** W and Y **C** X and Y **D** Y and Z
- 7 Covalent bonds are formed when electrons are1......

Most covalent compounds have2..... electrical conductivity.

Which words correctly complete gaps 1 and 2?

	1	2
Α	shared	high
В	shared	low
С	transferred	high
D	transferred	low

Which row describes the structure and a use of diamond? 8

	structure	use
A	ionic	in cutting tools
В	ionic	as a lubricant
С	giant covalent	in cutting tools
D	giant covalent	as a lubricant

9	Which symbol	equation	represents	the	reaction	between	aqueous	sodium	hydroxide	and	dilute
	sulfuric acid?								-		

A Na₂OH +
$$H_2SO_4 \rightarrow 2NaSO_4 + H_2O$$

$$\mathbf{B} \quad \text{Na(OH)}_2 + \text{H}_2\text{SO}_4 \rightarrow \text{Na}_2\text{SO}_4 + 2\text{H}_2\text{O}$$

C
$$2NaOH + H_2SO_4 \rightarrow 2NaSO_4 + 2H_2O$$

D
$$2NaOH + H_2SO_4 \rightarrow Na_2SO_4 + 2H_2O$$

10 What is the relative formula mass of magnesium bromide?

- Α 47
- В 82
- 104
- **D** 184

Three substances are listed.

- solid copper
- 2 aqueous sodium bromide
- 3 solid lead(II) bromide

Which substances conduct electricity?

- **A** 1, 2 and 3
- В 1 and 2 only
- C 1 and 3 only D 2 and 3 only

12 Hydrogen-oxygen fuel cells can be used to power cars.

Which processes produce the fuel of a hydrogen-oxygen fuel cell?

- 1 the cracking of hydrocarbons
- 2 the electrolysis of dilute sulfuric acid
- 3 photosynthesis
- the electrolysis of molten aluminium oxide
- 1 and 2
- **B** 1 and 4
- **C** 2 and 3
- **D** 3 and 4

13 Molten sodium sulfide, Na₂S, is electrolysed using inert electrodes.

Which row identifies the product at each electrode?

	cathode	anode
Α	sodium	sulfur
В	sulfur	sodium
С	hydrogen	sulfur
D	sodium	hydrogen

14 The temperature of the water in two beakers, X and Y, is measured as 21.5 °C.

5g of sodium chloride is dissolved in the water in beaker X. The temperature changes to 18.0 °C.

5g of calcium oxide is dissolved in the water in beaker Y. The temperature changes to 29.4 °C.

Which types of process are occurring in beakers X and Y?


	Х	Υ
Α	endothermic	endothermic
В	endothermic	exothermic
С	exothermic	endothermic
D	exothermic	exothermic

- 15 Which process involves a chemical change?
 - A adding sodium chloride to water
 - **B** adding magnesium to hydrochloric acid
 - **C** heating solid iodine until it turns into a gas
 - D melting lead
- **16** Which two pieces of apparatus are most useful to measure the rate of a reaction in which a gas is given off?
 - A accurate balance and gas syringe
 - B accurate balance and thermometer
 - **C** gas syringe and stop-watch
 - **D** stop-watch and thermometer

17 Reaction 1 and reaction 2 both produce a gas.

The total volume of gas produced in each reaction is measured every minute for 10 minutes.

A graph of the results is shown.



Which row describes how the rate of reaction changes, if at all, during each reaction?

	reaction 1	reaction 2
Α	the rate is constant	the rate decreases after 2 minutes
В	the rate increases	the rate increases
С	the rate increases	the rate decreases after 2 minutes
D	the rate is constant	the rate increases

18 When a few drops of water are added to a solid, E, the colour changes from blue to pink.

What is E?

- A anhydrous cobalt(II) chloride
- **B** anhydrous copper(II) sulfate
- **C** hydrated cobalt(II) chloride
- **D** hydrated copper(II) sulfate

19 The equation for the reaction of magnesium with copper(II) oxide is shown.

$$Mg + CuO \rightarrow MgO + Cu$$

Which word describes this reaction?

- **A** combustion
- **B** decomposition
- **C** neutralisation
- **D** redox
- 20 Compound M contains calcium.

Two reactions of M are listed.

- M reacts with dilute hydrochloric acid to form a salt and water only.
- M reacts with aqueous ammonium chloride to form a gas that turns damp red litmus paper blue.

What is M?

- **A** CaOH
- B Ca(OH)₂
- C CaCO₃
- **D** $Ca(CO_3)_2$

21 The diagram shows one period of the Periodic Table.

Li Be B C N O F Ne

Which two elements form acidic oxides?

- A beryllium and lithium
- B carbon and neon
- C carbon and nitrogen
- **D** nitrogen and neon
- 22 A student tests four solutions with universal indicator.

Which colour identifies the solution containing the greatest concentration of OH⁻ ions?

- A red
- **B** yellow
- C green
- **D** blue

- 23 The following steps are done to prepare solid magnesium sulfate.
 - 1 filtration
 - 2 measurement of 20 cm³ of dilute sulfuric acid using a measuring cylinder
 - 3 evaporation
 - 4 addition of an excess of solid magnesium carbonate to dilute sulfuric acid

What is the correct order for these steps?

- $\mathbf{A} \quad 2 \to 4 \to 3 \to 1$
- **B** $2 \rightarrow 4 \rightarrow 1 \rightarrow 3$
- $\textbf{C} \quad 4 \rightarrow 2 \rightarrow 1 \rightarrow 3$
- **D** $4 \rightarrow 2 \rightarrow 3 \rightarrow 1$
- 24 Which statement about the Periodic Table is correct?
 - **A** All the metals in the Periodic Table are transition elements.
 - **B** The halogens are elements in Group I of the Periodic Table.
 - **C** The elements become more metallic across a period from Group I to Group VII.
 - **D** The Periodic Table can be used to predict the properties of the elements.
- **25** Zinc is formed when zinc oxide is heated with carbon.

Which substance is oxidised in this reaction?

- A carbon
- **B** carbon monoxide
- C zinc
- D zinc oxide
- **26** Which word equation represents the rusting of iron?
 - **A** iron + oxygen + water \rightarrow anhydrous iron(II) hydroxide
 - **B** iron + oxygen \rightarrow hydrated iron(II) oxide
 - \mathbf{C} iron + oxygen + water \rightarrow anhydrous iron(III) hydroxide
 - **D** iron + oxygen + water → hydrated iron(III) oxide

27	Which option	describes	the	electronic	configurations	of	three	different	elements	from	the	same
	group of the F	eriodic Tal	ble?									

- **A** 2 2,2 2,8,8,2
- **B** 2 2,8 2,8,2
- **C** 2,1 2,8,1 2,8,8,1
- **D** 2,1 2,2 2,3

28 Which metal forms compounds that can be used to colour glass?

- A aluminium
- **B** calcium
- **C** chromium
- **D** sodium

29 Two properties of element R are listed.

- It is a dark solid at room temperature.
- It is a diatomic molecule.

Where on the Periodic Table is R placed?

- A Group I
- **B** Group VII
- C Group VIII
- **D** transition elements

30 Four metals, W, X, Y and Z, are tested with either cold water, steam or both.

The observations are shown.


metal	observations
W	reacts slowly with cold water
Х	reacts rapidly with cold water
Υ	does not react with cold water but reacts with steam
Z	does not react with cold water or steam

What is the order of reactivity of the metals from the least reactive to the most reactive?

	least reactive			most reactive
Α	W	Х	Y	Z
В	W	Y	X	Z
С	Z	Y	X	W
D	Z	Υ	W	X

- **31** Which statement about the displacement reactions of the halogens is correct?
 - **A** lodine displaces bromine from aqueous sodium bromide.
 - **B** Bromine displaces chlorine from aqueous potassium chloride.
 - **C** Iodine displaces chlorine from aqueous potassium chloride.
 - **D** Chlorine displaces bromine from aqueous sodium bromide.
- 32 Which substances in water from natural sources are beneficial to aquatic animals?
 - 1 metal compounds
 - 2 plastics
 - 3 phosphates
 - 4 dissolved oxygen
 - **A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4

- **33** What are the products formed when glucose is fermented?
 - A ethanol and carbon dioxide
 - B ethanol and oxygen
 - C ethene and carbon dioxide
 - **D** ethene and oxygen
- **34** Which structure represents a molecule of ethanol?



- 35 Which statement describes a homologous series?
 - A a family of elements in the same group of the Periodic Table
 - **B** a family of elements with similar chemical properties
 - **C** a family of compounds with the same functional group
 - **D** a family of compounds with similar physical properties
- 36 What are the properties of aqueous ethanoic acid?


	decolourises aqueous bromine	reacts with calcium carbonate to make carbon dioxide	turns damp red litmus paper blue
Α	✓	✓	X
В	✓	x	✓
С	x	✓	x
D	X	X	✓

37 Four different organic compounds are separated by a fractionating column.

The table shows the boiling points of the compounds.

The diagram shows the position in the fractionating column where they are separated.

compound	boiling point/°C
- compound	bonning points, o
Q	69
R	196
S	90
Т	125



Which row identifies the compound in each fraction?

	fraction 1	fraction 2	fraction 3	fraction 4
Α	Q	S	Т	R
В	Q	Т	S	R
С	R	Т	S	Q
D	R	S	Т	Q

- **38** Which piece of apparatus is used to measure exactly 21.50 cm³ of dilute sulfuric acid?
 - A beaker
 - **B** burette
 - **C** measuring cylinder
 - D volumetric pipette


39 Which row shows an advantage and a disadvantage for the stated apparatus used in a titration?

	apparatus	advantage	disadvantage
Α	25 cm ³ volumetric pipette	measures volume accurately	can only be used to measure 25 cm³ of solution
В	50 cm ³ burette	measures volume accurately	can only be used to measure 50 cm ³ of solution
С	100 cm ³ beaker	suitable for filling burette	can only be used to fill a 100 cm ³ burette
D	250 cm ³ conical flask	allows solutions to be mixed without spilling	not suitable for holding volumes less than 250 cm ³

40 Sample M contains calcium carbonate and sodium nitrate.

The result of adding water to M, stirring and filtering is shown.

No chemical reaction occurs.



Which terms describe M, calcium carbonate and aqueous sodium nitrate?

	sample M	calcium carbonate	aqueous sodium nitrate
Α	compound	filtrate	residue
В	compound	residue	filtrate
С	mixture	filtrate	residue
D	mixture	residue	filtrate

14

BLANK PAGE

15

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

=	ď	E	_	a)	<u>_</u>		<u>_</u>	u.		<u> </u>	uo		a)	E -		_	<u> </u>	_		noss
<u></u>	[™] [™]	heliu 4	10	ž	neo 20	18	₹	argc 40	36	조	krypt 84	545	×	xenc 13,	98	잪	radc	118	ŏ	ogane
=			6	ட	fluorine 19	17	Cl	chlorine 35.5	35	ă	bromine 80	53	_	iodine 127	85	Ąŧ	astatine -	117	<u>R</u>	tennessine -
>			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	moloud –	116	^	livermorium -
>			7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209	115	Mc	moscovium
2			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Ъ	lead 207	114	LΙ	flerovium
=			5	Δ	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49		indium 115	81	1L	thallium 204	113	R	nihonium
									30	Zu	zinc 65	48	g	cadmium 112	80	Hg	mercury 201	112	ű	copernicium
									29	Cn	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium
									28	Ë	nickel 59	46	Pd	palladium 106	78	₫	platinum 195	110	Ds	darmstadtium -
									27	ဝိ	cobalt 59	45	R	rhodium 103	17	<u>-</u>	iridium 192	109	Μţ	meitnerium -
	- I	hydrogen 1							26	Ь	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	ΗS	hassium
			J						25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium
				lo	ss				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium
		Key	omic number	nic symb	name ive atomic mas				23	>	vanadium 51	14	g	niobium 93	73	<u>ra</u>	tantalum 181	105	Q O	dubnium
			ai ai	ator	relat				22	j	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	꿒	rutherfordium -
						1			21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium
_			3	<u>-</u>	lithium 7	11	Na	sodium 23	19	×	potassium 39	37	Rb	rubidium 85	55	S	caesium 133	87	Ľ.	francium -
		II	III IV V VI VII Hydrogen Hy	II	II	II	II	II	III	II	II	III	III IV V VII VIII V Cr Mn Fe Co Ni Cu Zinc Simulum Simul	III IV V VI VII VI	II	III IV VI VII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VI	III IV V VI VIII IV IV	1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	1

57 58 59 60 61 62 63 65 66 67 68 67 68 69 70 71 La Ce Pr Nd Pm Smartin Eu Gd Tb Dy Ho Fr Tm Yb Lu 139 140 141 144 - - 150 152 157 159 165 167 167 169 177 175 89 90 91 92 94 95 96 97 98 99 100 101 102 103 Ac Th Pa Wp Pu Am Cm Bk Cf Es Fm Md No Lr 232 231 238 - - - - - - - - - - - - - - - - - - -<								
58 59 60 61 62 63 64 65 66 67 68 69 Ce Pr Nd Pm Sm Eu Gd Tb Dy HO Er Tm 140 141 144 - 150 157 159 163 165 167 169 90 91 92 94 95 96 97 98 99 100 101 Th Pa Np Pu Am Cm BK Cf ES Fm Md thorum unanium petrelium perfetium berkelium cailforium fermium fermium menderium	7.1	Γn	lutetium	175	103	ר	lawrencium	ı
58 59 60 61 62 63 64 65 66 67 68 Ce Pr Nd Pm Sm Eu Gd Tb Dy HO Er 140 141 144 - 150 157 159 163 167 167 90 91 92 93 94 95 96 97 98 90 100 Th Pa U Np Pu Am Cm Bk Cf Es Fm 140dum putonium </td <td>70</td> <td>χ</td> <td>ytterbium</td> <td>173</td> <td>102</td> <td>8 N</td> <td>nobelium</td> <td>ı</td>	70	χ	ytterbium	173	102	8 N	nobelium	ı
58 59 60 61 62 63 64 65 66 67 Ce Pr Nd Pm Sm Eu Gd Tb Dy Ho 140 141 144 - 150 152 157 159 163 165 90 91 92 93 94 95 96 97 98 99 Th Pa U Np Pu Am Cm BK Cf Es thorium percentarium repruinm percentarium	69	T	thulium	169	101	Md	mendelevium	ı
58 59 60 61 62 63 64 65 66 66 Ce Pr Nd Pm Sm Eu Gd Tb Dy cerium praseodymium reodymium promethium samarium europium gadolinium terbium dysprosium 140 141 - - 150 157 159 163 90 91 92 93 94 95 96 97 98 Th Pa U Np Pu Am Cm BK Cf thorium protectinium reprinium putronium americum curium berkelium eaffornium	89	ш	erbinm	167	100	Fm	ferminm	ı
58 59 60 61 62 63 64 65 Ce Pr Nd Pm Sm Eu Gd Tb cerium praseodymium promethium	29	웃	holmium	165	66	Es	einsteinium	I
58 59 60 61 62 63 64 Ce Pr Nd Pm Sm Eu Gd certurn praseodymium promethium samarium europium gadoinium 140 141 144 - 150 152 157 90 91 92 93 94 96 96 Th Pa U Np Pu Am Cm thorium protectrium uranium nepunium putronium americum curium	99	ò	dysprosium	163	86	ర	californium	ı
58 59 60 61 62 63 Ce Pr Nd Pm Sm Eu cerlum praseodymium promethium samarium europium g 140 141 144 - 150 152 90 91 92 93 94 95 Th Pa U Np Pu Am thorium protectrium uranium neptunium putronium americum 232 231 238 - - - -	65	Q L	terbium	159	6	益	berkelium	ı
S8 59 60 61 62 Ce Pr Nd Pm Sm cerlum praseodymium promethium samarium 150 140 141 144 - 150 90 91 92 93 94 Th Pa U Np Pu thorium protactinium urranium neptunium putunium a	64	В	gadolinium	157	96	Cm	curium	ı
58 59 60 61 Ce Pr Nd Pm cerium praseodymium promethium s 140 141 - - 90 91 92 93 Th Pa U Np thorium protectinium urranium neptunium 232 231 238 -	63	Ш	europium	152	92	Am	americium	ı
Ce Pr Nd cerium praseodymium reodymium pu 140 90 91 92 U protectnium protectni	62	Sm	samarium	150	94	Pn	plutonium	ı
Ce Pr Cerium praseodymium 140 91 141 90 91 Th Pa thorium 232 231	61	Pm	promethium	ı	93	ď	neptunium	1
Ce cerium pri 140 90 90 Thorium pri 232	09	PZ	neodymium	144	92	\supset	uranium	238
	59	P	praseodymium	141	91	Ра	protactinium	231
La lanthanum 139 89 AC actinium	28	Ce	cerium	140	06	드	thorium	232
	22	Ľ	lanthanum	139	68	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).