## Cambridge IGCSE<sup>™</sup>

CHEMISTRY 0620/11

Paper 1 Multiple Choice (Core)

May/June 2020

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

## **INSTRUCTIONS**

- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

## **INFORMATION**

- The total mark for this paper is 40.
- Each correct answer will score one mark. A mark will not be deducted for a wrong answer.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

1 Nitrogen is heated in a balloon, which expands slightly.

Which statements about the molecules of nitrogen are correct?

- 1 They move further apart.
- 2 They move more quickly.
- 3 They remain the same distance apart.
- 4 Their speed remains unchanged.
- **A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4
- 2 Which piece of apparatus should be used to measure exactly 21.4 cm<sup>3</sup> of water?
  - A 25 cm<sup>3</sup> beaker
  - **B** 25 cm<sup>3</sup> pipette
  - C 50 cm<sup>3</sup> burette
  - **D** 50 cm<sup>3</sup> measuring cylinder
- 3 Which method of separation is used to separate a soluble solid from its solution?
  - **A** chromatography
  - **B** condensation
  - **C** crystallisation
  - **D** filtration
- 4 The atomic number and nucleon number of a potassium atom are shown.

	potassium atom
atomic number	19
nucleon number	39

How many protons, neutrons and electrons are in a potassium ion, K<sup>+</sup>?

	protons	neutrons	electrons
Α	19	20	18
В	19	20	20
С	20	19	18
D	20	19	19


5 Sodium is in Group I of the Periodic Table.


Chlorine is in Group VII of the Periodic Table.

Sodium and chlorine combine to form a compound.

Which statement about the combination of sodium and chlorine atoms is correct?

- A Both sodium and chlorine lose electrons.
- **B** Both sodium and chlorine gain electrons.
- **C** Sodium loses electrons and chlorine gains electrons.
- **D** Sodium gains electrons and chlorine loses electrons.
- 6 The electronic structures of two atoms, P and Q, are shown.






P and Q combine together to form a compound.

What is the type of bonding in the compound and what is the formula of the compound?

	type of bonding	formula
Α	ionic	PQ
В	ionic	$PQ_2$
С	covalent	$PQ_2$
D	covalent	PQ

7 The structures of diamond and graphite are shown.



Which statement about diamond and graphite is correct?

- A Diamond and graphite have low melting points.
- **B** Diamond and graphite have mobile electrons.
- **C** Diamond and graphite have layered structures.
- **D** Diamond and graphite contain strong covalent bonds between carbon atoms.
- **8** Aluminium oxide has the formula  $Al_2O_3$ .


Which statement about aluminium oxide is correct?

- A 2g of aluminium atoms are combined with 3g of oxygen atoms.
- **B** 2 g of aluminium atoms are combined with 3 g of oxygen molecules.
- **C** Aluminium oxide has a relative formula mass of 102.
- **D** Pure aluminium oxide contains a higher mass of oxygen than of aluminium.
- **9** Which products are formed when dilute sulfuric acid undergoes electrolysis?

	at the anode	at the cathode
<b>A</b> oxygen		hydrogen
В	hydrogen	oxygen
С	sulfur dioxide	hydrogen
D	oxygen	sulfur dioxide

- 10 Which element is **not** used as a fuel?
  - A carbon
  - **B** helium
  - C hydrogen
  - **D** uranium


11 The energy level diagram shows the energy of the reactants and products in a chemical reaction.



Which row correctly describes the energy change and the type of reaction shown?

	description of energy change	type of reaction
Α	energy is given out to the surroundings	endothermic
В	energy is given out to the surroundings	exothermic
С	energy is taken in from the surroundings	endothermic
D	energy is taken in from the surroundings	exothermic


12 Which diagram represents a chemical change?



13 The rate of reaction between magnesium and hydrochloric acid is investigated.

The volume of hydrogen given off at different times is measured.

The results are shown.



Which conclusions are correct?


- 1 The rate is fastest between 0 and 20 seconds.
- 2 The maximum volume of hydrogen given off is 22 cm<sup>3</sup>.
- 3 At 40 seconds, 20 cm<sup>3</sup> of hydrogen is given off.
- **A** 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3
- **14** Which reaction can be easily reversed?
  - A dissolving zinc in hydrochloric acid
  - **B** fermenting glucose with yeast
  - C heating hydrated cobalt(II) chloride
  - **D** the rusting of an iron nail
- 15 Carbon reacts with silver oxide to form carbon dioxide and silver.

Which substance is reduced?

- A carbon
- **B** carbon dioxide
- C silver
- D silver oxide

16 The graph shows how the pH of a solution changes as an acid is added to an alkali.

Which letter represents the area of the graph where both acid and salt are present?




17 Phosphorus is an element in Group V of the Periodic Table.

It burns in air to form an oxide, which dissolves in water to form a solution with a pH of 1.

Which row describes this oxide of phosphorus?

	metal oxide	non-metal oxide	acidic oxide	basic oxide
Α	✓	X	✓	х
В	✓	X	X	✓
С	X	✓	✓	X
D	X	✓	X	✓

**18** The apparatus shown is used to prepare aqueous copper(II) sulfate.



What are X and Y?

	Х	Υ
Α	copper	aqueous iron(II) sulfate
В	copper(II) chloride	dilute sulfuric acid
С	copper(II) oxide	dilute sulfuric acid
D	sulfur	aqueous copper(II) chloride

- 19 Two tests are carried out on substance Z.
  - test 1 A flame test produces a red flame.
  - test 2 Z is dissolved in water and dilute nitric acid is added, followed by aqueous silver nitrate. A yellow precipitate is produced.

What is substance Z?

- A lithium bromide
- **B** lithium iodide
- C sodium bromide
- D sodium iodide

20 The elements in Period 3 of the Periodic Table are shown.

Na Mg A <i>l</i> Si	P S	Cl	Ar
---------------------	-----	----	----

Which statements about the elements in Period 3 are correct?

- 1 Na, Mg and A*l* are metals.
- 2 S, Cl and Ar are non-metals.
- 3 Si, P and S are metals.
- **A** 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3
- **21** A Group I metal (lithium, sodium or potassium) is reacted with a Group VII element (chlorine, bromine or iodine).

Which compound is formed when the Group I metal of highest density reacts with the Group VII element of lowest density?

- A lithium chloride
- B potassium chloride
- C potassium iodide
- **D** lithium iodide
- 22 The properties of the element titanium, Ti, can be predicted from its position in the Periodic Table.

Which row identifies the properties of titanium?

	can be used as a catalyst	conducts electricity when solid	has low density	forms coloured compounds
Α	✓	✓	✓	X
В	✓	✓	x	✓
С	✓	x	✓	✓
D	X	✓	✓	✓

23 A balloon is filled with helium. Helium is a noble gas and makes the balloon rise up in the air.

The density of air is 1.23 g/dm<sup>3</sup>.

Which gas is helium?

	density in g/dm <sup>3</sup>	reaction with oxygen
Α	0.0899	burns rapidly
В	0.179	does not react with oxygen
С	1.78	does not react with oxygen
D	3.75	does not react with oxygen

- 24 Which property is shown by all metals?
  - A They are extracted from their ores by heating with carbon.
  - **B** They conduct electricity.
  - **C** They form acidic oxides.
  - **D** They react with hydrochloric acid to form hydrogen.
- **25** The properties of four metals, W, X, Y and Z, are shown.
  - W It does not react with cold water but reacts with steam.
  - X It does not react with water or dilute acid but the oxide of X is reduced by carbon.
  - Y The oxide of Y is not reduced by carbon but Y reacts vigorously with cold water.
  - Z It does not react with water or steam but reacts with dilute acid.

What is the order of reactivity of the elements starting with the most reactive?

	most reactive		-	least reactive
Α	Х	W	Z	Υ
В	Х	Z	W	Y
С	Y	W	Z	Х
D	Υ	Z	W	X

**26** Molten iron from the blast furnace contains impurities.

The process of turning the impure iron into steel involves blowing oxygen into the molten iron and adding calcium oxide.

What are the reasons for blowing in oxygen and adding calcium oxide?

	blowing in oxygen	adding calcium oxide
Α	carbon is removed by reacting with oxygen	reacts with acidic impurities making slag
В	carbon is removed by reacting with oxygen	reacts with slag and so removes it
С	iron reacts with the oxygen	reacts with acidic impurities making slag
D	iron reacts with the oxygen	reacts with slag and so removes it

27 Which row describes two uses of the named steel?


	type of steel	uses
Α	mild steel	cutlery and car bodies
В	mild steel	car bodies and chemical plant
С	stainless steel	cutlery and chemical plant
D	stainless steel	car bodies and cutlery

- 28 Which statement shows that a liquid is pure water?
  - A It boils at 100 °C.
  - **B** It has a pH value of 7.
  - **C** It turns blue cobalt(II) chloride pink.
  - **D** It turns white copper(II) sulfate blue.
- 29 Some gases are present in clean air while other gases are only present in polluted air.

Which row is correct?

	a gas present in clean air	a gas <b>only</b> present in polluted air
Α	argon	carbon dioxide
В	argon	nitrogen dioxide
С	sulfur dioxide	carbon dioxide
D	sulfur dioxide	nitrogen dioxide

**30** The diagrams show experiments to investigate rusting of iron nails.



In which test-tubes do the nails rust?

- A 1 only
- **B** 1 and 2 only
- C 1 and 3 only
- **D** 1, 2 and 3
- 31 Which mixture contains all of the elements in a typical fertiliser?
  - A ammonium nitrate and calcium phosphate
  - B ammonium phosphate and potassium chloride
  - **C** potassium nitrate and ammonium chloride
  - **D** potassium carbonate and ammonium nitrate
- 32 Which processes produce methane?
  - 1 complete combustion of carbon-containing compounds
  - 2 decomposition of vegetation
  - 3 digestion in animals
  - 4 respiration in animals
  - **A** 1 and 4
- **B** 1 and 3
- **C** 2 and 3
- **D** 2 and 4

33	The	e list shov	ws four	meth	nods that wer	e sugg	ested for th	e format	ion of carbor	า dioxide.	
		1	cracki	ng m	ethane using	steam	ı				
		2	action	of h	eat on a carb	onate					
		3	comple	ete c	combustion of	metha	ane				
		4	reaction	on of	a carbonate	with ox	kygen				
	Wh	ich meth	ods wo	uld r	esult in the p	oducti	on of carbo	n dioxide	?		
	A	1 and 2		В	1 and 4	С	2 and 3	D	3 and 4		
34	A s	tudent su	ıggests	thre	e uses of cal	cium ca	arbonate (lir	nestone	).		
		1	manuf	actu	re of cement						
		2	manuf	actu	re of iron						
		3	treatin	g alk	caline soils						
	Wh	ich sugge	estions	are	correct?						
	Α	1 and 2	only	В	1 and 3 only	C	2 and 3 o	nly <b>D</b>	1, 2 and 3	j	
35	Wh poi		hows th	he fr	actions obtai	ned fr	om distilling	j petrole	um, in orde	of increasir	ng boiling
	A	bitumen	→ dies	sel o	il $\rightarrow$ fuel oil $-$	→ lubric	ating oil				
	В	diesel o	il → ga	solin	$e \rightarrow naphtha$	$\rightarrow$ ker	osene				
	С	gasoline	e → nap	ohtha	a  o kerosene	e → die	esel oil				
	D	kerosen	$e \rightarrow luk$	orica	ting oil $\rightarrow$ na	ohtha -	→ refinery g	as			
36	Wh	ich state	ment ab	oout	members of a	a homo	ologous seri	es is cor	rect?		
	Α	They ar	e eleme	ents	with the same	e chem	nical propert	ies.			
	В	They ar	e comp	ound	ds with the sa	me fur	nctional grou	up.			
	С	They ar	e atoms	s witl	h the same n	umber	of outer ele	ctrons.			
	D	They ar	e moled	cules	with the san	ne boili	ng point.				

**37** Increasing the number of atoms in one molecule of a hydrocarbon increases the amount of energy released when it burns.

What is the correct order?

	less energy released		more energy released
Α	ethene	ethane	methane
В	ethene	methane	ethane
С	methane	ethane	ethene
D	methane	ethene	ethane

- **38** Which statements about ethanol are correct?
  - 1 Ethanol is made by reacting steam with ethene at 300 °C.
  - 2 Ethanol is made by fermentation at 55 °C.
  - 3 Ethanol burns to produce carbon dioxide and water.
  - 4 Ethanol contains a carbon-carbon double bond.
  - **A** 1 and 2 **B** 1 and 3 **C** 2 and 3 **D** 3 and 4
- **39** Some properties of an organic compound J are listed.
  - It is a liquid at room temperature.
  - It is soluble in water.
  - A solution of J reacts with calcium carbonate to form carbon dioxide.
  - A solution of J has a pH of 3.

In which homologous series does J belong?

- A alkane
- **B** alkene
- **C** alcohol
- D carboxylic acid

15

- 40 Which polymers or types of polymer are synthetic?
  - 1 carbohydrates
  - 2 nylon
  - 3 proteins
  - 4 Terylene
  - **A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	_												-									
	<b>=</b>	2	He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	kryptor 84	54	×e	xenon 131	86	R	radon			
	<b>=</b>				6	ட	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	_	iodine 127	85	Αţ	astatine _			
	>				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	polonium –	116	^	livermorium -
	>				7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>B</u>	bismuth 209			
	2				9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium
	=				5	Ω	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	<u>_</u>	indium 115	81	<i>1</i> L	thallium 204			
											30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	Ö	copernicium
											29	DO.	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium
dn											28	Z	nickel 59	46	Pd	palladium 106	78	占	platinum 195	110	Ds	darmstadtium -
Group											27	ပိ	cobalt 59	45	R	rhodium 103	77	<u>-</u>	iridium 192	109	¥	meitnerium -
		-	I	hydrogen 1							26	Ьe	iron 56	4	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium
					-						25	M	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
						loc	SS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>n</u>	tantalum 181	105	op O	dubnium
					10	ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	꿆	rutherfordium -
								_			21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				3	<u></u>	lithium 7	1	Na	sodium 23	19	×	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ьĒ	francium

Lu Lu	lutetium 175	103	۲	lawrencium	ı
<sup>20</sup> Y	ytterbium 173	102	8	nobelium	ı
e9 Tm	thulium 169	101	Md	mendelevium	ı
<sub>88</sub> П	erbium 167	100	Fm	ferminm	ı
67 H	holmium 165	66	Es	einsteinium	I
® O	dysprosium 163	86	ŭ	californium	I
65 Tb	terbium 159	26	益	berkelium	I
Gd Gd	gadolinium 157	96	Cm	curium	I
63 Eu	europium 152	92	Am	americium	I
Sm	samarium 150	94	Pu	plutonium	ı
Pm	promethium -	93	ď	neptunium	ı
°° P N	neodymium 144	92	$\supset$	uranium	238
59	praseodymium 141	91	Ра	protactinium	231
Çe Ce	cerium 140	06	H	thorium	232
57 <b>La</b>	lanthanum 139	88	Ac	actinium	I
lanthanoids			actinoids		

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).