# Cambridge IGCSE<sup>™</sup>(9–1)

CHEMISTRY 0971/12

Paper 1 Multiple Choice (Core)

October/November 2023

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **INSTRUCTIONS**

There are forty questions on this paper. Answer all questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

#### **INFORMATION**

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.


1 The melting points and boiling points of four elements are shown.

element	melting point/°C	boiling point/°C
W	<b>-7</b>	60
X	-101	-34
Y	114	184
Z	39	688

In which elements do the particles vibrate about fixed positions at 0 °C?

- **A** W and X
- **B** W and Z
- C X and Y
- **D** Y and Z
- 2 Which statements about clean, dry air are correct?
  - 1 It is a mixture of elements only.
  - 2 It is a mixture of elements and compounds.
  - 3 It contains only non-metals.
  - **A** 1 and 3
- **B** 1 only
- **C** 2 and 3
- **D** 2 only

**3** A representation of an atom is shown.



What is the nucleon number of this atom?

- **A** 6
- **B** 7
- **C** 12
- **D** 13
- **4** Which statement describes isotopes of the same element?
  - A They have different electron arrangements.
  - B They have different nuclear charges.
  - **C** They have nuclei with masses that are the same.
  - **D** They have the same number of protons.

**5** Potassium reacts with iodine to form potassium iodide.

Which statement about potassium iodide is correct?

- **A** Each potassium atom shares a pair of electrons with an iodine atom.
- **B** In potassium iodide, the particles of potassium have more protons than electrons.
- **C** Potassium iodide has a high melting point because it is a covalent compound.
- **D** Potassium iodide has a low melting point because it is an ionic compound.
- **6** Which row describes the properties of a simple molecular substance?

	boiling point	electrical conductivity when solid
Α	low	poor
В	high	poor
С	low	good
D	high	good

7 Different forms of an element G are used as lubricants and in cutting tools.

What is the structure of G?

- A giant covalent
- **B** ionic
- C metallic
- **D** simple covalent
- 8 The diagram shows the structure of a molecule of ethyl ethanoate.

What is the molecular formula of a molecule of ethyl ethanoate?

- A CHO
- $\mathbf{B} \quad \mathbf{C}_4 \mathbf{H}_8 \mathbf{O}_2$
- **C**  $C_4(H_2)_2(O_2)$
- $\mathbf{D}$   $C_2H_4O$

4

**9** The formula of a compound containing element X is Na<sub>2</sub>X<sub>2</sub>O<sub>3</sub>.

The relative formula mass of the compound is 158.

What is the relative atomic mass of X?

- **A** 32
- **B** 59.5
- **C** 64
- **D** 119

10 Limestone is used to reduce sulfur dioxide emissions from coal-fired power stations.

The equation for the reaction is shown.

$$CaCO_3 + SO_2 \rightarrow CaSO_3 + CO_2$$

What is the smallest mass of CaCO<sub>3</sub> required to remove 1 tonne of SO<sub>2</sub>?

- A 1 tonne
- B 2 tonnes
- C 64 tonnes
- **D** 100 tonnes
- **11** Which statement about electrolysis is correct?
  - **A** Bromine and hydrogen are formed during the electrolysis of molten lead(II) bromide.
  - **B** Metals are formed at the positive electrode.
  - **C** Molten covalent compounds are broken down by electricity.
  - **D** Platinum is used as an inert electrode.
- 12 Which statements about hydrogen-oxygen fuel cells are correct?
  - 1 The reaction between hydrogen and oxygen is endothermic.
  - 2 The waste product in a hydrogen-oxygen fuel cell is water.
  - 3 A chemical reaction in the cell produces hydrogen which is used as the fuel.
  - 4 A hydrogen-oxygen fuel cell is used to generate electricity.
  - **A** 1 and 2
- **B** 1 and 3
- **C** 2 and 4
- **D** 3 and 4

**13** The initial and final temperatures of four different reactions are measured.

Which reaction is the **least** exothermic?

	initial temperature /°C	final temperature /°C
Α	19	25
В	21	18
С	22	17
D	22	26

**14** Solid calcium carbonate reacts with dilute hydrochloric acid.

Which changes to the reaction conditions increase the rate of reaction?

concentration of hydrochloric acid		surface area of calcium carbonate	
A	decrease	decrease	
В	decrease	increase	
С	increase	decrease	
D	increase	increase	

**15** Zinc reacts slowly with dilute sulfuric acid at room temperature.

Bubbles of a gas, L, form on the surface of the zinc.

When a small amount of copper is added, the reaction is faster.

Which row identifies L and explains why the reaction is faster?

	gas formed in reaction	reason the reaction is faster
Α	hydrogen	copper acts as a catalyst
В	hydrogen	copper is more reactive than zinc
С	oxygen	copper acts as a catalyst
D	oxygen	copper is more reactive than zinc

- 16 Which reaction shows a colour change from white to blue?
  - A adding water to anhydrous copper(II) sulfate
  - **B** adding water to hydrated copper(II) sulfate
  - **C** heating anhydrous copper(II) sulfate
  - **D** heating hydrated copper(II) sulfate
- 17 In a blast furnace, iron(III) oxide is converted to iron and carbon monoxide is converted to carbon dioxide.

$$Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$$

What happens to each of these reactants?

- **A** Both iron(III) oxide and carbon monoxide are oxidised.
- **B** Both iron(III) oxide and carbon monoxide are reduced.
- **C** Iron(III) oxide is oxidised and carbon monoxide is reduced.
- **D** Iron(III) oxide is reduced and carbon monoxide is oxidised.
- 18 Which products are formed when magnesium carbonate reacts with dilute hydrochloric acid?
  - A carbon dioxide, hydrogen and magnesium chloride
  - **B** carbon dioxide and magnesium chloride only
  - **C** carbon dioxide, water and magnesium chloride
  - **D** water and magnesium chloride only
- 19 Which element forms an oxide that reacts with an aqueous solution of a base?
  - **A** argon
  - **B** sulfur
  - C magnesium
  - **D** copper
- 20 Which salt is insoluble?
  - A barium sulfate
  - **B** lead(II) nitrate
  - C magnesium chloride
  - **D** sodium carbonate

21 Some properties of element R are shown.

melting point in °C	98	
boiling point in °C	883	
reaction with cold water	gives off H <sub>2</sub> gas	
reaction when heated with oxygen	burns to give a white solid	

In which part of the Periodic Table is R found?

- A Group I
- **B** Group VII
- C Group VIII
- **D** transition elements
- 22 Lithium, sodium and potassium are elements in Group I.


Statements about these elements are listed.

- 1 Lithium is more dense than sodium.
- 2 Sodium is more reactive than potassium.
- 3 They all conduct electricity at room temperature.
- 4 They all react with oxygen at room temperature.

Which statements are correct?

**A** 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4

23 An outline of the Periodic Table is shown.



Which name is given to the elements in column Y?

- A alkali metals
- **B** halogens
- C noble gases
- **D** transition elements

24 Which row describes the properties of a metal that can be used in the manufacture of aircraft?

	strength	density	ease of corrosion
Α	high	high	corrodes easily
В	high	low	resists corrosion
С	low	high	corrodes easily
D	low	low	resists corrosion

- 25 Which metallic element is added to iron in the manufacture of stainless steel?
  - A carbon
  - **B** copper
  - C lead
  - **D** nickel
- 26 Which statement about the uses of metals is correct?
  - A Aluminium is used in the manufacture of overhead electrical cables as it has a high density.
  - **B** Aluminium is used to make food containers as it conducts electricity.
  - **C** Stainless steel is used in cutlery because it is resistant to rusting.
  - **D** Stainless steel is used to make chemical reactors because it is a soft alloy.

27 The list gives the order of some metals and hydrogen in the reactivity series.

Metal X is also included.

most reactive K

Mg

Zn

H

X

least reactive Cu

Which row shows the properties of metal X?

	reacts with dilute acids	oxide reduced by carbon	
Α	no	no	
В	no	yes	
С	yes	no	
D	yes	yes	

- 28 Which gas in the air is needed for iron to rust?
  - A argon
  - B carbon dioxide
  - C nitrogen
  - **D** oxygen
- **29** Why is limestone added to the blast furnace?
  - **A** It neutralises the molten slag produced.
  - **B** It reacts with impurities to form slag.
  - **C** It releases carbon dioxide which reduces the iron(III) oxide.
  - **D** It removes acidic gases such as carbon dioxide.
- 30 Which process removes carbon dioxide from the atmosphere?
  - A photosynthesis
  - **B** thermal decomposition of calcium carbonate
  - C combustion of fossil fuels
  - D reaction of sodium carbonate with an acid


31 The flow chart shows stages in the treatment of river water to produce drinking water.



What occurs at stages J and K?

	J	К	
Α	distillation	chlorination	
В	distillation	filtration	
С	filtration	chlorination	
D	filtration	distillation	

- 32 Which two compounds can be mixed together to form an NPK fertiliser?
  - A ammonium phosphate and calcium hydroxide
  - **B** calcium phosphate and ammonium nitrate
  - C potassium nitrate and calcium oxide
  - **D** potassium phosphate and ammonium nitrate
- 33 What are the main substances produced by the fractional distillation of liquid air?
  - A oxygen and carbon dioxide
  - B oxygen and nitrogen
  - C helium and nitrogen
  - **D** hydrogen and oxygen
- 34 Which diagram shows the displayed formula for the named organic compound?



**35** Poly(ethene) is formed from petroleum using three separate processes.

In which order are the processes used?


- **A** cracking  $\rightarrow$  fractional distillation  $\rightarrow$  polymerisation
- ${f B}$  cracking o polymerisation o fractional distillation
- $\textbf{C} \quad \text{fractional distillation} \rightarrow \text{cracking} \rightarrow \text{polymerisation}$
- $\textbf{D} \quad \text{fractional distillation} \rightarrow \text{polymerisation} \rightarrow \text{cracking}$
- **36** Gas oil and naphtha are two fractions obtained from petroleum.


What are uses of gas oil and naphtha?


	gas oil	naphtha	
Α	jet fuel	making chemicals	
В	jet fuel	making roads	
С	diesel engine fuel	making chemicals	
D	diesel engine fuel	making roads	

**37** Ethene can be polymerised.

Which diagram represents the structure of the product formed?








- 38 An acid-base titration is described.
  - 25.0 cm<sup>3</sup> of dilute aqueous alkali is put into a conical flask.
  - Indicator is added to the flask.
  - Dilute acid is added to the aqueous alkali until the indicator changes colour.
  - The volume of acid used is then recorded.

#### Which use of apparatus is correct?

- A The 25.0 cm<sup>3</sup> of aqueous alkali is measured using a volumetric pipette.
- **B** The 25.0 cm<sup>3</sup> of aqueous alkali is measured using the lines on the conical flask.
- **C** The volume of acid is measured using a measuring cylinder.
- **D** The volume of acid is measured using a volumetric pipette.
- **39** The apparatus shown is used to separate a mixture.



#### What is the mixture?

- **A** anhydrous copper(II) sulfate and hydrated copper(II) sulfate
- B sodium chloride and sand
- C ethanol and methanol
- **D** iron and steel

## **40** The results of tests on three gases, X, Y and Z, are shown.

test	X	Υ	Z
aqueous potassium manganate(VII)	purple to colourless	no change	no change
damp red litmus paper	no change	turns blue	no change
lighted splint	no change	no change	pops

## What are X, Y and Z?

	X	Y	Z
Α	chlorine	sulfur dioxide	hydrogen
В	chlorine	sulfur dioxide	oxygen
С	sulfur dioxide	ammonia	oxygen
D	sulfur dioxide	ammonia	hydrogen

14

### **BLANK PAGE**

15

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	<b> </b>	2	helium	4	10	Se	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon	118	Og	oganesson -
	<b>=</b>				6	ட	fluorine 19	17	Cl	chlorine 35.5	35	南	bromine 80	53	_	iodine 127	85	At	astatine _	117	<u>R</u>	tennessine -
	5			-	80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	polonium -	116	^	livermorium -
	>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209	115	Mc	moscovium
	≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	LΙ	flerovium
Group	=				2	Ω	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	드	indium 115	81	lΤ	thallium 204	113	R	nihonium
								•			30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	S	copernicium
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium
											28	Z	nickel 59	46	Pd	palladium 106	78	₫	platinum 195	110	Ds	darmstadtium -
											27	ဝိ	cobalt 59	45	R	rhodium 103	77	<u>_</u>	iridium 192	109	₩	meitnerium -
		- ]	T hydrogen	-							26	Fe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium -
		Key									25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
					<b>1</b> —	loq	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium
			Ney	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	<u>n</u>	tantalum 181	105	Q O	dubnium -	
						ato	rek				22	j=	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	Ŗ	rutherfordium -
											21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_				3	<u>'</u>	lithium 7	7	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	S	caesium 133	87	ŗ	francium -

71 Lu	lutetium 175	103	۲	lawrencium	I
o <sub>y</sub> X	ytterbium 173	102	2	nobelium	ı
e9 Tm	thulium 169	101	Md	mendelevium	1
es Er	erbium 167	100	Fm	fermium	I
67 Ho	holmium 165	66	Es	einsteinium	I
°° Dy	dysprosium 163	86	ŭ	californium	Ι
es Tb	terbium 159	26	益	berkelium	_
64 Gd	gadolinium 157	96	Cm	curium	I
e3 Eu	europium 152	98	Am	americium	I
Sm	samarium 150	94	Pn	plutonium	_
e1 Pm	promethium -	63	d	neptunium	_
og PN	neodymium 144	92	$\supset$	uranium	238
59 Pr	praseodymium 141	91	Ра	protactinium	231
Ce	cerium 140	06	드	thorium	232
57 La	lanthanum 139	88	Ac	actinium	_

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).