

Cambridge IGCSE[™]

CHEMISTRY 0620/12

Paper 1 Multiple Choice (Core)

October/November 2023

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.


1 The melting points and boiling points of four elements are shown.

element	melting point/°C	boiling point/°C
W	-7	60
X	-101	-34
Y	114	184
Z	39	688

In which elements do the particles vibrate about fixed positions at 0 °C?

- **A** W and X
- **B** W and Z
- C X and Y
- **D** Y and Z
- 2 Which statements about clean, dry air are correct?
 - 1 It is a mixture of elements only.
 - 2 It is a mixture of elements and compounds.
 - 3 It contains only non-metals.
 - **A** 1 and 3
- **B** 1 only
- **C** 2 and 3
- **D** 2 only

3 A representation of an atom is shown.



What is the nucleon number of this atom?

- **A** 6
- **B** 7
- **C** 12
- **D** 13
- **4** Which statement describes isotopes of the same element?
 - A They have different electron arrangements.
 - B They have different nuclear charges.
 - **C** They have nuclei with masses that are the same.
 - **D** They have the same number of protons.

5 Potassium reacts with iodine to form potassium iodide.

Which statement about potassium iodide is correct?

- **A** Each potassium atom shares a pair of electrons with an iodine atom.
- **B** In potassium iodide, the particles of potassium have more protons than electrons.
- **C** Potassium iodide has a high melting point because it is a covalent compound.
- **D** Potassium iodide has a low melting point because it is an ionic compound.
- **6** Which row describes the properties of a simple molecular substance?

	boiling point	electrical conductivity when solid	
Α	low	poor	
В	high	poor	
С	low	good	
D	high	good	

7 Different forms of an element G are used as lubricants and in cutting tools.

What is the structure of G?

- A giant covalent
- **B** ionic
- C metallic
- **D** simple covalent
- 8 The diagram shows the structure of a molecule of ethyl ethanoate.

What is the molecular formula of a molecule of ethyl ethanoate?

- A CHO
- $\mathbf{B} \quad \mathbf{C}_4 \mathbf{H}_8 \mathbf{O}_2$
- **C** $C_4(H_2)_2(O_2)$
- \mathbf{D} C_2H_4O

4

9 The formula of a compound containing element X is Na₂X₂O₃.

The relative formula mass of the compound is 158.

What is the relative atomic mass of X?

- **A** 32
- **B** 59.5
- **C** 64
- **D** 119

10 Limestone is used to reduce sulfur dioxide emissions from coal-fired power stations.

The equation for the reaction is shown.

$$CaCO_3 + SO_2 \rightarrow CaSO_3 + CO_2$$

What is the smallest mass of CaCO₃ required to remove 1 tonne of SO₂?

- A 1 tonne
- **B** 2 tonnes
- C 64 tonnes
- **D** 100 tonnes
- **11** Which statement about electrolysis is correct?
 - **A** Bromine and hydrogen are formed during the electrolysis of molten lead(II) bromide.
 - **B** Metals are formed at the positive electrode.
 - **C** Molten covalent compounds are broken down by electricity.
 - **D** Platinum is used as an inert electrode.
- 12 Which statements about hydrogen-oxygen fuel cells are correct?
 - 1 The reaction between hydrogen and oxygen is endothermic.
 - 2 The waste product in a hydrogen-oxygen fuel cell is water.
 - 3 A chemical reaction in the cell produces hydrogen which is used as the fuel.
 - 4 A hydrogen-oxygen fuel cell is used to generate electricity.
 - **A** 1 and 2
- **B** 1 and 3
- **C** 2 and 4
- **D** 3 and 4

13 The initial and final temperatures of four different reactions are measured.

Which reaction is the **least** exothermic?

	initial temperature /°C	final temperature /°C
Α	19	25
В	21	18
С	22	17
D	22	26

14 Solid calcium carbonate reacts with dilute hydrochloric acid.

Which changes to the reaction conditions increase the rate of reaction?

	concentration of hydrochloric acid	surface area of calcium carbonate	
Α	decrease	decrease	
В	decrease	increase	
С	C increase decrease		
D	increase	increase	

15 Zinc reacts slowly with dilute sulfuric acid at room temperature.

Bubbles of a gas, L, form on the surface of the zinc.

When a small amount of copper is added, the reaction is faster.

Which row identifies L and explains why the reaction is faster?

	gas formed in reaction reason the reaction is faster		
Α	hydrogen	copper acts as a catalyst	
В	hydrogen	copper is more reactive than zinc	
С	oxygen	copper acts as a catalyst	
D	oxygen	copper is more reactive than zinc	

- 16 Which reaction shows a colour change from white to blue?
 - A adding water to anhydrous copper(II) sulfate
 - **B** adding water to hydrated copper(II) sulfate
 - **C** heating anhydrous copper(II) sulfate
 - **D** heating hydrated copper(II) sulfate
- 17 In a blast furnace, iron(III) oxide is converted to iron and carbon monoxide is converted to carbon dioxide.

$$Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$$

What happens to each of these reactants?

- **A** Both iron(III) oxide and carbon monoxide are oxidised.
- **B** Both iron(III) oxide and carbon monoxide are reduced.
- **C** Iron(III) oxide is oxidised and carbon monoxide is reduced.
- **D** Iron(III) oxide is reduced and carbon monoxide is oxidised.
- 18 Which products are formed when magnesium carbonate reacts with dilute hydrochloric acid?
 - A carbon dioxide, hydrogen and magnesium chloride
 - **B** carbon dioxide and magnesium chloride only
 - **C** carbon dioxide, water and magnesium chloride
 - **D** water and magnesium chloride only
- 19 Which element forms an oxide that reacts with an aqueous solution of a base?
 - **A** argon
 - **B** sulfur
 - C magnesium
 - **D** copper
- 20 Which salt is insoluble?
 - A barium sulfate
 - **B** lead(II) nitrate
 - C magnesium chloride
 - **D** sodium carbonate

21 Some properties of element R are shown.

melting point in °C	98	
boiling point in °C	883	
reaction with cold water	gives off H ₂ gas	
reaction when heated with oxygen	burns to give a white solid	

In which part of the Periodic Table is R found?

- A Group I
- **B** Group VII
- C Group VIII
- **D** transition elements
- 22 Lithium, sodium and potassium are elements in Group I.


Statements about these elements are listed.

- 1 Lithium is more dense than sodium.
- 2 Sodium is more reactive than potassium.
- 3 They all conduct electricity at room temperature.
- 4 They all react with oxygen at room temperature.

Which statements are correct?

A 1 and 2 **B** 1 and 4 **C** 2 and 3 **D** 3 and 4

23 An outline of the Periodic Table is shown.



Which name is given to the elements in column Y?

- A alkali metals
- **B** halogens
- C noble gases
- **D** transition elements

24 Which row describes the properties of a metal that can be used in the manufacture of aircraft?

	strength	density	ease of corrosion
Α	high	high	corrodes easily
В	high	low	resists corrosion
С	low	high	corrodes easily
D	low	low	resists corrosion

- 25 Which metallic element is added to iron in the manufacture of stainless steel?
 - A carbon
 - **B** copper
 - C lead
 - **D** nickel
- 26 Which statement about the uses of metals is correct?
 - A Aluminium is used in the manufacture of overhead electrical cables as it has a high density.
 - **B** Aluminium is used to make food containers as it conducts electricity.
 - **C** Stainless steel is used in cutlery because it is resistant to rusting.
 - **D** Stainless steel is used to make chemical reactors because it is a soft alloy.

27 The list gives the order of some metals and hydrogen in the reactivity series.

Metal X is also included.

most reactive K
Mg
Zn
H

Cu

least reactive

Which row shows the properties of metal X?

reacts with dilute acids		oxide reduced by carbon	
A no		no	
B no		yes	
С	yes	no	
D	yes	yes	

- 28 Which gas in the air is needed for iron to rust?
 - A argon
 - B carbon dioxide
 - C nitrogen
 - **D** oxygen
- **29** Why is limestone added to the blast furnace?
 - **A** It neutralises the molten slag produced.
 - **B** It reacts with impurities to form slag.
 - **C** It releases carbon dioxide which reduces the iron(III) oxide.
 - **D** It removes acidic gases such as carbon dioxide.
- 30 Which process removes carbon dioxide from the atmosphere?
 - A photosynthesis
 - **B** thermal decomposition of calcium carbonate
 - C combustion of fossil fuels
 - D reaction of sodium carbonate with an acid


31 The flow chart shows stages in the treatment of river water to produce drinking water.



What occurs at stages J and K?

	J	К	
Α	distillation	chlorination	
В	distillation	filtration	
С	filtration	chlorination	
D	filtration	distillation	

- 32 Which two compounds can be mixed together to form an NPK fertiliser?
 - A ammonium phosphate and calcium hydroxide
 - **B** calcium phosphate and ammonium nitrate
 - C potassium nitrate and calcium oxide
 - **D** potassium phosphate and ammonium nitrate
- 33 What are the main substances produced by the fractional distillation of liquid air?
 - A oxygen and carbon dioxide
 - **B** oxygen and nitrogen
 - C helium and nitrogen
 - D hydrogen and oxygen
- 34 Which diagram shows the displayed formula for the named organic compound?



35 Poly(ethene) is formed from petroleum using three separate processes.

In which order are the processes used?


- **A** cracking → fractional distillation → polymerisation
- **B** cracking \rightarrow polymerisation \rightarrow fractional distillation
- \mathbf{C} fractional distillation \rightarrow cracking \rightarrow polymerisation
- $\textbf{D} \quad \text{fractional distillation} \rightarrow \text{polymerisation} \rightarrow \text{cracking}$
- **36** Gas oil and naphtha are two fractions obtained from petroleum.


What are uses of gas oil and naphtha?


	gas oil	naphtha	
Α	jet fuel	making chemicals	
В	jet fuel	making roads	
С	diesel engine fuel	making chemicals	
D	diesel engine fuel	making roads	

37 Ethene can be polymerised.

Which diagram represents the structure of the product formed?








- 38 An acid-base titration is described.
 - 25.0 cm³ of dilute aqueous alkali is put into a conical flask.
 - Indicator is added to the flask.
 - Dilute acid is added to the aqueous alkali until the indicator changes colour.
 - The volume of acid used is then recorded.

Which use of apparatus is correct?

- A The 25.0 cm³ of aqueous alkali is measured using a volumetric pipette.
- **B** The 25.0 cm³ of aqueous alkali is measured using the lines on the conical flask.
- **C** The volume of acid is measured using a measuring cylinder.
- **D** The volume of acid is measured using a volumetric pipette.
- **39** The apparatus shown is used to separate a mixture.



What is the mixture?

- **A** anhydrous copper(II) sulfate and hydrated copper(II) sulfate
- B sodium chloride and sand
- C ethanol and methanol
- **D** iron and steel

40 The results of tests on three gases, X, Y and Z, are shown.

test	X	Υ	Z
aqueous potassium manganate(VII)	purple to colourless	no change	no change
damp red litmus paper	no change	turns blue	no change
lighted splint	no change	no change	pops

What are X, Y and Z?

	X	Y	Z
Α	chlorine	sulfur dioxide	hydrogen
В	chlorine	sulfur dioxide	oxygen
С	sulfur dioxide	ammonia	oxygen
D	sulfur dioxide	ammonia	hydrogen

14

BLANK PAGE

15

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

1	
5 6 7 8 9 9 B C N O F 19 Cobalt 27 28 29 31 32 31 32 35.5 Cobalt nickel copal 27 28 29 30 31 32 35.5 32 35.5 Cobalt nickel copal 27 28 33 34 35.5 35.5 Rh Pd 45 65 70 33 34 35.5 35.5 Rh Pd 47 48 49 50 51 52 53 41 Rh Pd 47 48 49 50 51 52 53 41 103 106 103 11 Ph 44 44 45 44 45 44 45 45 45 45 45 45 45 45 45 45	
CO Ni CB 7 8 9 9 Lovon carbon mirrogen m	
CO Ni CB C N O F CO Ni Cu Zn Si F C CO Ni Cu Zn GB GG AS Se Br SS SS SS SS SS SS SS SS RBh PO AS SG TS TS TS TS 103 106 106 N N N A A N 103 110 111 111 111 N N N <td></td>	
SD 6 7 8 9 B C N O F 11 12 14 15 16 17 27 28 29 30 31 32 33 34 35 CO Ni Cu Zn Ga Ge AS Se Cl Cobalt nickel copper zinc gallium germanium airsenc selentium chlorine 59 59 64 65 70 75 75 75 Rh Pd 45 65 70 73 34 35 53 103 46 65 70 73 32 33 45 85 84 85 103 46 65 70 73 75 75 79 80 115 122 128 81 127 103 104 Hg 115 115	Key
Parity P	atomic number
Part	atomic symbol
13 14 15 16 17 A1 Si P S CI 27 28 29 30 31 32 33 34 35.5 CO	name relative atomic mass
Aliaminium Silicon Phosphous Sulfur chloring Sulfur chlo	
27 28 29 30 31 32 33 34 35.5 CO Ni Cubat 27 28 30 31 32 33 34 35.5 S9 Ni Cu Zn Gallium Genmanium arsenic Selenium Bromine 59 59 64 65 70 73 75 79 Br Rh Pd 45 64 65 70 73 75 79 Br Rh Pd 46 47 48 49 50 51 57 79 80 Rh Pd Age Info Info Ti Ti Ti Ti Ti 103 110 111 112 112 112 112 113 114 115 114 115 103 110 111 112 114 115 116 117 117 114	
CO Ni Cu Zh Ga Ge As 35 34 35 CO Ni Cu Zh Ga Ge As Se Br cobalt nickel copper zirc gallium germanium arsenic selenium bromine 59 59 64 65 70 77 78 79 80 Rh Pd 47 48 49 50 51 52 53 Rh Pd 47 48 49 50 51 79 80 Rh Pd Af 112 115 119 122 128 127 103 106 108 112 115 Pb Bi Po At Iridium palladium sinchin indium	
Co Ni Cu Zn Ga Ge AS Se Br cobatt nickel copper zinc gallium germanium arsenic selenium bromine 59 59 64 65 70 73 75 79 80 45 46 47 48 49 50 51 52 53 80 Rh Pd 47 48 49 50 51 52 53 80 Indom palladium silver cadmium indum tin artimony tellurium iodine 127 103 106 108 112 115 115 122 128 127 112 114 115 116 116 117 At 127 112 115 120 204 207 209 112 116 117 114 115 11	23 24
cobatt nickel copper zinc gallium germanium arsenic selenium bromine 45 46 47 48 49 50 51 57 53 80 Rh Pd 46 47 48 49 50 51 52 53 80 Rh Pd 46 In 10 In SN 75 75 73 80 17 17 172 128 127	ပ် >
Rh Pd Ag Cd In Sn SD Fe In Innodium palladium silver cadmium indium tin Sn SD Te I 77 78 79 80 81 82 83 84 85 Ir Pt Au Hg Tl Pb Bi Po At indium platinum gold mercuny thallium lead bismuth potonium astatine 192 195 197 201 204 207 209 — 109 110 111 112 113 114 115 116 117 Mt Ds Rg Cn Nh Fl Mc Lv Ts metirerium darmstadtum roenidenium nihonium flerovium micronium linenovium linenovium linenovium	vanadium chromium 51 52
Rh Pd Ag Cd In Sh Te Te I modum palladium silver cadmium indum tin antimony tellurium iodine 77 78 79 80 81 82 83 84 85 Ir Pt Au Hg Tl Pb Bi Po At indum paltinum gold mercuny thallium lead bismuth potonium astatine 192 195 197 201 204 207 209 — 109 110 111 112 113 114 115 116 117 Mt Ds Rg Cn Nh Fl Mc Lv Ts metrerium demostratium coenticium nihonium ilenovium ilenovium ilenovium ilenovium ilenovium ilenovium tenus	41 42
rhodium palladium silver cadmium indum tin antimony tellurium jodine 77 78 79 80 81 82 83 84 85 Ir Pt Au Hg Tl Pb Bi Po At indium platinum gold mercury thallium lead bismuth polonium astatine 192 119 201 204 207 209 — — Mt Ds Rg Cn Nh Fl MC LV TS Mt Ds Rg Cn Nh Fl MC LV TS metinerium darmstadfum roendigenlum nihonium flerovium moscovium invenorium tennessine	NP
77 78 79 80 81 82 83 84 85 Ir Pt Au Hg T1 Pb Bi Po At iridium platinum gold mercuny thallium lead bismuth polonium asstatine 192 195 197 201 204 207 209 — — Mt Ds Rg Cn Nh F1 MC Lv TS metinerium darmstadtum roendigenium copenicium nihonium flerovium moscovium livemorium tennostium	niobium molybdenum 93 96
Ir Pt Au Hg Tl Pb Bi Po At indium patinum gold mercuny thallium lead bismuth polonium astatine 192 195 197 201 204 207 209 — — 109 110 111 112 113 114 115 116 117 Mt Ds Rg Cn Nh Fl MC LV Ts metinerium darmstadtum roendigenlum copenicium nihonium flerovium moscovium livemorium tennessine	73 74
iridium platinum gold mercury thallium lead bismuth polonium astatine 192 195 197 201 204 207 209 — — 109 110 111 112 113 114 115 116 117 Mt Ds Rg Cn Nh Fl MC LV Ts metinerium darmstadtum roendigenlum copenicium nihonium flerovium moscovium livemorium tennessine	Ta
109 110 111 112 113 114 115 116 117 Mt Ds Rg Cn Nh F1 Mc Lv Ts metinerium darmstadtum roenigenium copemicium nihonium flerovium moscovium livermorium tennessine	hafnium tantalum tungsten rhenium 178 181 184 186
Mt Ds Rg Cn Nh F <i>l</i> MC Lv Ts methrerium darmstadtum roentgenium copemicium inhonium flerovium moscovium livermorium tennessine o	105 106
meitnerium darmstadtium roentgenium copemicium nihonium flerovium moscovium livermorium tennessine o	Db
	seaborgium

71	Γn	lutetium 175	103	ב	lawrencium	I
70	Υp	ytterbium 173	102	8	nobelium	ı
69	E	thulium 169	101	Md	mendelevium	I
89	Д	erbium 167	100	Fm	fermium	I
29	운	holmium 165	66	Es	einsteinium	I
99	ò	dysprosium 163	86	₽	californium	I
65	Д	terbium 159	97	益	berkelium	ı
64	9 G	gadolinium 157	96	Cm	curium	ı
63	Eu	europium 152	95	Am	americium	ı
62	Sm	samarium 150	94	Pu	plutonium	ı
61	Pm	promethium	93	N Q	neptunium	ı
09	PN	neodymium 144	92	\supset	uranium	238
69	Ą	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140	06	Ļ	thorium	232
22	Га	lanthanum 139	89	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).