



### **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	

**CHEMISTRY** 

0620/23

Paper 2

May/June 2014

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

### **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 20.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



[Total: 9]

1 (a) Choose from the list of compounds below to answer the following questions.

aluminium oxide
calcium carbonate
calcium oxide
copper(II) sulfate
hydrogen chloride
potassium bromide
sodium chloride
sodium hydroxide

Each compound can be used once, more than once or not at all.

	h c			

	(i)	reacts with	aqueous ammor	nia to form a light bl	ue precipitate,		
							[1]
(	(ii)	is formed b	y the decomposi	tion of limestone,			
4							[1]
(1	iii)			en dissolved in wate			[1]
<b>(</b> i	iv)			ed-brown vapour a			[1]
							[1]
(	(v)	is an oxide	of a metal in Gro	oup III of the Period	ic Table,		
,	.,						[1]
('	vi)		on element comp	oound?			[1]
(b)	Con			es about compound			[1]
			chemically	different	fixed		
			mixed	physically	similar		
		ompound is a abined toget		h consists of two or	more different ele	ments	
		properties ormed.	of a compound a	re	from those of th	e elements from v	which it
	In a	compound,	the elements are	e combined in	pro	portions.	[3]

2 (a)	Calcium chloride, ${\rm CaC} l_2$ , is a salt. Suggest the name of an acid and a base that would react together to make calcium chloride.
	acid
	base[2]
(b)	Calcium chloride absorbs water vapour. When calcium chloride is heated, it loses its water of crystallisation. Complete the symbol equation for this reaction. Include the sign for a reversible reaction.
	$CaCl_2.6H_2O$ $CaCl_2$ +
(c)	A student put some clean iron nails in two test-tubes, as shown in the diagram. She then left the test-tubes for several weeks.
	anhydrous calcium chloride CaCl <sub>2</sub> cotton wool  A B  Explain why the nails in tube A did not rust but the nails in tube B rusted.
	[2]
(d)	Rust is hydrated iron(III) oxide. What does the (III) in iron(III) oxide refer to? Tick <b>one</b> box.
	the oxidation state of the oxygen
	the oxidation state of the iron
	the number of atoms of oxygen in a formula unit of iron(III) oxide
	the number of water molecules in the hydrated iron oxide

[Total: 10]


(e) (i) The table describes the ease of reduction of some metal oxides with carbon monoxide.

lead oxide	moderate heating to about 200 °C needed
iron oxide	high temperature furnace at 750 °C needed
magnesium oxide	temperatures above 1000°C needed
zinc oxide	very high temperature furnace at 900 °C needed

Put these metals in order of their reactivity with carbon monoxide.


least rea	active ————————————————————————————————————		most reactive	
				[2]
(ii) Son	ne metal oxides can be reduced by	heating with hydrogen	gas.	
	CuO + $H_2 \rightarrow$	Cu + H <sub>2</sub> O		
Exp	lain how this equation shows that c	copper oxide is being re	educed.	
				[1]


3 The diagram shows the best pH ranges for growing different plants.



(i)	Which <b>two</b> plants grow best in acidic conditions <b>only</b> ?	
	and	[1]
(ii)	Which pH shown in the diagram above represents a neutral pH?	
		[1]
(i)	Explain why lime is added to acidic soils.	
		[2]
(ii)	Farmers fertilise soil by adding compounds containing ammonium salts.  Explain why adding lime to fertilised soil may cause a loss of nitrogen from the soil.	
	(ii) (i)	(ii) Which pH shown in the diagram above represents a neutral pH?  (i) Explain why lime is added to acidic soils.  (ii) Farmers fertilise soil by adding compounds containing ammonium salts.  Explain why adding lime to fertilised soil may cause a loss of nitrogen from the soil.

(c) The graphs below show the rate of uptake of potassium and phosphate ions by plant roots at different pH values.





(i) Describe the effect of pH on the rate of uptake of potassium by plant roots.


[2]

(ii) At which pH value is the rate of uptake of phosphorus by plant roots the highest?

[1]


[Total: 10]

- 4 Chromatography is used to separate a mixture of coloured dyes.
  - (a) Three different dye mixtures, **A**, **B** and **C**, were spotted onto a piece of chromatography paper. Two pure dyes, **X** and **Y**, were also spotted onto the same piece of paper. The diagram below shows the results of the chromatography.



(i)	State the name of a piece of apparatus that could be used to spot the dyes onto the pap	er.
		[1]
(ii)	Suggest why the base line was drawn in pencil and not in ink.	
		[1]
(iii)	Which dye mixture contains <b>both</b> dye <b>X</b> and dye <b>Y</b> ?	
		[1]
(iv)	Which dye mixture does <b>not</b> contain dye <b>X</b> or dye <b>Y</b> ?	
		[1]
(v)	In which mixture, <b>A</b> , <b>B</b> or <b>C</b> , has the greatest number of dyes been separated?	
		[1]

(b) The structure of the dye chrysoidine G is shown below.



(1)	How many nitrogen atoms are there in a molecule of chrysoldine G?	
		[1]

(ii) Complete the table below to calculate the relative molecular mass of chrysoidine G.

type of atom	number of atoms	atomic mass	
carbon	12	12	12 × 12 = 144
hydrogen			
nitrogen			

			[2]
(c)	The	e fibres in the chromatography paper are polymers.	
	(i)	What is meant by the term <i>polymer</i> ?	
			[1]
	(ii)	State the chemical name of the polymer formed from ethene	

[Total: 10]

relative molecular mass = .....

5 The table shows some properties of the first four carboxylic acids.

acid	molecular formula	melting point /°C	boiling point /°C	density in g/cm³
methanoic acid	CH <sub>2</sub> O <sub>2</sub>	+10	+101	1.22
ethanoic acid	C <sub>2</sub> H <sub>4</sub> O <sub>2</sub>	+17	+118	1.05
propanoic acid	C <sub>3</sub> H <sub>6</sub> O <sub>2</sub>	-21		0.99
butanoic acid	C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>	-4	+166	


(a) (i)	How does the boiling point of these carboxylic acids vary with the number of carbon atoms?
	[1]
(ii)	Suggest a value for:
	the boiling point of propanoic acid,°C
	the density of butanoic acid
(iii)	Is butanoic acid a solid, liquid or gas at room temperature? Use the data in the table to explain your answer.
	[1]

**(b)** Complete the diagram below to show the structure of ethanoic acid. Show all atoms and bonds.

[1]


[Total: 9]

**(c)** The concentration of ethanoic acid can be determined by titration using the apparatus shown below.



(i)	State the name of the piece of glassware labelled A.	
		[1]
(ii)	Liquid <b>B</b> is an alkali. Which <b>one</b> of the following compounds is also an alkali? Put a ring around the correct answer.	
	calcium carbonate	
	calcium sulfate	
	sodium chloride	
	sodium hydroxide	[1]
(iii)	Describe how you would carry out this titration.	[.]
		[2]


6 Lead(II) bromide is a white solid. Part of the structure of lead(II) bromide is shown below.



(a	) Deduce	the simplest	formula for	lead(II)	bromide.
----	----------	--------------	-------------	----------	----------

E 4.1
111
 Г.1

**(b)** A student electrolysed lead(II) bromide in a fume cupboard using the apparatus shown below.



(i) Why is heat needed for this electrolysis?

	[1	]
--	----	---

(ii) Suggest the name of a substance that could be used for the electrodes.




(iii) State the name of the products of electrolysis at:

the anode,

the cathode. ..... [1]

(c) Items can be electroplated with silver using the apparatus shown below.



(i)	On the diagram, which letter, A, B, C or D, is the cathode?	
		[1]
(ii)	What would you observe during the experiment at the:	
	positive electrode,	
	negative electrode?	
		[2]

(iii) The electrolyte used is aqueous silver cyanide, AgCN. Calculate the relative formula mass of silver cyanide. You must show all your working.

[2]

[Total: 9]

[3]

7	Dmitri Mendeleev published his first Periodic Table in 1869
	Part of this table is shown below.

			$\Pi = 30$
			V = 51
			Cr = 52
			Mn = 55
			Fe = 56
			Co = 59
H = 1			Cu = 63.4
	Be = 9.4	Mg = 24	Zn = 65.2
	B = 11	Al = 27.4	?
	C = 12	Si = 28	?
	N = 14	P = 31	As = 75
	O = 16	S = 32	Se = 79.4
	F = 19	Cl = 35.5	Br = 80
Li = 7	Na = 23	K = 39	Rb = 85.4

(a)	(i)	What differences are there between Mendeleev's table and the Periodic Table we use today?
		[4]
	(ii)	State the names of any <b>two</b> elements in the table above which exist as diatomic molecules
		and [1]
(b)		nium is a transition element. Sodium is a metal in Group I of the Periodic Table. te <b>three</b> differences in the physical properties of titanium and sodium.
	1	
	2	

3 .....

(c) Titanium(IV) oxide reacts with a mixture of chlorine and carbon. The products are titanium(IV) chloride,  $TiCl_4$ , and a gas which turns limewater milky. Complete the symbol equation for this reaction.

$$TiO_2 + .....Cl_2 + C \rightarrow TiCl_4 + .....$$
 [2]

 Titanium is extracted from titanium ( $IV$ ) chloride by reduction with molten sodium in the presence of argon. Suggest why this reaction is carried out in the presence of argon.				

[Total: 12]

		rith a high melting point. electricity when molten but not	when solid.		
(a)	What type of structure is sodium sulfate? Tick <b>one</b> box.				
		structure of separated atom	s		
		simple molecular structure			
		giant ionic structure			
		giant covalent structure	[1]		
(b)	Describe a test for sul	fate ions.			
	test				
	result				
			[2] water from an aqueous solution of sodium		
	sulfate. In your answer, refer t  the apparatus use changes in state, differences in boil  You may use a diagra	ed, ing points.			

(d)	What would you observe when a piece of blue cobalt chloride paper is dipped into water?	
	[	1]
(e)	Describe how impure water is treated so that it can be used for drinking.	
	[	2]
	[Total: 1	1]

# **BLANK PAGE**

# **BLANK PAGE**

# **BLANK PAGE**

DATA SHEET
The Periodic Table of the Elements

	0	4 <b>He</b> Helium	20 Ne Neon 10 At Ar Argen	Krypton 36 Krypton 36 Xenon 54	Radon 86	175 <b>Lu</b> Lutetium 71	<b>Lr</b> Lawrendum 103
	II/		19 Fluorine 9 35.5 <b>C 1</b> Chlorine	80  Bromine 35 127 127   Iodine	At Astatine 85	173 <b>Yb</b> Ytterbium 70	Nobelium 102
	I		16 Oxygen 8 32 Sulfur 16	Se Setenium 34 128 Te Tellurium 52	Po Polonium 84	169 <b>Tm</b> Thulium 69	Md Mendelevium 101
	Λ		14 Nitrogen 7 31 Phosphorus 15	AS Arsenic 33 122 Sb Antimony 51	209  Bismuth 83	167 <b>Er</b> Erbium 68	Fm Fermium 100
	2		Carbon 6 Carbon 8 Si Siicon 14	73 <b>Ge</b> Germanium 32 119 Sn In	207 <b>Pb</b> Lead 82	165 <b>Ho</b> Holmium 67	<b>ES</b> Einsteinium 99
	=		11 <b>B</b> Boron 5 27 <b>A t</b> Aluminium 13	70 <b>Ga</b> Gallium 31 115 115 Indium 49	204 <b>T 1</b> Thallium 81	162 <b>Dy</b> Dysprosium 66	<b>Ca</b> lifornium 98
				65 Znc 30 Inc Cd Cadmium 48	Hg Mercury 80	159 <b>Tb</b> Terbium 65	<b>BK</b> Berkelium 97
				COOPPET 29 COOPPET 108 Ag Silver 47	197 <b>Au</b> Gold 79	157 <b>Gd</b> Gadolinium 64	<b>Cm</b> Curium
Group				59 Nickell 28 106 <b>Pd</b> Palladium 46	195 <b>Pt</b> Platinum 78	152 <b>Eu</b> Europium 63	<b>Am</b> Americium 95
Ğ				59 Cobalt 27 103 Rh Rhodium 45	192   <b>  r</b>     <b>r</b>	Sm Samarium 62	<b>Pu</b> Plutonium 94
		1 <b>T</b> Hydrogen		56 Fe Iron 26 Iron 101 Ru Ruthenium 44	190 <b>OS</b> Osmium 76	Pm Promethium 61	Neptunium 93
				Manganese 25 TC Technetium 43	186 <b>Re</b> Rhenium 75	144 <b>NG</b> Neodymium 60	238 <b>U</b> Uranium 92
				52 Cr Chromium 24 96 Moybdenum 42	184 <b>W</b> Tungsten 74	141 <b>Pr</b> Praseodymium 59	<b>Pa</b> Protactinium 91
				V Vanadium 23 93 Nb Niobium	181  Ta  Tantalum 73	140 <b>Ce</b> Cerium 58	232 <b>Th</b> Thorium 90
				48 Titanium 22 91 <b>Zr</b> Zirconium 40	178 <b>H</b> Hafnium 72		nıc mass bol nic) number
				45 Scandium 21 89 Yttrium 39	139  Lanthanum 57  227  AC	Series eries	a = relative atomic mass  X = atomic symbol b = proton (atomic) number
	=		Beryllium 4 24 Mg Magnesium 12	Calcium 20 88 Strontium 38	137 <b>Ba</b> Barium 56  226 <b>Ra</b>	88 88 89 89 89 89 89 89 89 89 89 89 89 8	œ <b>×</b> ₽
	_		7	39  R Potassium 19 85 R B R B R B R B R B B B B B B B B B B B	133 <b>Cs</b> Caesium 55	*58-71 Lanthanoid series	Key

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.