CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2014 series

0620 CHEMISTRY

0620/23

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



| | Page 2 | Mark Scheme | | Paper |
|---|-------------------------|--|----------------------|-------------|
| | | IGCSE – May/June 2014 | 0620 | 23 |
| 1 | (a) (i) cop | per sulfate / CuSO ₄ | | [1] |
| | (ii) cald | cium oxide / CaO | | [1] |
| | (iii) hyd | rogen chloride / HC1 | | [1] |
| | (iv) pota | assium bromide / KBr | | [1] |
| | (v) alur | minium oxide / A l_2O_3 | | [1] |
| | (vi) cop | per sulfate / CuSO ₄ | | [1] |
| | (b) chemica (1 mark | ally; different; fixed; each) | | [3] |
| | | | | [Total: 9] |
| 2 | ` ' | loric (acid) / HC <i>l</i> hydroxide / calcium oxide | | [1] [1] |
| | Calcium | Trydroxide / Calcium oxide | | ניו |
| | (b) ⇌ | | | [1] |
| | 6H₂O or | n right | | [1] |
| | (c) in tube | A the calcium chloride absorbs the water vapour; | | [1] |
| | In tube I | B there is both water and air / there is water (vapour) | in the air; | [1] |
| | (d) 2 nd box | down ticked (oxidation state of iron) | | [1] |
| | | gnesium < zinc < iron < lead ark if one pair reversed / lead > iron > zinc > magnes | sium | [2] |
| | | gen removed from the copper oxide / it loses oxyggen; | gen / hydrogen gains | [1] |
| | | | | [Total: 10] |
| 3 | (a) (i) carr | rots; potatoes; | | [1] |
| | (ii) (pH |) 7; | | [1] |
| | (b) (i) Any | two from: | | [2] |

to raise the pH / to make the soil less acidic / lime is alkaline / lime has

plants won't grow if (conditions too) acid

to neutralise (the soil) / neutralisation;


| | Page 3 | | | Syllabus | Paper |
|---|--------|--|--|-------------------|--------------|
| | | | IGCSE – May/June 2014 | 0620 | 23 |
| | | (ii) | lime is alkaline / lime is a base / lime reacts with ammoniu | ım salts; | [1] |
| | | ammonia produced; | | | |
| | | | (ammonia) escapes (into air) / (ammonia) is a gas; | | [1] |
| | (c) | (i) | Any two from: • increases; • up to pH 7.5 / up to quoted values between pH 7 and • then levels off / evens out / then stays at the same pH | | [2] |
| | | (ii) | pH 9.5 / between 9 and 10 | | [1] |
| | | | | | [Total: 10] |
| 4 | (a) | (i) | capillary tube / very narrow tube; | | [1] |
| | | (ii) ink would undergo chromatography / ink would run up the paper / ink mathemathem the results / ink would smear / ink mixes with spot ORA for pencil / lead | | | asks [1] |
| | | (iii) | В | | [1] |
| | | (iv) | A | | [1] |
| | | (v) | C | | [1] |
| | (b) | (i) | 4 | | [1] |
| | | (ii) | 212; For 1 mark one row correct e.g. $H = 12 \times 1 = 12$ $N = 4 \times 14 = 56$ | | [2] |
| | (c) | (i) | idea of substance formed by (addition of) monomers or s many monomers or simple units (joined); | imple units / ide | ea of [1] |
| | | (ii) | poly(ethene) / polyethene; | | [1] |
| | | | | | [Total: 10] |
| 5 | (a) | (i) | increases as number of (carbon) atoms increase / both in time / proportional / more carbon the higher the boiling po | | ame [1] |
| | | (ii) | boiling point allow: between 130 and 150 °C; (actual = 141) | | [1] |
| | | | Density allow: between 0.80 and 1.00; (actual = 0.96) | | [1] |

| Page 4 | Mark Scheme | Syllabus | Paper |
|--------|-----------------------|----------|-------|
| | IGCSE – May/June 2014 | 0620 | 23 |

(iii) <u>liquid</u> because melting point below room temperature and boiling point above room temperature / room temperature is between melting and boiling point;

[1]

(b)



[1]

(c) (i) burette;

(a) $PbBr_2 / Pb^{2+}2Br^{-}$

(ii) graphite;

[1]

(ii) sodium hydroxide;

[1]

(iii) indicator in flask / reference to indicator;

[1]

run liquid from burette (until indicator changes colour);

[1]

[Total: 9]

[1]

(b) (i) to melt the lead bromide / to allow ions to move;

[1]

()

[1]

(iii) anode: bromine and cathode: lead;

[1]

(both required)

[1]

(ii) (anode): decreases in size / becomes eroded;

[1]

cathode: increases in size;

[1]

[2]

(iii) 134;

(c) (i) A;

[Total: 9]

7 (a) (i) Any four suitable differences e.g.:

[4]

- no noble gases / only 7 (standard) Groups ORA;
- hydrogen / H in same column as Li ORA;
- some elements missing / named element missing / empty spaces ORA
- groups are horizontal rather than vertical / reference to groups or periods being different ORA
- not ordered according to atomic number / no proton numbers
- Zn put in same group as Be and Mg ORA

(ii) any **two** from: fluorine, chlorine, bromine, oxygen , nitrogen , hydrogen

[1]

| Pa | ge 5 Mark Scheme | | Syllabus | Paper |
|-------|--|--|-------------------|-------------|
| | | IGCSE – May/June 2014 | 0620 | 23 |
| (b) | denscatastrerhardelect | ing points / boiling points; sity; lytic activity; | | [3] |
| (c) | 2 (C <i>l</i> ₂); CO ₂ (on | right); | | [1] [1] |
| (d) | exclude (vapour) | nt sodium reacting with air / to stop the Ti reactair / to stop the hydrolysis of the titanium oxiders argon is inert / unreactive / inactive / does not react | e / to exclude wa | |
| | | | | [Total: 12] |
| | | | | |
| 3 (a) | 3 rd box d | own ticked (giant ionic); | | [1] |
| (b) | add bariu | um chloride / barium nitrate; | | [1] |
| | white pre (both req note: se | • | | [1] |
| (c) | conn mixto idea wate on h easil stea wate sodio sodio wate | from: denser nected to flask ure in flask of heating the solution / boil the solution er has lower boiling point than sodium sulfate / sodiu er is liquid (at rtp) eating water boils more easily / forms vapour more ly / water boils first / water will evaporate (not sodium / water vapour goes to top of the flask and into compare to the solution of th | m sulfate) | [5] and |
| (d) | turns pin | k; | | [1] |

| Page 6 | Mark Scheme | Syllabus | Paper |
|--------|-----------------------|----------|-------|
| | IGCSE – May/June 2014 | 0620 | 23 |

(e) filtered;
 chlorine added / chlorination;
 allow: other stages e.g. sedimentation / flocculation (use of iron chloride / aluminium sulfate etc.) / treatment with sulfur dioxide

[Total: 11]