#### CHEMISTRY

Paper 2 Multiple Choice (Extended)

0620/23

May/June 2017

45 minutes

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

## READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 15 printed pages and 1 blank page.



**1** Small crystals of purple KMnO<sub>4</sub> ( $M_r = 158$ ) and orange K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> ( $M_r = 294$ ) were placed at the centres of separate petri dishes filled with agar jelly. They were left to stand under the same physical conditions.

After some time, the colour of each substance had spread out as shown.



The lengths of the arrows indicate the relative distances travelled by particles of each substance.

Which statement is correct?

- A Diffusion is faster in dish 1 because the mass of the particles is greater.
- **B** Diffusion is faster in dish 2 because the mass of the particles is greater.
- **C** Diffusion is slower in dish 1 because the mass of the particles is smaller.
- **D** Diffusion is slower in dish 2 because the mass of the particles is greater.
- **2** A compound, X, has a melting point of 71 °C and a boiling point of 375 °C.

Which statement about X is correct?

- A It is a liquid at 52  $^{\circ}$ C and a gas at 175  $^{\circ}$ C.
- **B** It is a liquid at 69 °C and a gas at 380 °C.
- **C** It is a liquid at 75 °C and a gas at 350 °C.
- **D** It is a liquid at 80 °C and a gas at 400 °C.

**3** A student used chromatography to analyse a green food colouring.

The chromatogram obtained is shown.



The table lists some yellow food dyes and their  $R_{\rm f}$  values.

Which yellow food dye does the green food colouring contain?

	yellow food dye	<i>R</i> f value
Α	Quinolene Yellow	0.48
В	Sunset Yellow	0.32
С	tartrazine	0.69
D	Yellow 2G	0.82

4 The electronic structures of atoms Q and R are shown.



Q and R form an ionic compound.

What is the formula of the compound?

<b>A</b> $QR_7$ <b>B</b> $Q_2R_4$ <b>C</b> $QR$	D	$Q_7R$
---	---	--------

- 5 Which substance is a macromolecule?
  - A ammonia
  - B carbon dioxide
  - **C** diamond
  - D water
- 6 The diagram shows metallic bonding.



Which labels are correct?

	Х	Y
Α	atomic nucleus	outer electron
В	metal atom	mobile electron
С	metal ion	mobile electron
D	positive ion	negative ion

**7** Aqueous iron(III) sulfate and aqueous sodium hydroxide react to give a precipitate of iron(III) hydroxide and a solution of sodium sulfate.

What is the balanced equation for this reaction?

- $\textbf{A} \quad Fe_2(SO_4)_3(aq) \ + \ 2NaOH(aq) \ \rightarrow \ Fe(OH)_3(s) \ + \ Na_2SO_4(aq)$
- $\textbf{B} \quad Fe_2(SO_4)_3(aq) \ + \ 3NaOH(aq) \ \rightarrow \ Fe(OH)_3(s) \ + \ 3Na_2SO_4(aq)$
- $\textbf{C} \quad Fe_2(SO_4)_3(aq) \ + \ 6NaOH(aq) \ \rightarrow \ 2Fe(OH)_3(s) \ + \ 3Na_2SO_4(aq)$
- $\textbf{D} \quad 2Fe_2(SO_4)_3(aq) \ + \ 6NaOH(aq) \ \rightarrow \ 4Fe(OH)_3(s) \ + \ 6Na_2SO_4(aq)$
- 8 The equation for the reaction between sodium carbonate and dilute hydrochloric acid is shown.

$$Na_2CO_3 + 2HCl \rightarrow 2NaCl + H_2O + CO_2$$

What is the maximum volume of carbon dioxide produced when 26.5 g of sodium carbonate react with dilute hydrochloric acid?

**A**  $6 \text{ dm}^3$  **B**  $12 \text{ dm}^3$  **C**  $18 \text{ dm}^3$  **D**  $24 \text{ dm}^3$ 

- 9 Which statement about electrolysis is correct?
  - A Electrons move through the electrolyte from the cathode to the anode.
  - **B** Electrons move towards the cathode in the external circuit.
  - **C** Negative ions move towards the anode in the external circuit.
  - **D** Positive ions move through the electrolyte towards the anode during electrolysis.
- **10** The reactivity series for a number of different metals is shown.

most reactive				least re	eactive
magnesium	zinc	iron	copper	silver	platinum

The diagram shows different metal strips dipped into an electrolyte.



Which pair of metals produces the highest voltage?

- A copper and magnesium
- B magnesium and platinum
- **C** magnesium and zinc
- **D** silver and platinum
- **11** Heat energy is produced when hydrocarbons burn in air.

Which equations represent this statement?

- $1 \quad C_2H_5OH \ \textbf{+} \ \ \textbf{3O}_2 \ \rightarrow \ \textbf{2CO}_2 \ \textbf{+} \ \ \textbf{3H}_2O$
- $2 \quad C_2H_4 \ + \ 3O_2 \ \rightarrow \ 2CO_2 \ + \ 2H_2O$
- $3 \quad \mathsf{CH}_4 \ \textbf{+} \ 2\mathsf{O}_2 \ \rightarrow \ \mathsf{CO}_2 \ \textbf{+} \ 2\mathsf{H}_2\mathsf{O}$
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

- 12 Which statements about exothermic and endothermic reactions are correct?
  - 1 During an exothermic reaction, heat is given out.
  - 2 The temperature of an endothermic reaction goes up because heat is taken in.
  - 3 Burning methane in the air is an exothermic reaction.
  - **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- **13** Hydrogen and chlorine react to form hydrogen chloride.

The reaction is exothermic.

 $H_2(g) + Cl_2(g) \rightarrow 2HCl(g)$ 

The overall energy change for this reaction is –184 kJ/mol.

The table gives some of the bond energies involved.

bond	bond energy in kJ/mol
H–Cl	+430
H–H	+436

What is the energy of the C*l*–C*l* bond?

- **A** –240 kJ/mol
- **B** –190 kJ/mol
- **C** +190 kJ/mol
- **D** +240 kJ/mol
- **14** Which changes are physical changes?
  - 1 melting ice to form water
  - 2 burning hydrogen to form water
  - 3 adding sodium to water
  - 4 boiling water to form steam

Α	1 and 2	В	1 and 4	С	2 and 3	D	3 and 4
			i unu i	•			

**15** A student was investigating the reaction between marble chips and dilute hydrochloric acid.



Which changes slow down the rate of reaction?

	temperature of acid	concentration of acid	surface area of marble chips
Α	decrease	decrease	decrease
В	decrease	decrease	increase
С	increase	decrease	decrease
D	increase	increase	increase

**16** Hydrogen is produced when methane reacts with steam.

The equation for the reaction is shown.

$$CH_4(g) + H_2O(g) \rightleftharpoons CO(g) + 3H_2(g)$$

The forward reaction is endothermic.

Which conditions produce the highest yield of hydrogen?

	pressure	temperature
Α	high	high
В	high	low
С	low	high
D	low	low

**17** An example of a redox reaction is shown.

$$Zn + Cu^{2+} \rightarrow Zn^{2+} + Cu$$

Which statement about the reaction is correct?

- **A** Zn is the oxidising agent and it oxidises  $Cu^{2+}$ .
- $\label{eq:barrent} \textbf{B} \quad \text{Zn is the oxidising agent and it reduces } \textbf{Cu}^{2+}.$
- **C** Zn is the reducing agent and it oxidises  $Cu^{2+}$ .
- $\label{eq:D} \textbf{D} \quad \text{Zn is the reducing agent and it reduces } \textbf{Cu}^{2+}.$
- 18 Which oxide is amphoteric?

**19** Chloric(I) acid, HClO, is formed when chlorine dissolves in water. It is a weak acid.

What is meant by the term weak acid?

- A It contains fewer hydrogen atoms than a strong acid.
- **B** It is easily neutralised by a strong alkali.
- **C** It is less concentrated than a strong acid.
- **D** It is only partially ionised in solution.
- **20** Silver nitrate reacts with sodium chloride to produce silver chloride and sodium nitrate. The equation for the reaction is shown.

 $AgNO_3(aq) + NaCl(aq) \rightarrow AgCl(s) + NaNO_3(aq)$ 

How is silver chloride separated from the reaction mixture?

- A crystallisation
- B distillation
- **C** evaporation
- **D** filtration

21 Aqueous sodium hydroxide reacts with an aqueous solution of compound Y to give a green precipitate.

Aqueous ammonia also reacts with an aqueous solution of compound Y to give a green precipitate.

In each case the precipitate is insoluble when an excess of reagent is added.

Which ion is present in Y?

- A chromium(III)
- **B** copper(II)
- **C** iron(II)
- **D** iron(III)
- 22 Which element is less reactive than the other members of its group in the Periodic Table?
  - A astatine
  - B caesium
  - **C** fluorine
  - D rubidium
- **23** Ununseptium (atomic number 117) is a man-made element that is below astatine in Group VII of the Periodic Table.

What is the expected state of ununseptium at room temperature?

- **A** a diatomic gas
- **B** a liquid
- **C** a monatomic gas
- **D** a solid
- 24 Why are weather balloons sometimes filled with helium rather than hydrogen?
  - A Helium is found in air.
  - **B** Helium is less dense than hydrogen.
  - **C** Helium is more dense than hydrogen.
  - **D** Helium is unreactive.

- 25 Which equation from the zinc extraction process shows the metal being produced by reduction?
  - $\textbf{A} \quad \text{ZnO} \ \textbf{+} \ \textbf{C} \ \rightarrow \ \textbf{Zn} \ \textbf{+} \ \textbf{CO}$
  - $\textbf{B} \quad 2ZnS \ \textbf{+} \ 3O_2 \ \rightarrow \ 2ZnO \ \textbf{+} \ 2SO_2$
  - $\boldsymbol{\mathsf{C}} \quad \mathsf{Zn}(g) \ \rightarrow \ \mathsf{Zn}(\mathsf{I})$
  - $\textbf{D} \quad Zn(l) \ \rightarrow \ Zn(s)$

# 26 Element E:

- forms an alloy
- has a basic oxide
- is below hydrogen in the reactivity series.

What is E?

- A carbon
- B copper
- C sulfur
- D zinc
- 27 The section of the reactivity series shown includes a newly discovered element, symbol X.The only oxide of X has the formula XO.

Which equation shows a reaction which occurs?

**A** Cu(s) + 
$$X^{2+}(aq) \rightarrow Cu^{2+}(aq) + X(s)$$

**B** 
$$2X(s) + Cu^{2+}(aq) \rightarrow 2X^{+}(aq) + Cu(s)$$

- **D** X(s) + 2HCl(aq)  $\rightarrow$  XCl<sub>2</sub>(aq) + H<sub>2</sub>(g)

**28** Stainless steel is an alloy of iron and other metals. It is strong and does not rust but it costs much more than normal steel.

What is not made from stainless steel?

- A cutlery
- B pipes in a chemical factory
- **C** railway lines
- D saucepans
- **29** The diagram shows some uses of water in the home.



For which uses is it important for the water to have been treated?

- **A** 1 only **B** 2 only **C** 3 only **D** 1, 2 and 3
- **30** The carbon cycle describes how carbon dioxide gas is added to or removed from the atmosphere.

Which row describes the movement of carbon dioxide during each process?

	photosynthesis	combustion	respiration
Α	added to the atmosphere	added to the atmosphere	removed from the atmosphere
в	added to the atmosphere	removed from the atmosphere	added to the atmosphere
С	removed from the atmosphere	added to the atmosphere	added to the atmosphere
D	removed from the atmosphere	added to the atmosphere	removed from the atmosphere

**31** Which row gives the catalyst for the Haber process and the sources of the raw materials?

	catalyst	source of hydrogen	source of nitrogen
Α	iron	electrolysis	fertiliser
В	iron	methane	air
С	vanadium pentoxide	methane	air
D	vanadium pentoxide	methane	fertiliser

32 Petrol burns in a car engine to produce waste gases which leave through the car exhaust.

One of these waste gases is an oxide of nitrogen.

Which statement describes how this oxide of nitrogen is formed?

- A Carbon dioxide reacts with nitrogen in the catalytic converter.
- **B** Nitrogen reacts with oxygen in the car engine.
- **C** Nitrogen reacts with oxygen in the catalytic converter.
- **D** Petrol combines with nitrogen in the car engine.
- **33** Which statement about sulfuric acid is correct?
  - A It is made by the Haber process.
  - **B** It is made in the atmosphere by the action of lightning.
  - **C** It reacts with ammonia to produce a fertiliser.
  - **D** It reacts with copper metal to produce hydrogen gas.
- **34** Two equations are shown.

reaction 1  $CaCO_3 \rightarrow CaO + CO_2$ 

reaction 2 CaO +  $H_2O \rightarrow Ca(OH)_2$ 

Which terms describe reactions 1 and 2?

	reaction 1	reaction 2
Α	reduction	hydration
в	reduction	hydrolysis
С	thermal decomposition	hydration
D	thermal decomposition	hydrolysis

**35** Fuel oil, gasoline, kerosene and naphtha are four fractions obtained from the fractional distillation of petroleum.

What is the order of the boiling points of these fractions?

	highest boiling point $ ightarrow$ lowest boiling point
Α	fuel oil $\rightarrow$ kerosene $\rightarrow$ gasoline $\rightarrow$ naphtha
В	fuel oil $\rightarrow$ kerosene $\rightarrow$ naphtha $\rightarrow$ gasoline
С	gasoline $\rightarrow$ naphtha $\rightarrow$ kerosene $\rightarrow$ fuel oil
D	naphtha $\rightarrow$ gasoline $\rightarrow$ kerosene $\rightarrow$ fuel oil

**36** Butane and methylpropane are isomers with molecular formula  $C_4H_{10}$ .

Which statements are correct?

- 1 They have similar chemical properties.
- 2 They have the same general formula.
- 3 They have the same structural formula.

Α	1, 2 and 3	В	1 and 2 only	С	1 and 3 only	D	2 and 3 only
---	------------	---	--------------	---	--------------	---	--------------

**37** The diagram shows part of the molecule of a polymer.



Which diagram shows the monomer from which this polymer could be manufactured?



**38** Ethanol can be produced by fermentation or by the catalytic addition of steam to ethene.

Which row shows an advantage and a disadvantage for each process?

	fermer	ntation	catalytic of steam	addition to ethene
	advantage	disadvantage	advantage	disadvantage
Α	batch	slow	continuous	fast
	process	reaction	process	reaction
В	fast	continuous	pure ethanol	renewable
	reaction	process	formed	raw material
С	renewable	batch	pure ethanol	slow
	raw material	process	formed	reaction
D	renewable	impure ethanol	fast	finite raw
	raw material	formed	reaction	material

**39** The structure of an ester is shown.



Which alcohol and carboxylic acid produce this ester?

	alcohol	carboxylic acid
Α	ethanol	ethanoic acid
В	ethanol	propanoic acid
С	propanol	ethanoic acid
D	propanol	propanoic acid

- 40 How can the amino acids in a protein be separated and identified?
  - **A** Add a locating agent to the protein.
  - **B** Hydrolyse the protein and then use chromatography.
  - **C** Polymerise the protein and then add a locating agent.
  - **D** Use chromatography on a solution of the protein.

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

		2	He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	Кr	krypton	84	54	Xe	xenon 131	86	Rn	radon	1				
					6	LL	fluorine 19	17	Cl	chlorine 35.5	35	Ъ	bromine	80	53	_	iodine 127	85	At	astatine	1				
5	->				8	0	oxygen 16	16	ი	sulfur 32	34	Se	selenium	67	52	Te	tellurium 128	84	Ро	polonium	I	116	2	livermorium	I
>	>				7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic	٩/	51	Sb	antimony 122	83	Bi	bismuth	209				
2	>				9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium	/3	50	Sn	tin 119	82	Pb	lead	207	114	Fl	flerovium	I
=	≡				5	Ш	boron 11	13	Αl	aluminium 27	31	Ga	gallium	0	49	Ч	indium 115	81	11	thallium	204				
											30	Zn	zinc	çg	48	Сd С	cadmium 112	80	Hg	mercury	201	112	C	copernicium	I
											29	Cu	copper	64	47	Ag	silver 108	79	Au	gold	197	111	Rg	roentgenium	I
dno											28	ïZ	nickel	AC	46	Pd	palladium 106	78	Ţ	platinum	195	110	Ds	darmstadtium	I
Gro											27	ပိ	cobalt	AC	45	Rh	rhodium 103	77	L	iridium	192	109	Mt	meitnerium	I
		<del>.    </del>	т	hydrogen 1							26	Fe	iron	90	44	Ru	ruthenium 101	76	SO	osmium	190	108	Hs	hassium	I
					-						25	Mn	manganese	çç	43	ц	technetium -	75	Re	rhenium	186	107	Bh	bohrium	I
						bol	ass				24	ŗ	chromium	7.9	42	Мо	molybdenum 96	74	$\geq$	tungsten	184	106	Sg	seaborgium	I
				Key	atomic number	mic sym	name ative atomic ma				23	>	vanadium	51	41	qN	niobium 93	73	Ъ	tantalum	181	105	Db	dubnium	I
						ato	rela				22	Ħ	titanium	48	40	Zr	zirconium 91	72	Ŧ	hafnium	178	104	Ъf	rutherfordium	I
											21	လိ	scandium	45	39	≻	yttrium 89	57-71	lanthanoids			89-103	actinoids		
=	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium	40	38	ي ک	strontium 88	56	Ba	barium	137	88	Ra	radium	I
-	-				с	:	lithium 7	1	Na	sodium 23	19	¥	potassium	39	37	Rb	rubidium 85	55	Cs	caesium	133	87	Ļ	francium	1

	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
lanthanoids	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	D	Ч	л	Tm	γb	Lu
	lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium -	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
	89	06	91	92	93	94	95	96	97	98	66	100	101	102	103
actinoids	Ac	Th	Ра		ЧN	Pu	Am	Cm	剐	Ç	Es	Еm	Md	No	Ļ
	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrencium
	I	232	231	238	I	ļ	I	I	I	I	I	I	I	I	I

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).

PMT

0620/23/M/J/17

16