Cambridge IGCSE[™]

CHEMISTRY 0620/21

Paper 2 Multiple Choice (Extended)

May/June 2021

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)


INSTRUCTIONS

- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION


- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

1 A gas is released at point P in the apparatus shown.



Which gas turns the damp universal indicator paper red most quickly?

- A ammonia, NH₃
- **B** chlorine, Cl₂
- **C** hydrogen chloride, HCl
- **D** sulfur dioxide, SO₂
- **2** A mixture is separated using the apparatus shown.



What is the mixture?

- A aqueous copper(II) sulfate and aqueous sodium chloride
- **B** aqueous copper(II) sulfate and copper
- **C** copper and sulfur
- D ethanol and ethanoic acid
- 3 Which statement about paper chromatography is correct?
 - A A solvent is needed to dissolve the paper.
 - **B** Paper chromatography separates mixtures of solvents.
 - **C** The solvent should cover the baseline.
 - **D** The baseline should be drawn in pencil.

4 Element X has 7 protons.


Element Y has 8 more protons than X.


Which statement about element Y is correct?

- A Y has more electron shells than X.
- **B** Y has more electrons in its outer shell than X.
- **C** Y is in a different group of the Periodic Table from X.
- **D** Y is in the same period of the Periodic Table as X.
- **5** A covalent molecule Q contains only six shared electrons.

What is Q?

- A ammonia, NH₃
- **B** chlorine, Cl₂
- C methane, CH₄
- **D** water, H₂O
- **6** The arrangement of particles in each of two solids, S and T, are shown.






What are S and T?

| | S | Т |
|---|----------|-------------------|
| Α | diamond | silicon(IV) oxide |
| В | diamond | sodium chloride |
| С | graphite | silicon(IV) oxide |
| D | graphite | sodium chloride |

- 7 Which statement about metals is correct?
 - A Metals conduct electricity when molten because negative ions are free to move.
 - **B** Metals conduct electricity when solid because positive ions are free to move.
 - C Metals are malleable because the bonds between the atoms are weak.
 - **D** Metals are malleable because the layers of ions can slide over each other.
- 8 Two elements, P and Q, are in the same period of the Periodic Table.

P and Q react together to form an ionic compound. Part of the lattice of this compound is shown.



Which statement is correct?

- A An ion of P has more electrons than an ion of Q.
- **B** Element P is non-metallic.
- **C** P is to the left of Q in the Periodic Table.
- **D** The formula of the compound is P_4Q_4 .
- **9** 2.56 g of a metal oxide, MO₂, is reduced to 1.92 g of the metal, M.

What is the relative atomic mass of M?

- **A** 48
- **B** 96
- **C** 128
- **D** 192
- 10 In separate experiments, electricity was passed through concentrated aqueous sodium chloride and molten lead(II) bromide.

What would happen in **both** experiments?

- **A** A halogen would be formed at the anode.
- **B** A metal would be formed at the cathode.
- **C** Hydrogen would be formed at the anode.
- **D** Hydrogen would be formed at the cathode.

11 What is the ionic half-equation for the reaction that occurs at the cathode when molten lead(II) bromide is electrolysed?

A
$$Pb^{2+} + 2e^{-} \rightarrow Pb$$

$$\mathbf{B} \quad 2\mathrm{Br}^{-} \rightarrow \mathrm{Br}_{2} + 2\mathrm{e}^{-}$$

$$\mathbf{C} \quad \mathsf{Br}_2 \, + \, 2\mathsf{e}^- \, \rightarrow \, 2\mathsf{Br}^-$$

D Pb
$$\rightarrow$$
 Pb²⁺ + 2e⁻


12 The complete combustion of propane is exothermic.

progress of reaction

The equation for this reaction is shown.

$$C_3H_8 + 5O_2 \rightarrow 3CO_2 + 4H_2O$$

Which energy level diagram represents the complete combustion of propane?



progress of reaction

13 Which equation represents a reaction that takes place in a fuel cell?

$$A \quad C + O_2 \rightarrow CO_2$$

$$\textbf{B} \quad 2H_2 \, + \, O_2 \, \rightarrow \, 2H_2O$$

$$\textbf{C} \quad \text{CH}_4 \, + \, 2\text{O}_2 \, \rightarrow \, \text{CO}_2 \, + \, 2\text{H}_2\text{O}$$

D
$$C_3H_8 + 5O_2 \rightarrow 3CO_2 + 4H_2O$$

14 When sulfur is heated it undergoes a1..... change as it melts.

Further heating causes the sulfur to undergo a2..... change and form sulfur dioxide.

Which words complete gaps 1 and 2?

| | 1 | 2 |
|---|----------|----------|
| Α | chemical | chemical |
| В | chemical | physical |
| С | physical | chemical |
| D | physical | physical |

15 Four statements about the effect of increasing temperature on a reaction are shown.

- 1 The activation energy becomes lower.
- 2 The particles move faster.
- There are more collisions between reacting particles per second. 3
- 4 There are more collisions which have energy greater than the activation energy.

Which statements are correct?

16 An example of a redox reaction is shown.

$$Zn + Cu^{2+} \rightarrow Zn^{2+} + Cu$$

Which statement about the reaction is correct?

- A Zn is the oxidising agent and it oxidises Cu²⁺.
- **B** In is the oxidising agent and it reduces Cu²⁺.
- **C** In is the reducing agent and it oxidises Cu²⁺.
- **D** Zn is the reducing agent and it reduces Cu²⁺.
- 17 Which statement about a reaction in equilibrium is correct?
 - A Both the forward and the backward reactions are proceeding at the same rate.
 - **B** Neither the forward nor the backward reaction is proceeding.
 - **C** The amount of product present is no longer affected by changes in temperature or pressure.
 - **D** The amount of product present is only affected by a change in pressure.
- **18** Element X forms an oxide, XO, that neutralises sulfuric acid.

Which row describes X and XO?


| | element X | nature of oxide, XO |
|---|-----------|---------------------|
| Α | metal | acidic |
| В | metal | basic |
| С | non-metal | acidic |
| D | non-metal | basic |

19 Copper(II) sulfate is prepared by adding excess copper(II) oxide to warm dilute sulfuric acid.

Which purification methods are used to obtain pure solid copper(II) sulfate from the reaction mixture?

- 1 crystallisation
- 2 filtration
- 3 chromatography
- 4 distillation
- **A** 1 and 4 **B** 1 and 2 **C** 2 and 3 **D** 3 and 4

20 Some reactions of element M are shown.



What is element M?

- A carbon
- **B** iron
- C magnesium
- **D** sulfur

21 In which equation is the underlined reactant acting as a base?

A
$$CH_3COO^- + \underline{H_3O^+} \rightarrow CH_3COOH + H_2O$$

$$\textbf{B} \quad \underline{\text{NH}_4}^{\pm} \, + \, \text{OH}^{-} \, \rightarrow \, \text{NH}_3 \, + \, \text{H}_2\text{O}$$

$$\textbf{C} \quad \text{CO}_2 \ + \ 2\underline{\text{H}_2\text{O}} \ \rightarrow \ \text{H}_3\text{O}^+ \ + \ \text{HCO}_3^-$$

$$\mathbf{D} \quad \underline{\mathsf{H}^{\scriptscriptstyle{+}}} \, + \, \mathsf{OH}^{\scriptscriptstyle{-}} \, \rightarrow \, \mathsf{H}_2\mathsf{O}$$

22 Why is helium used to fill balloons?

- A Helium is monoatomic.
- **B** Helium is in Group VIII of the Periodic Table.
- C Helium has a full outer electron shell.
- **D** Helium is less dense than air.
- 23 Which elements in the table are transition elements?

| element | property |
|---------|---------------------------------|
| Е | forms E ³⁺ ions only |
| F | forms F⁺ and F²⁺ ions |
| G | forms only white salts |
| Н | used in catalytic converters |

A EandG B EandH C FandG D FandH

24 Element R forms a covalent compound R₂Si with silicon.

Which row describes R?

| | metallic or non-metallic character | group number in the Periodic Table |
|---|---------------------------------------|------------------------------------|
| Α | metallic | II |
| В | metallic | VI |
| С | non-metallic | II |
| D | non-metallic | VI |

- 25 Some properties of metal J are listed.
 - J does not react with cold water.
 - J reacts with dilute hydrochloric acid.
 - No reaction occurs when the oxide of J is heated with carbon.

What is J?

- A copper
- **B** iron
- **C** magnesium
- **D** sodium
- **26** Some metal nitrates and carbonates decompose when heated strongly.

Metal Q has a nitrate that decomposes to give a salt and a colourless gas only.

The carbonate of metal Q does not decompose when heated with a Bunsen burner.

What is metal Q?

- A calcium
- **B** copper
- C sodium
- **D** zinc

- 27 Which substances are used in the extraction of aluminium?
 - bauxite and cryolite
 - В bauxite and hematite
 - cryolite and zinc blende C
 - **D** hematite and zinc blende
- 28 Different types of steel alloys are manufactured by changing the percentage of carbon in the alloy.

The properties of four steel alloys are shown.

| alloy mixture | percentage of carbon in the alloy | strength of the alloy | hardness of the alloy |
|------------------|-----------------------------------|--------------------------|--------------------------|
| 1 | 0.00 to 0.20 | high | low |
| 2 | 0.21 to 0.30 | high | medium |
| 3 | 0.31 to 0.40 | medium | high |
| 4 | 0.41 to 1.50 | low | high |

What are the properties of the steel alloy containing 0.23% of carbon?

| | strength | hardness |
|---|----------|----------|
| Α | high | low |
| В | low | high |
| С | high | medium |
| D | medium | high |

29 Ammonia is made by reacting nitrogen with hydrogen in the Haber process.

The equation for the process is shown.

$$N_2 + 3H_2 \rightleftharpoons 2NH_3$$

Which changes in reaction conditions would produce a greater yield of ammonia?

- adding more iron catalyst 1
- 2 increasing the reaction pressure
- 3 increasing the particle size of the iron catalyst
- A 1 only
- **B** 2 only
- **C** 1 and 2 **D** 2 and 3

| 30 Which process removes carbon dioxide from the atmospl | nere? |
|----------------------------------------------------------|-------|
|----------------------------------------------------------|-------|

- A combustion of fossil fuels
- **B** fermentation
- C photosynthesis
- **D** respiration

31 Which catalyst is used in the Contact process?

- A calcium oxide
- **B** iron
- C manganese(II) oxide
- **D** vanadium(V) oxide

32 A white solid Z reacts with dilute hydrochloric acid to produce a gas.

The same gas is produced when compound Z is heated strongly.

What is Z?

- A calcium
- **B** calcium carbonate
- C calcium hydroxide
- D calcium oxide

33 What is the structure of butanoic acid?

- A CH₃CH₂CO₂H
- B CH₃CH₂CH₂CO₂H
- C CH₃CH₂CH₂CH₂CO₂H
- D CH₃CH₂CH₂CO₂CH₃

34 Compound Z contains carbon, hydrogen and oxygen.

Molecules of compound Z have four hydrogen atoms and two carbon atoms.

Compound Z can be made by oxidation of an alcohol.

What is compound Z?

- A ethene
- **B** ethanol
- C ethanoic acid
- D methyl methanoate
- 35 Which statement about homologous series and isomerism is correct?
 - A Butane and butene are structural isomers.
 - **B** Compounds in the same homologous series have the same general formula.
 - **C** Compounds in the same homologous series have the same molecular formula.
 - **D** Structural isomers have different molecular formulae.
- **36** Which statement about alkanes is correct?
 - **A** They burn in oxygen.
 - **B** They contain carbon, hydrogen and oxygen atoms.
 - C They contain double bonds.
 - **D** They contain ionic bonds.
- **37** What is an advantage of manufacturing ethanol by fermentation?
 - **A** The process is very fast.
 - **B** The ethanol requires no separation.
 - **C** The raw materials used are renewable.
 - **D** There are no other products formed.

38 P, Q, R and S are four organic compounds.

P is an unsaturated hydrocarbon.


Q burns but otherwise is unreactive.

R contains a C–C single bond and a C=C double bond.

S undergoes addition polymerisation.

Which compounds are alkenes?

- **A** P and R only **B** P, R and S **C** P, Q and S **D** Q, R and S
- **39** The structure of a synthetic polymer is shown.



The structure shows that it is a1...... It is formed by2...... polymerisation.

Which words complete gaps 1 and 2?

| | 1 | 2 |
|---|-----------|--------------|
| Α | polyamide | addition |
| В | polyamide | condensation |
| С | polyester | addition |
| D | polyester | condensation |

- **40** Which substance is a natural polymer?
 - A ethene
 - **B** Terylene
 - **C** nylon
 - **D** protein

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

| | = | | a) | Ę | _ | o) | E - | _ | _ | uc (| <i>~</i> | _ | ton 1 | | a) | n - | | _ | u _C | | | |
|-------|----------|---|----|---------------|---------------|--------------|------------------------------|----|----|------------------|----------|----|-----------------|----|----------|------------------|-------|-------------|-----------------|--------|-----------|--------------------|
| | = | 2 | Ĭ | helii 4 | 1 | Z | nec 7 | = | ⋖ | arg 4(| 36 | | kryp 8 | 25 | × | xenon 131 | 86 | ~ | rade | | | |
| | = | | | | 6 | Щ | fluorine 19 | 17 | Cl | chlorine 35.5 | 35 | ğ | bromine 80 | 53 | _ | iodine 127 | 85 | Ą | astatine - | | | |
| | 5 | | | | 80 | 0 | oxygen 16 | 16 | S | sulfur 32 | 34 | Se | selenium 79 | 52 | <u>e</u> | tellurium 128 | 84 | Ъ | molouium - | 116 | _ | livermorium – |
| | > | | | | 7 | z | nitrogen 14 | 15 | ۵ | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sp | antimony 122 | 83 | <u>.</u> | bismuth 209 | | | |
| | 2 | | | | 9 | O | carbon 12 | 14 | S | silicon 28 | 32 | Ge | germanium 73 | 50 | Sn | tin 119 | 82 | Pb | lead 207 | 114 | Εl | flerovium - |
| | = | | | | 2 | Δ | boron 11 | 13 | Αl | aluminium 27 | 31 | Ga | gallium 70 | 49 | 므 | indium 115 | 84 | 11 | thallium 204 | | | |
| | | | | | | | | | | | 30 | Zu | zinc 65 | 48 | ρ | cadmium 112 | 80 | Нg | mercury 201 | 112 | ű | copernicium - |
| | | | | | | | | | | | 29 | no | copper 64 | 47 | Ag | silver 108 | 79 | Αu | gold 197 | 111 | Rg | roentgenium - |
| dr | | | | | | | | | | | 28 | z | nickel 59 | 46 | Pq | palladium 106 | 78 | 莅 | platinum 195 | 110 | Ds | darmstadtium - |
| Group | | | | | | | | | | | 27 | ပိ | cobalt 59 | 45 | 뫈 | rhodium 103 | 77 | <u>-</u> | iridium 192 | 109 | ¥ | meitnerium - |
| | | - | I | hydrogen 1 | | | | | | | 26 | Fe | iron 56 | 44 | Ru | ruthenium 101 | 92 | SO | osmium 190 | 108 | Hs | hassium - |
| | | | | | J | | | | | | 25 | M | manganese 55 | 43 | ပ | technetium - | 75 | Re | rhenium 186 | 107 | Bh | bohrium — |
| | | | | | | Го | ø | | | | 24 | ပ် | chromium 52 | 42 | Мо | molybdenum 96 | 74 | > | tungsten 184 | 106 | Sg | seaborgium - |
| | | | | Key | atomic number | atomic symbo | name relative atomic mass | | | | 23 | > | vanadium 51 | 41 | g | niobium 93 | 73 | <u>a</u> | tantalum 181 | 105 | 90 | dubnium - |
| | | | | | atc | aton | relativ | | | | 22 | F | titanium 48 | 40 | Zr | zirconium 91 | 72 | 士 | hafnium 178 | 104 | ₩ | rutherfordium — |
| | | | | | | | | J | | | 21 | Sc | scandium 45 | 39 | > | yttrium 89 | 57-71 | lanthanoids | | 89–103 | actinoids | = |
| | = | | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | Š | strontium 88 | 56 | Ba | barium 137 | 88 | Ra | radium - |
| | _ | | | | 3 | :- | lithium 7 | 1 | Na | sodium 23 | 19 | × | potassium 39 | 37 | Rb | rubidium 85 | 55 | Cs | caesium 133 | 87 | Ŀ. | francium - |

| Lu Lu | lutetium 175 | 103 | ۲ | lawrencium | ı |
|--------------------|---------------------|-----|-----------|--------------|-----|
| ° 4 | ytterbium 173 | 102 | 9 | nobelium | I |
| e9 Tm | thulium 169 | 101 | Md | mendelevium | ı |
| ₈₈ П | erbium 167 | 100 | Fm | fermium | I |
| 67 Ho | holmium 165 | 66 | Es | einsteinium | I |
| °° 2 | dysprosium 163 | 86 | ర | californium | ı |
| 65 Tb | terbium 159 | 26 | 益 | berkelium | ı |
| 64 Gd | gadolinium 157 | 96 | Cm | curium | ı |
| e3 Eu | europium 152 | 98 | Am | americium | ı |
| Sm | samarium 150 | 94 | Pu | plutonium | ı |
| Pm | promethium — | 93 | dN | neptunium | ı |
| °° P N | neodymium 144 | 92 | \supset | uranium | 238 |
| 59 | praseodymium 141 | 91 | Ра | protactinium | 231 |
| Çe 28 | cerium 140 | 06 | Ļ | thorium | 232 |
| 57 La | nthanum 139 | 68 | Ac | actinium | ı |

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm^3}$ at room temperature and pressure (r.t.p.).