Cambridge Assessment

Cambridge IGCSE[™]

CHEMISTRY

Paper 2 Multiple Choice (Extended)

0620/22 May/June 2021 45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)


INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

1 A gas is released at point P in the apparatus shown.



damp universal indicator paper

Which gas turns the damp universal indicator paper red most quickly?

- A ammonia, NH₃
- **B** chlorine, Cl_2
- **C** hydrogen chloride, HCl
- D sulfur dioxide, SO₂
- 2 A mixture of colourless compounds is separated using chromatography.

Which type of reagent is used to detect these compounds after separation?

- **A** a dehydrating agent
- **B** a locating agent
- **C** an oxidising agent
- D a reducing agent
- 3 Which statement about paper chromatography is correct?
 - **A** A solvent is needed to dissolve the paper.
 - **B** Paper chromatography separates mixtures of solvents.
 - **C** The solvent should cover the baseline.
 - **D** The baseline should be drawn in pencil.
- 4 Element X has 7 protons.

Element Y has 8 more protons than X.

Which statement about element Y is correct?

- **A** Y has more electron shells than X.
- **B** Y has more electrons in its outer shell than X.
- **C** Y is in a different group of the Periodic Table from X.
- **D** Y is in the same period of the Periodic Table as X.

5 A covalent molecule Q contains only six shared electrons.

What is Q?

- A ammonia, NH₃
- **B** chlorine, Cl_2
- **C** methane, CH₄
- **D** water, H₂O

6 Information about four substances E, F, G and H is shown.

	melting point/°C	electrical conductivity
Е	1710	does not conduct when solid
F	3500	conducts when solid
G	120	does not conduct
Н	801	conducts when molten

E, F, G and H are graphite, poly(ethene), sodium chloride and silicon(IV) oxide but not in that order.

What are E, F, G and H?

	E	F	G	Н
Α	graphite	poly(ethene)	silicon(IV) oxide	sodium chloride
в	sodium chloride	graphite	poly(ethene)	silicon(IV) oxide
С	poly(ethene)	sodium chloride	graphite	silicon(IV) oxide
D	silicon(IV) oxide	graphite	poly(ethene)	sodium chloride

7 Chemical compounds formed from a Group I element and a Group VII element contain ionic bonds.

How are the ionic bonds formed?

- **A** Electrons are transferred from Group VII atoms to Group I atoms.
- **B** Electrons are shared between Group I atoms and Group VII atoms.
- **C** Electrons are lost by Group I atoms and Group VII atoms.
- **D** Electrons are transferred from Group I atoms to Group VII atoms.

	nucleon number	number of neutrons	number of electrons
Р	12	6	6
Q	24	12	10
R	16	8	10
S	14	8	6

8 Some information about particles P, Q, R and S is shown.

Which two particles are isotopes of the same element?

A P and Q **B** P and S **C** Q and R **D** R and S

9 Chlorine gas will react with iron metal.

Exactly 21.3 g of chlorine reacts with 11.2 g of iron.

How many iron atoms react with 30 molecules of chlorine?

A 10 B	5 15	C 20	D 30
----------------------	------	-------------	-------------

10 In separate experiments, electricity was passed through concentrated aqueous sodium chloride and molten lead(II) bromide.

What would happen in **both** experiments?


- **A** A halogen would be formed at the anode.
- **B** A metal would be formed at the cathode.
- **C** Hydrogen would be formed at the anode.
- **D** Hydrogen would be formed at the cathode.
- **11** A reaction involving aluminium is shown.

 $xAl + yO_2 + 6H_2O \rightarrow xAl(OH)_3$

Which values of x and y balance the equation?

	х	у
Α	2	3
в	3	2
С	3	4
D	4	3

12 Four different fuels are used to heat a beaker of water, for the same amount of time, using the apparatus shown.



The initial temperature of the water and the temperature after heating by the fuel are recorded.

61

62

Which had been been been been been been been bee				
	initial temperature /°C	temperature after heating/°C		
Α	17	46		
в	24	52		

Which fuel releases the most heat energy?

26

30


С

D

13 An excess of calcium carbonate reacts with dilute hydrochloric acid. The volume of carbon dioxide produced is measured at regular time intervals. The results are shown as experiment 1.

The experiment is repeated with only **one** change to the reaction conditions.

The results are shown as experiment 2.



Which change is made in experiment 2?

- A The concentration of the acid is increased.
- **B** The volume of acid is increased.
- **C** The mass of calcium carbonate is increased.
- **D** The calcium carbonate is powdered.
- **14** When sulfur is heated it undergoes a1..... change as it melts.

Further heating causes the sulfur to undergo a2..... change and form sulfur dioxide.

Which words complete gaps 1 and 2?

	1	2	
Α	chemical	chemical	
B chemical		physical	
С	physical	chemical	
D physical		physical	

- **15** Four statements about the effect of increasing temperature on a reaction are shown.
 - 1 The activation energy becomes lower.
 - 2 The particles move faster.
 - 3 There are more collisions between reacting particles per second.
 - 4 There are more collisions which have energy greater than the activation energy.

Which statements are correct?

A 1, 2 and 3 **B** 1, 3 and 4 **C** 2, 3 and 4 **D** 2 and 3 only

16 An example of a redox reaction is shown.

$$Zn + Cu^{2+} \rightarrow Zn^{2+} + Cu$$

Which statement about the reaction is correct?

- **A** Zn is the oxidising agent and it oxidises Cu^{2+} .
- **B** Zn is the oxidising agent and it reduces Cu^{2+} .
- **C** Zn is the reducing agent and it oxidises Cu^{2+} .
- **D** Zn is the reducing agent and it reduces Cu^{2+} .
- **17** When bismuth(III) chloride, BiC l_3 , reacts with water, a white precipitate of bismuth(III) oxychloride, BiOCl, is formed. The equation for the reaction is shown.

 $BiCl_3(aq) + H_2O(I) \rightleftharpoons BiOCl(s) + 2H^+(aq) + 2Cl^-(aq)$

The reaction is in equilibrium.

Which changes cause the white precipitate to dissolve?

- 1 adding acid
- 2 adding water
- 3 adding sodium chloride solution

A 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3

18 Element X forms an oxide, XO, that neutralises sulfuric acid.

Which row describes X and XO?

	element X	nature of oxide, XO
Α	metal	acidic
В	metal	basic
С	non-metal	acidic
D	non-metal	basic

19 Information about the solubility of salts is shown.

salt solubility	
chlorides	soluble (except for lead(II) chloride and silver chloride)
nitrates	soluble
sulfates	soluble (except for barium sulfate and lead(II) sulfate)

Aqueous solutions of which two compounds would produce a precipitate when added together?

- **A** Ba(NO₃)₂ and CaC l_2
- B CuSO₄ and Zn(NO₃)₂
- **C** KCl and Na₂SO₄
- D Pb(NO₃)₂ and MgSO₄

20 The equation shows the reaction between hydrogen and oxygen.

2 H–H + O=O
$$\rightarrow$$
 2 H–O–H

The bond energies are shown.

	bond energy in kJ/mol
H–H	436
O=O	495
O–H	463

Which row shows the energy change and the type of reaction?

	energy change in kJ/mol	type of reaction
Α	441	exothermic
В	441	endothermic
С	485	exothermic
D	485	endothermic


21 Burning fossil fuels releases sulfur dioxide which leads to acid rain.

Which ion in the rain water causes it to be acidic?

	Α	H⁺	В	OH⁻	С	O ²⁻	D	SO4 ²⁻
--	---	----	---	-----	---	-----------------	---	-------------------

- **22** Which statement about the trends shown by the elements of Period 3 in the Periodic Table is **not** correct?
 - **A** The elements become less metallic across the period.
 - **B** The group number increases across the period.
 - **C** The number of electron shells increases across the period.
 - **D** The number of outer electrons increases across the period.

23 The diagram shows the positions of elements E, F, G and H in the Periodic Table.



Which statements about elements E, F, G and H are correct?

- 1 E has a higher density than F.
- 2 E has a higher melting point than F.
- 3 G has a darker colour than H.
- 4 G has a lower melting point than H.
- **A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4
- **24** When aqueous iodine is added to a solution of vanadium ions, V^{2+} , the V^{2+} ions each lose one electron.

Which property of transition elements is shown by this reaction?

- **A** Transition elements have variable oxidation states.
- **B** Transition elements form a stable 1+ ion.
- **C** Transition elements are oxidising agents.
- **D** Transition elements can act as catalysts.
- **25** A piece of aluminium is dropped into dilute hydrochloric acid.

No immediate reaction is observed.

Which statement explains this observation?

- A Aluminium does not neutralise acids.
- ${\bf B}$ Aluminium is a non-metal so does not react with acids.
- **C** Aluminium is below hydrogen in the reactivity series.
- **D** Aluminium is covered in an unreactive oxide layer.

26 Some metal nitrates and carbonates decompose when heated strongly.

Metal Q has a nitrate that decomposes to give a salt and a colourless gas only.

The carbonate of metal Q does not decompose when heated with a Bunsen burner.

What is metal Q?

- A calcium
- B copper
- C sodium
- D zinc
- 27 Aluminium is extracted from its ore by electrolysis.

Which equation represents the reaction that occurs at the anode during the electrolysis?

- **A** Al^{3+} + $3e^- \rightarrow Al$
- **B** $Al^{3+} \rightarrow Al + 3e^{-}$
- $\textbf{C} \quad 2\text{O}^{2-} \rightarrow \text{O}_2 + 4\text{e}^{-}$
- $\textbf{D} \quad 2\text{O}^{2\text{-}} \ \textbf{+} \ 2\text{e}^{\text{-}} \ \textbf{\rightarrow} \ \text{O}_2$
- **28** Mild steel consists mostly of iron. Mild steel can be prevented from rusting by a process called galvanising.

Copper is not a very strong metal, however if it is mixed with a suitable metal a strong alloy called brass is produced.

Which statement is correct?

- A Copper corrodes very quickly when wet and brass does not.
- **B** Copper is mixed with zinc to produce brass.
- **C** Galvanising mild steel changes it from a pure metal into an alloy.
- **D** When a steel object is galvanised this means it is coated with a thin layer of tin.
- **29** Water is used for the irrigation of crops and for drinking water.

For which uses must water be chlorinated?

	irrigation	drinking
Α	\checkmark	\checkmark
в	\checkmark	X
С	X	\checkmark
D	X	X

- **30** Which natural resource **cannot** provide a raw material for the manufacture of ammonia?
 - A air
 - **B** limestone
 - **C** petroleum
 - **D** water
- 31 Ammonia is made in the Haber process.

Which conditions are used in the Haber process?

	temperature /°C	pressure /atmospheres	catalyst used
Α	450	200	iron
в	450	5	vanadium (V) oxide
С	200	450	iron
D	200	5	vanadium (V) oxide

- **32** Which process in the carbon cycle is responsible for removing carbon dioxide from the atmosphere?
 - A combustion
 - B decomposition
 - **C** photosynthesis
 - **D** respiration
- 33 The equations represent two reactions, P and Q, of lime (calcium oxide).

 $\mathsf{P} \quad \mathsf{CaO} \ \textbf{+} \ \mathsf{SiO}_2 \ \rightarrow \ \mathsf{CaSiO}_3$


 $\mathsf{Q} \quad \mathsf{CaO} \ \textbf{+} \ \mathsf{SO}_2 \ \rightarrow \ \mathsf{CaSO}_3$

In which processes do the reactions occur?

	Р	Q
Α	extraction of iron	extraction of iron
в	extraction of iron	flue gas desulfurisation
С	flue gas desulfurisation	extraction of iron
D	flue gas desulfurisation	flue gas desulfurisation

- 34 Which statement about ethanol is not correct?
 - **A** Ethanol can be made by fermentation.
 - **B** Ethanol is oxidised to make ethanoic acid.
 - **C** Ethanol reacts with oxygen exothermically, making it a good fuel.
 - **D** Ethanol reacts with propanoic acid to make propyl ethanoate.
- 35 Which pair of formulae represents two alkanes?
 - A CH₄ and C₈H₁₈
 - $\textbf{B} \quad C_2H_6 \text{ and } C_5H_8$
 - C C_3H_6 and C_5H_{12}
 - $\boldsymbol{D} \quad C_{10}H_8 \text{ and } C_4H_8$
- 36 Which statement about alkanes is correct?
 - **A** They burn in oxygen.
 - **B** They contain carbon, hydrogen and oxygen atoms.
 - **C** They contain double bonds.
 - **D** They contain ionic bonds.
- 37 Which statements about ethanoic acid are correct?
 - 1 It is a strong acid.
 - 2 It reacts with ethanol to form an ester.
 - 3 It has the formula CH_3COOH .
 - **A** 1 and 2 only **B** 1 and 3 only **C** 2 and 3 only **D** 1, 2 and 3


38 The flow chart shows how petroleum may be turned into a plastic.



What are processes 1, 2 and 3?

	process 1	process 2	process 3
Α	cracking	fractional distillation	polymerisation
в	cracking	polymerisation	fractional distillation
С	fractional distillation	cracking	polymerisation
D	fractional distillation	polymerisation	cracking

39 The structure of a synthetic polymer is shown.



Which words complete gaps 1 and 2?

	1	2
Α	polyamide	addition
в	polyamide	condensation
С	polyester	addition
D	polyester	condensation

- 40 Which substance is a natural polymer?
 - A ethene
 - B Terylene
 - **C** nylon
 - D protein

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

		2	e	ium	+	0	e	on O	8	۲	argon 40	9	ſ	oton			D	non 31	9	L	ton				
>	•		I	hel											+							_			
5					•	ი	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ъ	bromine 8.0	200	3 -	_	iodine 127	85	At	astatine	I			
>						Ø	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 70	52	, F	ש	tellurium 128	84	Ро	polonium	I	116	۲	livermorium -
>					1	7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	с. г	, <u>c</u>	20	antimony 122	83	Ē	bismuth	209			
≥						9	ပ	carbon 12	14	S.	silicon 28	32	Ge	germanium 73	2.02	30	5	tin 119	82	Pb	lead	207	114	Fl	flerovium -
≡					ı	5	ш	boron 11	13	Al	aluminium 27	31	Ga	gallium 70	40	2 2	Ξ	indium 115	81	Τl	thallium	204			
												30	Zn	zinc	48	ר ר נ	D D	cadmium 112	80	Hg	mercury	201	112	Cu	copernicium -
												29	Cu	copper 6.4	47	~	Б¥ Г	silver 108	79	Au	gold	197	111	Rg	roentgenium -
Group												28	ïZ	nickel	46	ק ב		palladium 106	78	ħ	platinum	195	110	Ds	darmstadtium –
ŋ												27	ပိ	cobalt 50	45	2	Ē	nhodium 103	77	-	iridium	192	109	Mt	meitnerium -
		-	т	hydrogen 1	-							26	Fе	iron 56	44		n l	ruthenium 101	76	SO	osmium	190	108	Hs	hassium -
	-											25	Mn	manganese 55	43	° F	2	technetium -	75	Re	rhenium	186	107	Bh	bohrium I
							pol	sse				24	ŗ	chromium 50	40			molybdenum 96	74	≥	tungsten	184	106	Sg	seaborgium -
				Kev		atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	, AIN		niobium 93	73	Тa	tantalum	181	105	Db	dubnium –
							ato	rele				22	F	titanium 48	40	, L	Ī	zirconium 91	72	Ŧ	hafnium	178	104	Rf	rutherfordium -
					1							21	လိ	scandium 4.5	30	3 >	-	yttrium 89	57-71	lanthanoids			89-103	actinoids	
=	:					4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	88	ů ů	0	strontium 88	56	Ba	barium	137	88	Ra	radium –
_	•					ε		lithium 7	11	Na	sodium 23	19	×	potassium 30	37			rubidium 85	55	S	caesium	133	87	Fr	francium

16

	57	58	59		61	62	63	64	65	66	67	68	69	70	71
lanthanoids	La	Ce	Pr		Pm	Sm	Еu	Вd	Tb	D	Ч	ц Ш	Tm	Чb	Lu
	lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium –	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	Iutetium 175
	89	06	91		93	94	95	96	97	98	66	100	101	102	103
actinoids	Ac	Тh	Ра		dN	Pu	Am	Cm	贤	ç	Es	Е Ц	Md	No	Ļ
	actinium -	thorium 232	protactinium 231		neptunium -	plutonium –	americium -	curium I	berkelium -	californium -	einsteinium -	fermium -	mendelevium -	nobelium -	lawrencium -
			-												

Γ

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).

PMT