Cambridge Assessment

Cambridge IGCSE[™]

CHEMISTRY

Paper 2 Multiple Choice (Extended)

0620/22 May/June 2022 45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has 16 pages.

- 1 Which two gases will diffuse at the same rate, at the same temperature?
 - A carbon monoxide and carbon dioxide
 - **B** carbon monoxide and nitrogen
 - **C** chlorine and fluorine
 - D nitrogen and oxygen
- **2** A student measures the time taken for 2.0 g of magnesium to dissolve in $50 \, \text{cm}^3$ of dilute sulfuric acid.

Which apparatus is essential to complete the experiment?

- 1 stop-clock
- 2 measuring cylinder
- 3 thermometer
- 4 balance
- **A** 1, 2 and 4 **B** 1 and 2 only **C** 1 and 4 only **D** 2, 3 and 4
- **3** A chromatogram of a single substance T is shown.



4 X and Y are two different elements.

X and Y have the same number of nucleons.

Which statement about X and Y is correct?

- **A** They have the same physical properties.
- **B** Their atoms have the same number of electrons.
- **C** They are in different groups of the Periodic Table.
- **D** They have different relative masses.

5 The diagrams show the structures of three macromolecules P, Q and R.



What are P, Q and R?

	Р	Q	R
Α	diamond	silicon(IV) oxide	graphite
В	graphite	diamond	silicon(IV) oxide
С	silicon(IV) oxide	diamond	graphite
D	silicon(IV) oxide	graphite	diamond

6 Which dot-and-cross diagram shows the arrangement of outer shell electrons in a molecule of hydrogen chloride?



7 The equation for the reaction between barium chloride and dilute sulfuric acid is shown.

 $BaCl_2 + H_2SO_4 \rightarrow BaSO_4 + 2HCl$

Which row shows the state symbols for this equation?

	BaCl ₂	H_2SO_4	BaSO ₄	2HC <i>l</i>
Α	(aq)	(aq)	(s)	(aq)
В	(aq)	(I)	(s)	(aq)
С	(I)	(aq)	(s)	(I)
D	(aq)	(I)	(aq)	(I)

8 Methane and steam react in the presence of a catalyst.

$$CH_4(g) \ + \ H_2O(g) \ \to \ CO(g) \ + \ 3H_2(g)$$

0.5 mol of methane reacts completely with 0.5 mol of steam.

What is the volume of carbon monoxide and hydrogen produced, measured at room temperature and pressure?

volume of CO/dm ³		volume of H_2/dm^3	
Α	0.5	1.5	
в	1.0	3.0	
С	12.0	12.0	
D	12.0	36.0	

9 A compound of element X has the formula X_2O and a relative formula mass of 144.

What is element X?

- A copper, Cu
- B gadolinium, Gd
- **C** sulfur, S
- **D** tellurium, Te

10 The diagram shows the electrolysis of concentrated hydrochloric acid and concentrated aqueous sodium chloride using carbon electrodes.



- A electrode 1 only
- B electrodes 1 and 3
- **C** electrode 2 only
- D electrodes 2 and 4
- **11** The diagram shows the electrolysis of aqueous copper(II) sulfate using inert electrodes.

Which arrow shows the movement of electrons in the circuit?



12 Which row identifies a chemical change and a physical change?

	chemical change	physical change
Α	boiling ethanol	burning ethanol
в	burning ethanol	evaporating ethanol
С	dissolving ethanol in water	burning ethanol
D	evaporating ethanol	dissolving ethanol in water

- **13** Which statements explain why increasing the concentration of a reactant increases the rate of reaction?
 - 1 It increases the collision rate of particles.
 - 2 It lowers the activation energy.
 - 3 A greater proportion of the colliding molecules have the required activation energy.
 - 4 There are more particles per unit volume.
 - **A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4
- 14 When the colourless gas N_2O_4 is heated, it forms the brown gas NO_2 .

When the reaction mixture is cooled, the brown colour fades and turns back to colourless.

Which type of reaction is described by these observations?

- A decomposition
- B displacement
- **C** reduction
- D reversible
- **15** Water is added to anhydrous copper(II) sulfate.

What happens during the reaction?

- A The copper(II) sulfate turns blue and the solution formed gets colder.
- $\label{eq:bar} \textbf{B} \quad \text{The copper(II) sulfate turns blue and the solution formed gets hotter.}$
- **C** The copper(II) sulfate turns white and the solution formed gets colder.
- $\label{eq:D} \textbf{D} \quad \text{The copper(II) sulfate turns white and the solution formed gets hotter.}$

16 Which arrow on the energy level diagram shows the overall energy change for an endothermic reaction?





at the hydrogen electrode	$H_2 \rightarrow 2H^+ + 2e^-$
at the oxygen electrode	O_2 + $2H_2O$ + $4e^- \rightarrow 4OH^-$

The electrons that are lost at the hydrogen electrode travel through the external circuit to the oxygen electrode, where they are gained by the oxygen and water.

A hydrogen–oxygen fuel cell is operated for a period of time and four moles of oxygen molecules are consumed.

Which mass of hydrogen is consumed?

A 2.0g **B** 4.0g **C** 8.0g **D** 16.0g

18 The oxides of two elements, X and Y, are separately dissolved in water and the pH of each solution tested.

oxide tested	pH of solution
Х	1
Y	13

Which information about X and Y is correct?

	oxide is acidic	oxide is basic	metal	non-metal
Α	Х	Y	Х	Y
в	Х	Y	Y	Х
С	Y	Х	Х	Y
D	Y	Х	Y	Х

19 An acid is neutralised by adding an excess of an insoluble solid base.

A soluble salt is formed.

How is the pure salt obtained from the reaction mixture?

- $\textbf{A} \quad \text{crystallisation} \rightarrow \text{evaporation} \rightarrow \text{filtration}$
- $\textbf{B} \quad \text{evaporation} \rightarrow \text{crystallisation} \rightarrow \text{filtration}$
- $\textbf{C} \quad \text{filtration} \rightarrow \text{crystallisation} \rightarrow \text{evaporation}$
- $\textbf{D} \quad \text{filtration} \rightarrow \text{evaporation} \rightarrow \text{crystallisation}$
- **20** Substance J takes part in a redox reaction.

In the reaction, J gains electrons.

Which statement is correct?

- **A** J is the oxidising agent and it is oxidised in the reaction.
- **B** J is the oxidising agent and it is reduced in the reaction.
- **C** J is the reducing agent and it is oxidised in the reaction.
- $\label{eq:constraint} \textbf{D} \quad J \text{ is the reducing agent and it is reduced in the reaction.}$
- **21** Elements in Group IV of the Periodic Table are shown.

carbon

silicon

germanium

tin

lead

What does not occur in Group IV as it is descended?

- **A** The proton number of the elements increases.
- **B** The elements become more metallic.
- **C** The elements have more electrons in their outer shell.
- **D** The elements have more electron shells.

- 22 Which statement about acids is correct?
 - **A** Acids are proton acceptors.
 - **B** Acids transfer electrons to bases in aqueous solution.
 - **C** Hydrochloric acid reacts with ammonium hydroxide to produce ammonia.
 - **D** Ethanoic acid partially ionises in aqueous solution.
- 23 Which elements have both a high melting point and variable oxidation states?
 - A alkali metals
 - B transition elements
 - **C** halogens
 - D noble gases
- 24 Lithium, sodium and potassium are elements in Group I of the Periodic Table.Chlorine, bromine and iodine are elements in Group VII of the Periodic Table.

Which row identifies the **least** dense of these elements in each group?

	Group I	Group VII
Α	lithium	chlorine
В	lithium	iodine
С	potassium	chlorine
D	potassium	iodine

25 The reactions of metals P, Q, R and S are shown.

metal	reaction with water	reaction with hydrochloric acid	reduction of the metal oxide with carbon
Р	no reaction	no reaction	reduced
Q	slow	vigorous	no reaction
R	vigorous	vigorous	no reaction
S	very slow	vigorous	reduced

What is the order of reactivity of the metals?

	least reactive			most reactive
Α	Р	S	Q	R
В	Р	Q	S	R
С	R	S	Q	Р
D	R	Q	S	Р

26 The number of protons and the number of neutrons in the atoms of elements X, Y and Z are shown.

	number of protons	number of neutrons
х	6	6
Y	7	6
Z	8	10

Which statement about the elements is correct?

- **A** X and Y are isotopes of the same element.
- **B** Z forms an ion with a +2 charge.
- **C** X and Z react together to form an ionic compound.
- **D** X, Y and Z are non-metals.

27 Which diagram represents the arrangement of atoms in an alloy?



28 Three metal compounds, J, K and L, are heated using a Bunsen burner.

The results are shown.

- J colourless gas produced, which relights a glowing splint
- K colourless gas produced, which turns limewater milky
- L no reaction

Which row identifies J, K and L?

	J	К	L
Α	magnesium carbonate	potassium carbonate	potassium nitrate
в	magnesium carbonate	potassium nitrate	potassium carbonate
С	potassium nitrate	magnesium carbonate	potassium carbonate
D	potassium nitrate	potassium carbonate	magnesium carbonate

- **29** Processes involved in the extraction of zinc are listed.
 - 1 Heat zinc oxide with carbon.
 - 2 Condense zinc vapour.
 - 3 Vaporise the zinc.
 - 4 Roast zinc ore in air.

In which order are the processes carried out?

- $\textbf{A} \quad 1 \rightarrow 2 \rightarrow 3 \rightarrow 4$
- $\textbf{B} \quad 4 \rightarrow 3 \rightarrow 1 \rightarrow 2$
- $\textbf{C} \quad 4 \rightarrow 1 \rightarrow 3 \rightarrow 2$
- $\textbf{D} \quad 1 \rightarrow 4 \rightarrow 3 \rightarrow 2$

- 30 Which process uses sacrificial protection to prevent steel from rusting?
 - A galvanising
 - **B** oiling
 - C copper plating
 - **D** painting
- **31** Fertilisers are used to provide three of the elements needed for plant growth.

Which two compounds would give a fertiliser containing all three of these elements?

- $\textbf{A} \quad Ca(NO_3)_2 \text{ and } (NH_4)_2SO_4$
- **B** $Ca(NO_3)_2$ and $(NH_4)_3PO_4$
- C KNO₃ and (NH₄)₂SO₄
- D KNO₃ and (NH₄)₃PO₄
- 32 Which processes produce carbon dioxide?
 - 1 respiration
 - 2 photosynthesis
 - 3 fermentation
 - 4 combustion of hydrogen
 - A 1 and 3 B 1 and 4 C 2 and 3 D 2 and 4
- 33 Which reaction in the Contact process requires the use of a catalyst?
 - $\textbf{A} \quad \textbf{S} \ \textbf{+} \ \textbf{O}_2 \ \rightarrow \ \textbf{SO}_2$
 - $\textbf{B} \quad 2SO_2 \ \textbf{+} \ O_2 \ \rightarrow \ 2SO_3$
 - $\label{eq:constraint} \textbf{C} \quad SO_3 \ \textbf{+} \ H_2SO_4 \ \rightarrow \ H_2S_2O_7$
 - $\label{eq:massessed} \begin{array}{ccc} \textbf{D} & H_2S_2O_7 \ \textbf{+} \ H_2O \ \rightarrow \ 2H_2SO_4 \end{array}$
- 34 What are the products when limestone (calcium carbonate) is heated strongly?
 - A calcium hydroxide and carbon dioxide
 - **B** calcium hydroxide and carbon monoxide
 - C calcium oxide and carbon dioxide
 - D calcium oxide and carbon monoxide

35 The structure of ester W is shown.



Which row gives the names of ester W and the carboxylic acid and alcohol from which it is made?

	name of ester W	carboxylic acid	alcohol
Α	ethyl methanoate	ethanoic acid	methanol
В	ethyl methanoate	methanoic acid	ethanol
С	methyl ethanoate	ethanoic acid	methanol
D	methyl ethanoate	methanoic acid	ethanol

36 Ethene reacts with substance X to form ethanol.

What is X?

- A ethanoic acid
- B glucose
- C hydrogen
- D steam
- **37** Alkenes can be produced by cracking large hydrocarbon molecules to form smaller hydrocarbon molecules.

Which equations represent possible reactions when tetradecane, $C_{14}H_{30}$, is cracked?

$$1 \quad C_{14}H_{30} \rightarrow C_{2}H_{6} + C_{3}H_{6} + C_{4}H_{8} + C_{5}H_{10}$$

- $2 \quad C_{14}H_{30} \ \rightarrow \ H_2 \ + \ C_2H_4 \ + \ C_3H_6 \ + \ C_4H_8 \ + \ C_5H_{10}$
- $3 \quad C_{14}H_{30} \ \rightarrow \ C_{2}H_{6} \ + \ 4C_{3}H_{6}$

$$4 \quad C_{14}H_{30} \rightarrow C_2H_6 + C_3H_8 + C_9H_{18}$$

A 1 only **B** 1 and 4 **C** 1, 2 and 3 **D** 3 and 4

38 The structures of some hydrocarbons are shown.



Which statement about the hydrocarbons is correct?

- **A** 1 and 2 have a different general formula.
- **B** 1 and 4 are in different homologous series.
- **C** 2 and 3 are structural isomers.
- **D** 3 and 4 have the same empirical formula.
- **39** Ethane reacts with chlorine in the presence of ultraviolet light.

Which substances are produced in the reaction?



40 Which polymer structure has the same linkages as *Terylene*?







В



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	≡	~:	Ð	un t	0	Ð	on O	8	Ļ	10U	9	Ŀ	oton	4	4	e	nor 12	9	c	lon .				
	>		I	hel	<u> </u>	Z	Ñ g	~	<	arç 4	ς,	×	kryf	Ω	5	×	Xer 16	80	R	rac				
	II>				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ъ	bromine	80	53	_	iodine 127	85	At	astatine 				
	N				ø	0	oxygen 16	16	თ	sulfur 32	34	Se	selenium	67	52	Te	tellurium 128	84	Ро	polonium –	116	L<	livermorium 	I
	>				7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic	<i>۹</i> /	51	Sb	antimony 122	83	Bi	bismuth 209	2			
	\geq				9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium	/3	50	Sn	tin 119	82	Pb	lead 207	114	F۱	flerovium -	I
					5	Ш	boron 11	13	Αl	aluminium 27	31	Ga	gallium ⊐0	0/	49	L	indium 115	81	11	thallium 204	-			
											30	Zn	zinc	ça	48	рС	cadmium 112	80	Hg	mercury 201	112	Cn	copernicium -	1
											29	Cu	copper	64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium	1
dn											28	ïZ	nickel	60	46	Pd	palladium 106	78	Ţ	platinum 195	110	Ds	darmstadtium 	-
Gro											27	ပိ	cobalt	60	45	Rh	rhodium 103	77	L	iridium 192	109	Mt	meitnerium -	-
		-	т	hydrogen 1							26	Fе	iron	90	44	Ru	ruthenium 101	76	SO	osmium 190	108	Hs	hassium 	I
					1						25	Mn	manganese	çç	43	Ц	technetium -	75	Re	rhenium 186	107	Bh	bohrium _	1
						loc	ISS				24	ŗ	chromium	79	42	Mo	molybdenum 96	74	\geq	tungsten 184	106	Sg	seaborgium	1
				Key	atomic number	mic syml	name tive atomic ma				23	>	vanadium	51	41	qN	niobium 93	73	Та	tantalum 181	105	Db	dubnium 	1
					0	ato	rela				22	F	titanium	48	40	Zr	zirconium 91	72	Ŧ	hafnium 178	104	Rf	rutherfordium 	-
											21	လိ	scandium	G 1	39	≻	yttrium 89	57-71	lanthanoids		89-103	actinoids		_
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium	40	38	ي ک	strontium 88	56	Ba	barium 137	88	Ra	radium 	-
	_				ю	:	lithium 7	11	Na	sodium 23	19	¥	potassium	39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ļ	francium -	1

	57	58	59	60	61	62	63	64	65	66	67	
lanthanoids	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	D	РH	
	lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium -	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	
	89	06	91	92	93	94	95	96	97	98	66	
actinoids	Ac	ЧL	Ра		Np	Pu	Am	Cm	凝	Ç	Es	
	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	
	I	232	231	238	I	I	I	I	I	I	I	
-												
The volume of one			in 0.4 dm3	+ 0001 +0	1000000		<i>.,</i> 0., 1000.	(~ +				
		aliy yas	12 Z4 UIII 2	מרוחטווור	einperatu	ווב מווח חו	avoure (I	p).				

Lu Iutetium 175 103 **Lr** Iawrencium

Ytterbium 173 102 No Poleium

Tm thulium 169 101 Md mendelevium

Er 167 167 100 Fm -

PMT