Cambridge IGCSE[™]

CHEMISTRY 0620/21

Paper 2 Multiple Choice (Extended)

May/June 2023

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

1 The diagram shows the result of dropping a purple crystal into water.



Which processes take place in this experiment?

| | chemical reaction | diffusing | dissolving |
|---|-------------------|-----------|------------|
| Α | ✓ | ✓ | X |
| В | ✓ | X | X |
| С | X | X | ✓ |
| D | X | ✓ | ✓ |

2 Which row about elements, mixtures and compounds is correct?

| | metallic element | non-metallic element | mixture | compound |
|---|---------------------|-------------------------|---------|----------|
| Α | copper | methane | brass | sulfur |
| В | brass | sulfur | copper | methane |
| С | copper | sulfur | brass | methane |
| D | brass | methane | copper | sulfur |

3 The atomic structures of four particles, W, X, Y and Z, are shown.

| | electrons | neutrons | protons |
|---|-----------|----------|---------|
| W | 2 | 2 | 2 |
| Х | 2 | 2 | 3 |
| Υ | 2 | 3 | 2 |
| Z | 3 | 2 | 3 |

Which particles are isotopes of the same element?

- **A** W and X
- **B** W and Y
- C X and Y
- **D** X and Z

| 4 | Whic | ch statement expla | ins why isotop | es of th | ne same el | ement ha | ive the s | ame chem | ical properties? |
|---|-------|------------------------------------|-------------------------------|--------------------|----------------------|------------------------|-----------------|-------------------------|------------------|
| | Α - | They have the san | ne number of o | outer sh | nell electro | ns. | | | |
| | В | They have the san | ne number of i | neutron | s. | | | | |
| | C | They have differen | t numbers of p | orotons | | | | | |
| | D | They have differer | t mass numbe | ers. | | | | | |
| 5 | Nitro | gen forms a nitride | e ion with the f | ormula | N ³⁻ . | | | | |
| | Whic | ch particle does no | t have the sar | ne elec | tronic con | figuration | as the r | nitride ion? | |
| | Α / | A <i>l</i> ³⁺ B | Cl ⁻ | С | Na⁺ | D | O ²⁻ | | |
| _ | | | | | | | | | |
| 6 | Whic | ch row describes th | ne formation o | single | covalent b | onds in r | nethane | ? | |
| | Α | atoms share | a pair of elect | rons | nobl | both atc | • | | |
| | В | atoms share | a pair of elect | ons | | · · | | ne number | |
| | | atomo onaro | a pair or cloor | 0110 | | ectrons in | | | |
| | С | electrons are t | ransferred fror to another | n one | nobl | both atc e gas ele | | | |
| | D | electrons are t atom | ransferred fror to another | n one | | oms have ectrons in | | ne number Iter shell | |
| | | | | | | | | | |
| 7 | Whic | ch formula is an en | npirical formula | ₹? | | | | | |
| | Α (| C ₂ H ₄ O | | | | | | | |
| | | $C_4H_8O_2$ | | | | | | | |
| | | C ₃ H ₇ COOH | | | | | | | |
| | D (| CH₃CH₂CH₂COOH | ł | | | | | | |
| 8 | Heat | ing iron sulfide, Fe | eS ₂ , in air prod | uces sı | ulfur dioxid | le. | | | |
| | | | 4FeS ₂ + | · 11O ₂ | → 2Fe ₂ C |) ₃ + 8SC |)2 | | |
| | Wha | t is the maximum i | mass of sulfur | dioxide | produced | from 120 | kg of ire | on sulfide? | |
| | A | 64 ka B | 128 ka | С | 240 ka | D | 512 kg | ני | |

- 9 Which substance produces hydrogen and bromine when electrolysed?
 - A concentrated aqueous copper(II) bromide
 - B concentrated aqueous sodium bromide
 - C dilute aqueous potassium bromide
 - D molten lead(II) bromide
- 10 Which statements about hydrogen fuel cells are correct?
 - 1 Water is formed as the only waste product.
 - 2 Both water and carbon dioxide are formed as waste products.
 - 3 The overall reaction is $2H_2 + O_2 \rightarrow 2H_2O$.
 - 4 The overall reaction is endothermic.
 - **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4
- 11 Ethene gas, C₂H₄, is completely burned in excess oxygen to form carbon dioxide and water.

The equation for this exothermic reaction is shown.

$$C_2H_4 + 3O_2 \rightarrow 2CO_2 + 2H_2O$$

The table shows the bond energies involved in the reaction.

| bond | bond energy in kJ/mol |
|------|--------------------------|
| C=C | 614 |
| C–H | 413 |
| O=O | 495 |
| C=O | 799 |
| O–H | 467 |

What is the total energy change in this reaction?

- **A** -954 kJ/mol
- **B** -1010 kJ/mol
- C -1313 kJ/mol
- **D** -1369 kJ/mol

12 Which row describes the effect on the activation energy and the frequency of particle collisions when the temperature of a chemical reaction is increased?

| | activation energy | frequency of collisions |
|---|----------------------|----------------------------|
| Α | increases | increases |
| В | no change | increases |
| С | increases | no change |
| D | no change | no change |

13 Solid copper(II) sulfate exists in two different forms, anhydrous and hydrated.

One of these forms is blue and the other is white.

The change between these two forms is reversible.

blue form ← white form

What is the blue form and how is the change from the blue form to the white form brought about?

| | blue form | change to white form |
|---|-----------|-------------------------|
| Α | anhydrous | add water |
| В | anhydrous | heat |
| С | hydrated | add water |
| D | hydrated | heat |

14 Sodium ions, Na⁺, and oxygen ions, O²⁻, combine with chromium ions to form a salt.

The salt sodium dichromate has the formula Na₂Cr₂O₇.

What is the oxidation state of chromium in this salt?

A +2

B +3

C +6

D +12

15 The concentration of hydrogen ions in 100 cm³ of 0.1 mol/dm³ hydrochloric acid is higher than the concentration of hydrogen ions in 100 cm³ of 0.1 mol/dm³ ethanoic acid.

Which statement explains the difference in hydrogen ion concentration?

- A Ethanoic acid is an organic acid.
- **B** Ethanoic acid has a lower pH than hydrochloric acid.
- **C** Ethanoic acid is partially dissociated.
- **D** Ethanoic acid is a strong acid.

16 Which oxide is classified as an amphoteric oxide?

A aluminium oxide

C copper(II) oxide

D nitrogen oxide

B calcium oxide

| 17 | Wh | ich meth | od prod | uces | the salt c | opper(II) | carbonate? | | | |
|-----|------|--|----------|-------|-------------|--------------|----------------|-----------|--------|--------------------------------|
| | Α | Add copper(II) oxide to water, then add excess aqueous sodium carbonate. Filter off the precipitate. | | | | | | | | |
| | В | Add co Filter of | | | | e sulfurio | acid, then | add exc | ess | aqueous sodium carbonate. |
| | С | Add coprecipita | | dilut | e hydroch | nloric acio | l, then add | aqueous | sod | lium carbonate. Filter off the |
| | D | Add cor | oper(II) | oxid | e to exces | s aqueou | s sodium ca | rbonate. | Filte | er off the precipitate. |
| 18 | Wh | ich state | ments a | bout | the trend | s across a | a period of th | ne Period | dic Ta | able are correct? |
| | | 1 | Alumin | ium | is more m | etallic tha | ın sodium. | | | |
| | | 2 | Berylliu | um is | s more me | tallic than | carbon. | | | |
| | | 3 | Boron | is m | ore metall | ic than lith | nium. | | | |
| | | 4 | Magne | siun | n is more r | metallic th | an silicon. | | | |
| | Α | 1 and 2 | | В | 1 and 3 | С | 2 and 4 | D | 3 a | and 4 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| © U | CLES | 2023 | | | | 062 | 20/21/M/J/23 | | | |

19 Some information about elements in Group II of the Periodic Table is shown.

| element | time taken to make 10 cm ³ of hydrogen gas when 1 g of metal is added to cold water | density in g/cm ³ | melting point/°C |
|-----------|--|------------------------------|---------------------|
| beryllium | no reaction | 1.85 | 1280 |
| magnesium | >300 seconds | 1.74 | 650 |
| calcium | 60 seconds | 1.54 | 850 |
| strontium | 30 seconds | 2.62 | 768 |
| barium | 10 seconds | 3.51 | 714 |

Which row shows the correct trends in reactivity, density and melting point of the elements going down Group II of the Periodic Table?

| | reactivity | density | melting point |
|---|----------------------|----------------------|----------------------|
| Α | decreases down group | increases down group | decreases down group |
| В | decreases down group | decreases down group | no clear trend |
| С | increases down group | no clear trend | increases down group |
| D | increases down group | no clear trend | no clear trend |

20 A new element oxfordium, Ox, was discovered with the following properties.

| solubility | electrical conduction | formula of element | bonding in a molecule of Ox ₂ |
|--------------------|-----------------------|-----------------------|--|
| insoluble in water | does not conduct | Ox ₂ | Ox≡Ox |


In which group of the Periodic Table should the new element be placed?

- A Group III
- B Group V
- C Group VII
- **D** Group VIII

21 Which row describes a similarity and a difference between chlorine and bromine?

| | similarity | difference |
|---|--|--|
| Α | both are gases at room temperature and pressure | chlorine and bromine have different colours |
| В | both exist as diatomic molecules | chlorine is more dense than bromine |
| С | both have atoms with seven outer-shell electrons | only bromine will react with aqueous sodium chloride |
| D | both react with aqueous potassium iodide | chlorine is more reactive than bromine |

- 22 Which statement describes transition elements?
 - A They have high densities and high melting points.
 - **B** They have high densities and low melting points.
 - **C** They have low densities and high melting points.
 - **D** They have low densities and low melting points.
- 23 Which gas is made when powdered zinc is added to dilute hydrochloric acid?
 - A carbon dioxide
 - **B** chlorine
 - C hydrogen
 - **D** oxygen
- **24** The diagram represents the structure of a solid.



Which solids does the diagram represent?

| | brass | graphite | sodium chloride |
|---|-------|----------|-----------------|
| Α | ✓ | ✓ | x |
| В | ✓ | X | x |
| С | X | ✓ | ✓ |
| D | X | X | ✓ |

25 Steel is an alloy of iron.

Which statement explains why steel is stronger than iron?

- A Steel contains carbon which is a very hard substance.
- **B** The carbon atoms in steel bond together very strongly.
- **C** The carbon atoms in steel make the iron atoms bond together very strongly.
- **D** The carbon atoms prevent layers of iron atoms from sliding over each other.
- 26 Three students, X, Y and Z, are told that solid P reacts with dilute acids and also conducts electricity.

The table shows the students' suggestions about the identity of P.

| X | Υ | Z |
|--------|------|----------|
| copper | iron | graphite |

Which students are correct?

- A X, Y and Z
- **B** X only
- **C** Y only
- **D** Z only
- 27 Which statement explains why aluminium appears to be unreactive?
 - A It is coated in an oxide layer.
 - **B** It has a low density.
 - **C** It is low in the reactivity series.
 - **D** It is solid at room temperature.
- **28** During the electrolysis of aluminium oxide, the mass of the carbon anode changes.

Which row describes the change and gives a reason for this change?

| | mass change of the anode | reason |
|---|-----------------------------|---|
| Α | decreases | carbon reacts to form carbon dioxide |
| В | decreases | carbon dissolves in molten cryolite |
| С | increases | electrodes become coated with cryolite |
| D | increases | electrodes become coated with aluminium |

29 Several processes are used to treat domestic water.

Which row identifies a reason for the given process?

| | process | reason |
|---|---------------|--------------------------|
| Α | chlorination | removes impurities |
| В | filtration | removes insoluble solids |
| С | sedimentation | removes soluble solids |
| D | use of carbon | kills bacteria |

30 What is the equation for photosynthesis?

A
$$CO_2 + 3H_2 \rightarrow CH_3OH + H_2O$$

B
$$6CO_2 + 6H_2O \rightarrow C_6H_{12}O_6 + 6O_2$$

$$\textbf{C} \quad C_6H_{12}O_6 \, \rightarrow \, 2C_2H_5OH \, + \, 2CO_2$$

$$\label{eq:D} \textbf{D} \quad C_6 H_{12} O_6 \ + \ 6 O_2 \ \to \ 6 C O_2 \ + \ 6 H_2 O$$

- 31 Which statement describes how the C–H bonds in methane gas in the atmosphere contribute to global warming?
 - A They absorb thermal energy from the Sun and emit some of this energy into space.
 - **B** They absorb thermal energy from the Sun and emit all of this energy towards the Earth.
 - **C** They absorb thermal energy from the Earth and emit all of this energy towards the Earth.
 - **D** They absorb thermal energy from the Earth and emit some of this energy towards the Earth.
- **32** The structural formulae of two hydrocarbons are shown.

Which statement about the hydrocarbons is correct?


- **A** They are both alkenes.
- **B** They decolourise aqueous bromine.
- **C** They are structural isomers.
- **D** They undergo addition reactions.

33 The structural formula of compound Q is given.


What is compound Q?

- A butyl butanoate
- **B** butyl propanoate
- C propyl butanoate
- **D** propyl propanoate
- **34** The fractional distillation of petroleum is shown.

Which fraction contains hydrocarbons with the longest chain length?



- 35 Which equation represents the cracking of an alkane?
 - $\textbf{A} \quad 3C_2H_4 \,\rightarrow\, C_6H_{12}$
 - **B** $C_6H_{12} + H_2 \rightarrow C_6H_{14}$
 - **C** $C_6H_{14} \rightarrow 6C + 7H_2$
 - **D** $C_6H_{14} \rightarrow C_2H_4 + C_4H_{10}$
- 36 What is the structure of the product of the reaction of propene with bromine?



4


37 In reaction R, 2000 molecules of CH₂=CH₂ react to form a single molecule X only.

2000
$$CH_2=CH_2 \rightarrow X$$

Which terms describe reaction R, CH₂=CH₂ and X?

| | reaction R | CH ₂ =CH ₂ | Х |
|---|--------------|----------------------------------|---------|
| Α | addition | monomer | polymer |
| В | addition | polymer | monomer |
| С | substitution | monomer | polymer |
| D | substitution | polymer | monomer |

38 Part of the structure of a polymer is shown.




Which statements about the polymer are correct?

- 1 The polymer is nylon.
- 2 The polymer is formed by condensation polymerisation.
- 3 There are ester linkages between the monomers.
- A 1 and 2
- **B** 2 and 3
- C 2 only
- **D** 3 only

PMT

39 The concentration of acids and alkalis can be determined by titration.

Which pieces of equipment are needed to perform a titration?



A 1 and 2


B 1 and 3

C 2 and 3

D 2 and 4

© UCLES 2023

40 Which chromatogram shows how the $R_{\rm f}$ value of a substance is calculated?



14

BLANK PAGE

15

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

| | = | a | Ē | _ | a) | 5 ~ | _ | _ | E . | ,, | _ | uo: | | a) | - S | | _ | E. | 8 | C | sson |
|-------|----------|------|---------------|---------------|--------------|------------------------------|----|----|------------------|----|----|-----------------|----|----------|------------------|-------|-------------|-----------------|--------|-----------|-------------------|
| | | He F | helir. | 10 | ž | nec 20 | 18 | ⋖ | argc 4C | 36 | | krypt 84 | 54 | × | xen. | 86 | <u>~</u> | rade | 11, | Ő | ogane. |
| | = | | | 6 | ட | fluorine 19 | 17 | Cl | chlorine 35.5 | 35 | ğ | bromine 80 | 53 | - | iodine 127 | 85 | Αt | astatine - | 117 | <u>S</u> | tennessine - |
| | > | | | 8 | 0 | oxygen 16 | 16 | ഗ | sulfur 32 | 34 | Se | selenium 79 | 52 | <u>e</u> | tellurium 128 | 84 | Ъ | polonium | 116 | _ | livermorium - |
| | > | | | 7 | Z | nitrogen 14 | 15 | ۵ | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sb | antimony 122 | 83 | :E | bismuth 209 | 115 | Mc | moscovium |
| | ≥ | | | 9 | ပ | carbon 12 | 14 | S | silicon 28 | 32 | Ge | germanium 73 | 50 | Sn | tin 119 | 82 | Pb | lead 207 | 114 | Εl | flerovium |
| | ≡ | | | 2 | Δ | boron 11 | 13 | Αl | aluminium 27 | 31 | Ga | gallium 70 | 49 | 드 | indium 115 | 81 | <i>1</i> L | thallium 204 | 113 | R | nihonium |
| | | | | | | | | | | 30 | Zu | zinc 65 | 48 | S | cadmium 112 | 80 | Hg | mercury 201 | 112 | ű | copernicium |
| | | | | | | | | | | 29 | Cn | copper 64 | 47 | Ag | silver 108 | 62 | Au | gold 197 | 111 | Rg | roentgenium - |
| d | | | | | | | | | | 28 | Z | nickel 59 | 46 | Pd | palladium 106 | 78 | 귙 | platinum 195 | 110 | Ds | darmstadtium - |
| Group | | | | | | | | | | 27 | ဝိ | cobalt 59 | 45 | Rh | rhodium 103 | 77 | <u>_</u> | iridium 192 | 109 | ¥ | meitnerium - |
| | | - I | hydrogen 1 | | | | | | | 26 | Fe | iron 56 | 44 | Ru | ruthenium 101 | 9/ | SO | osmium 190 | 108 | ΗS | hassium |
| | | | | J | | | | | | 25 | Mn | manganese 55 | 43 | ည | technetium - | 75 | Re | rhenium 186 | 107 | В | bohrium |
| | | | | | loc | ss | | | | 24 | ప | chromium 52 | 42 | Mo | molybdenum 96 | 74 | > | tungsten 184 | 106 | Sg | seaborgium - |
| | | | Key | atomic number | atomic symbo | name relative atomic mass | | | | 23 | > | vanadium 51 | 41 | g | niobium 93 | 73 | <u>ra</u> | tantalum 181 | 105 | 90 | dubnium |
| | | | | a | atoı | relat | | | | 22 | j | titanium 48 | 40 | Zr | zirconium 91 | 72 | 士 | hafnium 178 | 104 | ¥ | rutherfordium |
| | | | | | | | 1 | | | 21 | လွ | scandium 45 | 39 | > | yttrium 89 | 57–71 | lanthanoids | | 89–103 | actinoids | |
| | = | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | Š | strontium 88 | 56 | Ba | barium 137 | 88 | Ra | radium |
| | _ | | | 3 | := | lithium 7 | 1 | Na | sodium 23 | 19 | × | potassium 39 | 37 | Rb | rubidium 85 | 55 | Cs | caesium 133 | 87 | ř | francium |

| | | | _ | | | | |
|----|----|--------------|-----|-----|-----------|--------------|-----|
| 71 | P | lutetium | 175 | 103 | ۲ | lawrencium | I |
| 70 | ХÞ | ytterbium | 173 | 102 | 8 | nobelium | I |
| 69 | Tm | thulium | 169 | 101 | Md | mendelevium | ı |
| 89 | Ē | erbium | 167 | 100 | Fm | fermium | I |
| 29 | 웃 | holmium | 165 | 66 | Es | einsteinium | ı |
| 99 | ò | dysprosium | 163 | 86 | ŭ | californium | ı |
| 65 | Д | terbium | 159 | 26 | 鮝 | berkelium | ı |
| 64 | Вd | gadolinium | 157 | 96 | Cm | curium | ı |
| 63 | En | europium | 152 | 98 | Am | americium | ı |
| 62 | Sm | samarium | 150 | 94 | Pu | plutonium | ı |
| 61 | Pm | promethium | I | 93 | ď | neptunium | I |
| 09 | PN | neodymium | 144 | 92 | \supset | uranium | 238 |
| 59 | Ā | praseodymium | 141 | 91 | Ра | protactinium | 231 |
| 28 | Oe | cerium | 140 | 06 | Ч | thorium | 232 |
| | | | | | | | |

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).