Cambridge Assessment

Cambridge IGCSE[™]

CHEMISTRY

Paper 2 Multiple Choice (Extended)

0620/22 May/June 2023 45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are forty questions on this paper. Answer all questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

- **1** Four physical changes of ethanol are listed.
 - 1 condensation
 - 2 evaporation
 - 3 freezing
 - 4 boiling

In which changes do the particles move further apart?

A 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4


- 2 An atom of element X contains:
 - 5 protons
 - 6 neutrons
 - 5 electrons.

Which statements about element X are correct?

- 1 X has an atomic number of 6.
- 2 X has a nucleon number of 11.
- 3 X is in Group II of the Periodic Table.
- 4 X is in the second period of the Periodic Table.
- **A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

3 Ammonia, NH_3 , is a covalent molecule.

Which diagram shows the outer-shell electron arrangement in a molecule of ammonia?



- 4 Which structure does silicon(IV) oxide most closely resemble?
 - A carbon dioxide
 - B diamond
 - **C** graphite
 - D sodium chloride
- **5** Substance P conducts electricity when solid.

Which particles move in solid P so that it can conduct electricity?


- 1 anions
- 2 cations
- 3 electrons
- **A** 1 and 2 **B** 1 only **C** 2 and 3 **D** 3 only

- 6 Which equation represents a chemical change?
 - $\textbf{A} \quad \text{BaCl}_2(s) \ \rightarrow \ \text{BaCl}_2(I)$
 - $\textbf{B} \quad \text{Ca}^{2\text{+}}(\text{aq}) \ \textbf{+} \ \text{SO}_4^{2\text{-}}(\text{aq}) \ \rightarrow \ \text{Ca}\text{SO}_4(\text{s})$

 - **D** Na⁺(aq) + NO₃⁻(aq) \rightarrow NaNO₃(aq)
- 7 Which sample contains the largest number of molecules?
 - **A** 16 g of methane, $CH_4(g)$
 - $\textbf{B} \quad 16\,g \text{ of oxygen, } O_2(g)$
 - **C** 16 g of phosphorus, $P_4(s)$
 - \mathbf{D} 16 dm³ of methane at r.t.p., CH₄(g)

8 The concentration of a sample of dilute aqueous sodium hydroxide is found by titration.

The apparatus used is shown.



Which information is needed to calculate the concentration of the dilute aqueous sodium hydroxide in mol/dm 3 ?

| | concentration of HC <i>l</i> | volume of HC <i>l</i> used | molar mass of HC <i>t</i> | volume of NaOH used | molar mass of NaOH |
|---|---------------------------------|-------------------------------|------------------------------|------------------------|-----------------------|
| Α | ~ | \checkmark | \checkmark | \checkmark | 1 |
| в | \checkmark | \checkmark | X | \checkmark | x |
| С | X | \checkmark | \checkmark | \checkmark | X |
| D | 1 | X | X | X | 1 |

key

 \checkmark = needed

x = not needed

9 In experiment 1, aqueous copper(II) sulfate is electrolysed using graphite electrodes.

In experiment 2, aqueous copper(II) sulfate is electrolysed using copper electrodes.

Which statement identifies a half-equation for a reaction at one of the electrodes?

- A In experiment 1, the half-equation for the anode reaction is $4OH^- \rightarrow 2H_2O + O_2 + 4e^-$.
- **B** In experiment 1, the half-equation for the cathode reaction is $2H^+ + 2e^- \rightarrow H_2$.
- **C** In experiment 2, the half-equation for the anode reaction is $Cu^{2+} + 2e^- \rightarrow Cu$.
- **D** In experiment 2, the half-equation for the cathode reaction is $4OH^- \rightarrow 2H_2O + O_2 + 4e^-$.

- **10** Which substance is **not** produced during the electrolysis of concentrated aqueous sodium chloride?
 - A chlorine
 - B hydrogen
 - C sodium
 - D sodium hydroxide
- **11** Methane burns in excess oxygen.

The equation is shown.

$$CH_4(g)$$
 + $2O_2(g) \rightarrow CO_2(g)$ + $2H_2O(g)$

Bond energies are shown.

| bond | bond energy in kJ/mol |
|------|--------------------------|
| C=O | 805 |
| C–H | 410 |
| O=O | 496 |
| O–H | 460 |

What is the energy change for the reaction?

A $(4 \times 410 + 2 \times 496) - (2 \times 805 + 4 \times 460)$

- **B** $(2 \times 805 + 4 \times 460) (4 \times 410 + 2 \times 496)$
- **C** $(410 + 2 \times 496) (805 + 2 \times 460)$
- **D** (410 + 496) (805 + 460)
- **12** Which change increases the rate of reaction by decreasing the activation energy, E_a ?
 - A addition of a catalyst
 - B decrease in size of solid reactants
 - **C** increase in concentration of solutions
 - D increase in temperature

13 In the Contact process, sulfur dioxide is reacted with oxygen to form sulfur trioxide.

Which conditions are used in this reaction?

| | temperature /°C | pressure /kPa | catalyst |
|---|--------------------|------------------|-------------------|
| Α | 300 | 200 | iron |
| в | 300 | 20000 | vanadium(V) oxide |
| С | 450 | 200 | vanadium(V) oxide |
| D | 450 | 20000 | iron |

- **14** Which reaction is reversible?
 - A an iron nail rusting when left in moist air
 - B limestone reacting with an acid to form carbon dioxide gas
 - C magnesium burning in air to produce a white ash
 - **D** white anhydrous copper(II) sulfate turning blue when water is added
- **15** The equation for the reaction of sulfur dioxide with acidified potassium dichromate(VI) is shown.

$$3SO_2 + Cr_2O_7^{2-} + 2H^+ \rightarrow 3SO_4^{2-} + 2Cr^{3+} + H_2O$$

What is oxidised and what is the oxidising agent?

| | oxidised | oxidising agent |
|---|-----------------|--|
| Α | SO ₂ | Cr ₂ O ₇ ²⁻ |
| в | SO ₂ | H⁺ |
| С | $Cr_2O_7^{2-}$ | H⁺ |
| D | $Cr_2O_7^{2-}$ | Cr ₂ O ₇ ²⁻ |

- **16** What is the definition of a strong acid?
 - **A** a proton acceptor that is completely dissociated in aqueous solution
 - ${\bf B}$ $\;$ a proton acceptor that is partially dissociated in aqueous solution
 - ${\bf C}$ a proton donor that is completely dissociated in aqueous solution
 - **D** a proton donor that is partially dissociated in aqueous solution

- 17 Which statement about amphoteric oxides is correct?
 - **A** They are made by combining an acidic oxide with a basic oxide.
 - **B** They react with water to give a solution of pH7.
 - **C** They react with both acids and bases.
 - **D** They do not react with acids or bases.
- **18** Copper(II) carbonate is formed when aqueous sodium carbonate is added to aqueous copper(II) nitrate.

The ionic equation for the reaction is shown.

 $\text{CO}_3^{2-}(\text{aq})$ + $\text{Cu}^{2+}(\text{aq}) \rightarrow \text{CuCO}_3(\text{s})$

How is pure copper(II) carbonate obtained from the reaction mixture?

- $\textbf{A} \quad \text{evaporate} \rightarrow \text{filter} \rightarrow \text{dry}$
- $\textbf{B} \quad \text{evaporate} \rightarrow \text{wash} \rightarrow \text{crystallise}$
- $\textbf{C} \quad \text{filter} \rightarrow \text{evaporate} \rightarrow \text{crystallise}$
- $\textbf{D} \quad \text{filter} \rightarrow \text{wash} \rightarrow \text{dry}$
- **19** Q and R are elements in the same period of the Periodic Table.

Q has 7 electrons in its outer shell and R has 2 electrons in its outer shell.

Which statement about Q and R is correct?

- **A** Q is a metal and R is a non-metal.
- $\label{eq:rescaled} \textbf{B} \quad \textbf{Q} \text{ and } \textbf{R} \text{ have different numbers of electron shells.}$
- **C** R is found to the right of Q in the Periodic Table.
- **D** The proton number of R is less than the proton number of Q.
- **20** Lead(II) sulfate is an insoluble salt.

Which reaction produces a mixture from which lead(II) sulfate is obtained by filtration?

- $\label{eq:adding} \textbf{A} \quad \text{adding solid lead}(II) \text{ carbonate to dilute sulfuric acid}$
- $\label{eq:bound} \textbf{B} \quad \text{adding solid lead}(II) \ \text{hydroxide to dilute sulfuric acid}$
- **C** adding metallic lead to dilute sulfuric acid
- ${\bf D}$ adding aqueous lead(II) nitrate to dilute sulfuric acid

- 21 Which statement about alkali metals is correct?
 - **A** Lithium is more dense than sodium.
 - **B** Sodium is more reactive than potassium.
 - **C** Sodium has a higher melting point than potassium.
 - **D** They are in Group II of the Periodic Table.
- 22 Which row describes the properties of a transition element?

| | melting point | density | forms coloured compounds |
|---|------------------|---------|--------------------------|
| Α | high | low | no |
| в | high | high | yes |
| С | low | low | no |
| D | low | low | yes |

23 Which row identifies the properties of zinc?

| | thermal conductivity | reacts with dilute acid |
|---|----------------------|----------------------------|
| Α | good | yes |
| В | good | no |
| С | poor | yes |
| D | poor | no |

24 Uses of metals depend on their properties.

Which property is necessary for the use given?

| | use of the metal | property of the metal |
|---|----------------------------|-----------------------|
| Α | car bodies | ductile |
| В | cutlery | conducts heat |
| С | food containers | resists corrosion |
| D | overhead electrical cables | high density |

- 25 Which compounds both contribute to acid rain?
 - A carbon monoxide and carbon dioxide
 - **B** carbon monoxide and oxides of nitrogen
 - **C** oxides of nitrogen and sulfur dioxide
 - D sulfur dioxide and carbon dioxide
- **26** P, Q, R and S are metals.
 - P reacts with dilute hydrochloric acid, forming hydrogen.
 - Q reacts violently with water.
 - R reacts with water to give hydrogen.
 - S is formed by heating its oxide with carbon.


Which row identifies the metals?

| | Р | Q | R | S | | | |
|---|--------|-----------|-----------|-----------|--|--|--|
| Α | copper | sodium | potassium | iron | | | |
| в | zinc | magnesium | calcium | iron | | | |
| С | zinc | sodium | calcium | magnesium | | | |
| D | iron | potassium | sodium | zinc | | | |

- 27 Which compound is formed when iron rusts?
 - A anhydrous iron(II) oxide
 - B anhydrous iron(III) oxide
 - **C** hydrated iron(III) hydroxide
 - **D** hydrated iron(III) oxide
- 28 Why is cryolite used in the extraction of aluminium by electrolysis?
 - **A** It dissolves the aluminium oxide.
 - **B** It protects the anodes from corrosion.
 - **C** It changes bauxite to aluminium oxide.
 - **D** It decreases the melting point of the aluminium.

29 A wax candle is made from a mixture of hydrocarbons.

The candle is lit and placed in a gas jar along with a strip of cobalt(II) chloride test paper as shown.



After a short time, the oxygen in the jar is used up and the candle flame goes out.

Which substance does the cobalt(II) chloride paper identify?

- A carbon dioxide
- B carbon monoxide
- **C** sulfur dioxide
- D water
- **30** The hydrocarbon C_4H_8 has two structural isomers, but-1-ene and but-2-ene.

Which statement is correct?

- A But-2-ene has the structural formula $CH_3CH=CHCH_3$ and the same general formula as butane.
- **B** But-2-ene has the structural formula $CH_3CH=CHCH_3$ and the same empirical formula as ethene.
- **C** But-1-ene has the structural formula $CH_3CH_2CH=CH_2$ and the same general formula as butane.
- **D** But-1-ene has the structural formula $CH_3CHCH_2=CH$ and the same empirical formula as ethene.
- 31 Which compound rapidly decolourises aqueous bromine?
 - **A** propane
 - B propanoic acid
 - **C** propanol
 - D propene

32 What are the products of the addition reactions of ethene with bromine and hydrogen?

| | bromine | hydrogen |
|---|------------------------------------|---------------------------------|
| Α | CH_2BrCH_2Br | CH ₃ CH ₃ |
| В | CH_2BrCH_2Br | CH_2CH_2 |
| С | CH_3CH_2Br | CH ₃ CH ₃ |
| D | CH ₃ CH ₂ Br | CH_2CH_2 |

33 Ethanol is manufactured by fermentation and the catalytic addition of steam to ethene.

Which row describes an advantage of both methods?


| | from sugar by fermentation | from ethene and steam |
|---|------------------------------|------------------------------|
| Α | ethanol needs to be purified | the process is continuous |
| В | it is a batch process | ethene comes from petroleum |
| С | the process is slow | the process is rapid |
| D | renewable resources are used | the ethanol produced is pure |

34 Methanoic acid and propan-1-ol react to form an ester.

What is the structural formula of the ester?

- $\textbf{A} \quad HCOOCH_2CH_2CH_3$
- $\textbf{B} \quad CH_3CH_2COOCH_3$
- C CH₃COOCH₂CH₃
- $\textbf{D} \quad CH_3CH_2CH_2COOH$

35 What is the correct structure of PET?



36 Alkanes undergo substitution reactions in the presence of UV light.

Which equation represents a substitution reaction of ethane?

- $\label{eq:constraint} \textbf{A} \quad C_2H_6 \ \textbf{+} \ Cl_2 \ \rightarrow \ C_2H_4 \ \textbf{+} \ 2HCl$
- $\textbf{B} \quad C_2H_6 \ \textbf{+} \ Cl_2 \ \rightarrow \ C_2H_5Cl \ \textbf{+} \ HCl$
- $\label{eq:constraint} \textbf{C} \quad C_2 H_6 \ \textbf{+} \ C \mathit{l}_2 \ \rightarrow \ C_2 H_4 C \mathit{l}_2 \ \textbf{+} \ H_2$
- $\label{eq:constraint} \textbf{D} \quad C_2H_6 \ \textbf{+} \ HC\mathit{l} \ \rightarrow \ C_2H_5C\mathit{l} \ \textbf{+} \ H_2$
- **37** Methane reacts with chlorine in substitution reactions.

How many different products, containing a single carbon atom, can be made during the reactions?

A 2 **B** 3 **C** 4 **D** 5

38 Rock salt is a mixture of salt and sand.


The method used to separate the sand from the salt is listed.

- step 1 Crush the rock salt, add to warm water and stir.
- step 2 Pour the mixture through a filter paper held in a funnel.
- step 3 Evaporate the water to crystallise the salt.

Which statement about the method is correct?

- **A** The filtrate in step 2 is pure water.
- **B** The residue in step 2 is pure crystals of salt.
- **C** The solute is salt.
- **D** The solvent is a mixture of salt and water.
- **39** Two compounds, M and N, are dissolved in water and separated by chromatography.

The results are shown.



What is the R_{f} value of M and which compound is most soluble in water?

| | <i>R</i> _f value of M | most soluble compound |
|---|----------------------------------|--------------------------|
| Α | 0.2 | М |
| в | 0.2 | Ν |
| С | 5.0 | М |
| D | 5.0 | Ν |

40 When acid is added to salt X, a gas is produced which turns limewater milky.

When sodium hydroxide is added to salt X, a gas is produced which turns litmus paper blue.

What is X?

A $CaCO_3$ **B** $(NH_4)_2CO_3$ **C** NH_4NO_3 **D** $ZnCO_3$

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

| | <pre>NII</pre> | 2 | He | helium 4 | 10 | Ne | neon | 20 | 18 | Ar | argon 40 | 36 | Кr | krypton 84 | 54 | Xe | xenon 131 | 86 | Rn | radon - | 118 | Og | oganesson | I | | | | |
|-------|----------------|---|----|---------------|---------------|---------------|---------------|---------------|--------------|--------------|------------------|----------------------|-----------------|-----------------|----|-----------------|------------------|----------------|----------------|-----------------|---------------|-----------|---------------|-----------------|-----|----|---------|---|
| | ۸II | | | | ი | LL | fluorine | 19 | 17 | Cl | chlorine 35.5 | 35 | Br | bromine 80 | 53 | _ | iodine 127 | 85 | At | astatine - | 117 | Ъ | tennessine | - | | | | |
| | > | | | | œ | 0 | oxygen | 16 | 16 | ი | sulfur 32 | 34 | Se | selenium 79 | 52 | Те | tellurium 128 | 84 | Ро | polonium – | 116 | ۲ ۲ | livermorium | I | | | | |
| 2 | > | | | | 7 | z | nitrogen | 14 | 15 | ۵. | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sb | antimony 122 | 83 | Ē | bismuth 209 | 115 | Mc | moscovium | I | | | | |
| | Ν | | | | 9 | ပ | carbon | 12 | 14 | Si | silicon 28 | 32 | Ge | germanium 73 | 50 | Sn | tin 119 | 82 | Pb | lead 207 | 114 | Fl | flerovium | I | | | | |
| Ξ | = | | | | 5 | ш | boron | 11 | 13 | Al | aluminium 27 | 31 | Ga | gallium 70 | 49 | Ч | indium 115 | 81 | 11 | thallium 204 | 113 | ЧN | nihonium | I | | | | |
| | | | | | | | | | | | | 30 | Zn | zinc 65 | 48 | Cd | cadmium 112 | 80 | Hg | mercury 201 | 112 | C | copernicium | I | | | | |
| | | | | | | | | | | | | 29 | Cu | copper 64 | 47 | Ag | silver 108 | 79 | Au | gold 197 | 111 | Rg | roentgenium | I | | | | |
| dn | | | | | | | | | | | | 28 | ïZ | nickel 59 | 46 | Pd | palladium 106 | 78 | Ŧ | platinum 195 | 110 | Ds | darmstadtium | I | | | | |
| Group | | | | | | | | | | | | 27 | ပိ | cobalt 59 | 45 | Rh | rhodium 103 | 77 | L | iridium 192 | 109 | Mt | meitnerium | I | | | | |
| | | 1 | т | hydrogen 1 | | | | | | | | 26 | Ъe | iron 56 | 44 | Ru | ruthenium 101 | 76 | SO | osmium 190 | 108 | Hs | hassium | I | | | | |
| | | | | Ţ | | | | | | | 25 | Mn | manganese 55 | 43 | ц | technetium - | 75 | Re | rhenium 186 | 107 | Bh | bohrium | I | | | | | |
| | | | | | | loc | | SS | | | | 24 | ບັ | chromium 52 | 42 | Mo | molybdenum 96 | 74 | ≥ | tungsten 184 | 106 | Sg | seaborgium | I | | | | |
| | | | | Key | atomic number | atomic number | atomic number | atomic number | atomic numbe | atomic symbo | name | relative atomic mass | | | | 23 | > | vanadium 51 | 41 | qN | niobium 93 | 73 | Та | tantalum 181 | 105 | Db | dubnium | I |
| | | | | | 0 | ato | | rela | | | | 22 | F | titanium 48 | 40 | Zr | zirconium 91 | 72 | Ŧ | hafnium 178 | 104 | Rf | rutherfordium | I | | | | |
| | | | | | | | | | | | | 21 | Sc | scandium 45 | 39 | ≻ | yttrium 89 | 57-71 | lanthanoids | | 89-103 | actinoids | | | | | | |
| = | = | | | | 4 | Be | beryllium | 6 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | ي م | strontium 88 | 56 | Ba | barium 137 | 88 | Ra | radium | I | | | | |
| - | _ | | | | ю | : | lithium | 7 | 11 | Na | sodium 23 | 19 | ¥ | potassium 39 | 37 | Rb | rubidium 85 | 55 | Cs | caesium 133 | 87 | л Ц | francium | I | | | | |

| 70 | Υb | ytterbium 173 | 102 | No | nobelium | I |
|----|-------------|---------------------|-----|-----------|--------------|-----|
| 69 | Ш | thulium 169 | 101 | Md | mendelevium | I |
| 68 | ч | erbium 167 | 100 | Еm | fermium | I |
| 67 | Ч | holmium 165 | 66 | Es | einsteinium | I |
| 66 | D | dysprosium 163 | 86 | Ç | californium | I |
| 65 | Tb | terbium 159 | 97 | 离 | berkelium | I |
| 64 | рд | gadolinium 157 | 96 | СЗ | curium | I |
| 63 | Еu | europium 152 | 95 | Am | americium | I |
| 62 | Sm | samarium 150 | 94 | Pu | plutonium | I |
| 61 | Pm | promethium – | 93 | Np | neptunium | I |
| 60 | Nd | neodymium 144 | 92 | | uranium | 238 |
| 59 | Pr | praseodymium 141 | 91 | Ра | protactinium | 231 |
| 58 | Ce | cerium 140 | 06 | Th | thorium | 232 |
| 57 | La | lanthanum 139 | 68 | Ac | actinium | I |
| | lanthanoids | | | actinoids | | |

Lu Iutetium 175 103 Lr Iawrencium

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).

PMT