# Cambridge Assessment

# Cambridge IGCSE<sup>™</sup>

## CHEMISTRY

Paper 2 Multiple Choice (Extended)

February/March 2020 45 minutes

0620/22

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

#### INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

#### INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark. A mark will not be deducted for a wrong answer.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

1 The formula of methane is  $CH_4$  and the formula of ethane is  $C_2H_6$ .

Which row describes diffusion and the relative rates of diffusion of methane and ethane?

	description of diffusion	relative rate of diffusion
Α	particles move from a high concentration to a low concentration	ethane diffuses more quickly than methane
В	particles move from a high concentration to a low concentration	methane diffuses more quickly than ethane
С	particles move from a low concentration to a high concentration	ethane diffuses more quickly than methane
D	particles move from a low concentration to a high concentration	methane diffuses more quickly than ethane

- 2 Which test is used to show that a sample of water is pure?
  - A Evaporate the water to see if any solids remain.
  - **B** Heat the water to check its boiling point.
  - **C** Test with anhydrous cobalt(II) chloride.
  - D Use universal indicator paper to check its pH.
- **3** Chromatography is used to separate and identify the components in both coloured and colourless mixtures.

For colourless mixtures the chromatogram has to be treated with another chemical.

What is the name of this type of chemical?

- A colouring agent
- B display agent
- **C** finding agent
- D locating agent

4 Lithium reacts with fluorine to form the compound lithium fluoride.

Which statement about this reaction is correct?

- A Each fluorine atom gains one electron.
- **B** Each fluorine atom gains two or more electrons.
- C Each fluorine atom loses one electron.
- **D** Each fluorine atom loses two or more electrons.
- 5  ${}^{14}_{6}$ C and  ${}^{12}_{6}$ C are isotopes of carbon.

Which statement about these isotopes is correct?

- **A**  ${}^{12}_{6}$ C is more reactive than  ${}^{14}_{6}$ C because the atoms have less mass.
- **B**  ${}^{12}_{6}$ C is more reactive than  ${}^{14}_{6}$ C because the atoms have different numbers of neutrons.
- **C** The reactions of  ${}^{12}_{6}$ C are similar to  ${}^{14}_{6}$ C because they have the same number of outer shell electrons.
- **D** The reactions of  ${}^{12}_{6}$ C are similar to  ${}^{14}_{6}$ C because they have the same number of protons in the nucleus.
- **6** The molecular structure of hydrazine,  $N_2H_4$ , is shown.



Which description of the bonding in hydrazine is not correct?

- A Each nitrogen atom has a non-bonding pair of electrons.
- **B** Each nitrogen atom has four bonding pairs of electrons.
- **C** Each nitrogen atom shares one of its electrons with a nitrogen atom.
- **D** Each nitrogen atom shares two of its electrons with hydrogen atoms.

7 Solid X has a high boiling point.

Its structure has positive ions surrounded by a sea of electrons.

Which other properties does solid X have?

- A brittle and an electrical conductor
- B brittle and an insulator
- **C** malleable and an electrical conductor
- D malleable and an insulator
- 8 The formulae of some ions are shown.

positive ions	negative ions
Al <sup>3+</sup>	C <i>l</i> <sup>−</sup>
Fe <sup>2+</sup>	N <sup>3–</sup>
Mg <sup>2+</sup>	NO₃ <sup>−</sup>
Na⁺	O <sup>2-</sup>
Zn <sup>2+</sup>	SO4 <sup>2-</sup>

In which row is the formula not correct?

	compound	formula
Α	aluminium oxide	$Al_2O_3$
в	iron(II) nitride	$Fe_2N_3$
С	sodium sulfate	$Na_2SO_4$
D	zinc nitrate	Zn(NO <sub>3</sub> ) <sub>2</sub>

**9** The equation for the decomposition of magnesium nitrate is shown.

 $2Mg(NO_3)_2(s) \ \rightarrow \ 2MgO(s) \ + \ 4NO_2(g) \ + \ O_2(g)$ 

Which volume of gas is produced when 0.1 moles of magnesium nitrate is decomposed completely?

**A**  $1.2 \,\text{dm}^3$  **B**  $4.8 \,\text{dm}^3$  **C**  $6.0 \,\text{dm}^3$  **D**  $8.4 \,\text{dm}^3$ 

- 10 Which statements about the electrolysis of molten lead(II) bromide are correct?
  - 1 Lead ions move to the anode and are oxidised.
  - 2 Lead ions move to the cathode and are reduced.
  - 3 Bromide ions move to the anode and are oxidised.
  - 4 Bromide ions move to the cathode and are reduced.
  - A 1 and 3 B 1 and 4 C 2 and 3 D 2 and 4
- **11** Aqueous copper(II) sulfate is electrolysed using carbon electrodes.

Which statement is correct?

- A Bubbles of hydrogen are formed at the anode.
- **B** Bubbles of oxygen gas are formed at the cathode.
- **C** Copper is deposited at the anode.
- **D** The blue colour of the solution fades.
- **12** Nitrogen trifluoride, NF<sub>3</sub>, is used in the manufacture of certain types of solar panels. The equation for the formation of nitrogen trifluoride is shown.

$N_2$	+	$3F_2$	$\rightarrow$	$2NF_3$
112		012		<b>ZINI</b> 3

type of bond	bond energy (kJ mol <sup>-1</sup> )
N≡N	+950
F–F	+150
N–F	+280

Using the table of bond energies, what is the energy change for this reaction?


- A -560 kJ mol<sup>-1</sup>
- **B** –280 kJ mol<sup>-1</sup>
- **C** +280 kJ mol<sup>-1</sup>
- **D** +3080 kJ mol<sup>-1</sup>

- **13** Which statements about hydrogen fuel cells are correct?
  - 1 The reaction between hydrogen and oxygen is endothermic.
  - 2 The waste product in a hydrogen fuel cell is water.
  - 3 A chemical reaction in the cell produces hydrogen which is used as the fuel.
  - 4 A hydrogen fuel cell is used to generate electricity.
  - **A** 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4
- **14** Which change is a physical change?
  - A Copper(II) carbonate changes colour from green to black when it is heated, and stays black when it cools.
  - **B** Ethanol reacts with oxygen to form carbon dioxide and water.
  - **C** Hydrogen peroxide decomposes into water and oxygen when it is boiled.
  - **D** Ice forms liquid water when it is heated.
- **15** A student adds excess magnesium ribbon to  $10 \text{ cm}^3$  of  $0.5 \text{ mol}/\text{dm}^3$  sulfuric acid.

The hydrogen gas is collected and its volume measured every 10 seconds.

The experiment is repeated using the same mass of magnesium ribbon with  $5 \text{ cm}^3$  of  $0.5 \text{ mol/dm}^3$  sulfuric acid added to  $5 \text{ cm}^3$  of water.

Which graph shows the results of the second experiment?



**16** An equilibrium reaction is shown.

$$N_2O_4(g) \rightleftharpoons 2NO_2(g)$$

The forward reaction is endothermic.

What is the effect of changing the temperature and pressure on the equilibrium position?

	increasing temperature	increasing pressure
Α	moves to the left	moves to the left
в	moves to the left	moves to the right
С	moves to the right	moves to the left
D	moves to the right	moves to the right

- 17 In which reaction is the underlined compound acting as a reducing agent?
  - **A** <u>CO<sub>2</sub></u> + C  $\rightarrow$  2CO
  - $\textbf{B} \quad 2CuO \ + \ \underline{C} \ \rightarrow \ 2Cu \ + \ CO_2$
  - $\textbf{C} \quad \underline{\text{Fe}_2\text{O}_3} \text{ + 3CO} \rightarrow \text{2Fe} \text{ + 3CO}_2$
  - $\textbf{D} \quad \textbf{CaCO}_3 \ \textbf{+} \ \underline{\textbf{2HCl}} \ \rightarrow \ \textbf{CaCl}_2 \ \textbf{+} \ \textbf{H}_2\textbf{O} \ \textbf{+} \ \textbf{CO}_2$
- **18** X, Y and Z are oxides of elements in the same row of the Periodic Table.

Some information about each oxide is shown.


oxide	solubility in water	ability to neutralise an acid	ability to neutralise an alkali	
Х	soluble	x	1	key
Y	insoluble	1	1	✓ = able
Z	slightly soluble	1	x	X = not able

Which types of oxides are X, Y and Z?

	Х	Y	Z
Α	acidic	amphoteric	basic
в	amphoteric	basic	basic
С	basic	amphoteric	acidic
D	basic	acidic	amphoteric

**19** Four different acids are dissolved in water.

Which beaker contains the most concentrated strong acid solution?



- 20 The following substances can be reacted together to prepare salts.
  - 1 copper(II) oxide and excess hydrochloric acid
  - 2 hydrochloric acid and excess sodium hydroxide
  - 3 hydrochloric acid and excess zinc carbonate

In which reactions can the excess reactant be separated from the solution by filtration?


**A** 1 and 2 **B** 1 and 3 **C** 2 and 3 **D** 3 only

21 Salt S is dissolved in water and three tests are carried out on the solution.

	test	result
1	aqueous sodium hydroxide is added	green precipitate formed, insoluble in excess sodium hydroxide
2	dilute nitric acid is added	no reaction
3	aqueous barium nitrate is added to the acidified solution from test 2	white precipitate formed

What is the identity of S?

- A copper(II) chloride
- B copper(II) sulfate
- **C** iron(II) chloride
- **D** iron(II) sulfate
- 22 Which statement about the Periodic Table is correct?
  - A Most metallic elements are on the left.
  - **B** Elements in the same period have the same number of outer electrons.
  - **C** Elements on the left are usually gases.
  - **D** The relative atomic mass of the elements increases from right to left.
- 23 The diagram shows elements W, X, Y and Z in a section of the Periodic Table.



Which statement about the reactivity of the elements is correct?

- **A** X is more reactive than Y, and W is more reactive than Z.
- $\label{eq:bar} \textbf{B} \quad X \text{ is more reactive than } Y, \text{ and } Z \text{ is more reactive than } W.$
- **C** Y is more reactive than X, and W is more reactive than Z.
- $\label{eq:constraint} \textbf{D} \quad \text{Y is more reactive than X, and Z is more reactive than W.}$

- 24 Some properties of substances are listed.
  - 1 They conduct electricity.
  - 2 They have low densities.
  - 3 They have high melting points.
  - 4 They are malleable.

Which properties are shown by transition metals?

**A** 1 and 3 only **B** 1 and 4 only **C** 1, 2 and 3 **D** 1, 3 and 4

**25** Sodium is a Group I metal.

Which property, that is typical of most metals, is not shown by sodium?

- A conductor of heat
- **B** high melting point
- C malleable
- **D** shiny
- 26 Four metals, iron, copper, magnesium and Y, are heated separately with their oxides.

The results are shown.

metal	magnesium oxide	Y oxide	copper oxide	iron oxide	
Y	x	x	1	1	key
magnesium	x	1	1	$\checkmark$	✓ = reacts
copper	x	x	x	X	$\boldsymbol{X}$ = no reaction
iron	x	X	x	X	

What is the order of reactivity of the metals, least reactive first?

	least reactive most reactive			ost reactive
Α	copper	iron	Y	magnesium
в	copper	Y	iron	magnesium
С	magnesium	iron	Y	copper
D	magnesium	Y	iron	copper

**27** Aluminium is extracted from bauxite by electrolysis.

Which statement is correct?

- A Aluminium ions are oxidised to form aluminium.
- **B** The cathode has to be replaced regularly because it reacts with the oxygen which is formed.
- **C** Cryolite is added to remove impurities.
- **D** Carbon dioxide is produced at the anode.
- **28** Some properties of aluminium are listed.
  - 1 It conducts heat.
  - 2 It has a low density.
  - 3 It is strong.
  - 4 It is resistant to corrosion.

Which of these properties make aluminium suitable for making food containers for chilled food products?

- **A** 1, 2 and 4 **B** 1, 3 and 4 **C** 1 only **D** 4 only
- **29** Water is treated at a waterworks to make it fit to drink.

What is present in the water when it leaves the waterworks?

- A bacteria only
- B bacteria and insoluble substances
- **C** chlorine compounds only
- D chlorine compounds and soluble substances
- **30** Sulfur dioxide, carbon monoxide and oxides of nitrogen are common gaseous pollutants found in the air.

Which pollutants contribute to acid rain?

- A carbon monoxide and sulfur dioxide
- B oxides of nitrogen and sulfur dioxide
- **C** oxides of nitrogen only
- D sulfur dioxide only

**31** Oxides of nitrogen, such as NO and NO<sub>2</sub>, are formed in the petrol engines of cars.

They are removed from the exhaust gases by reactions in the car's catalytic converter.

Which row describes how oxides of nitrogen are formed in a petrol engine, and a reaction that happens in the catalytic converter?

	how oxides of nitrogen are formed	a reaction that happens in the catalytic convertor
Α	by the reaction between nitrogen and oxygen from the air	$2NO + 2CO \rightarrow N_2 + 2CO_2$
В	by the reaction between nitrogen and oxygen from the air	$2NO + 2H_2 \rightarrow N_2 + 2H_2O$
С	by the reaction between nitrogen compounds in petrol and oxygen from the air	$2\text{NO} + 2\text{CO} \rightarrow \text{N}_2 + 2\text{CO}_2$
D	by the reaction between nitrogen compounds in petrol and oxygen from the air	$2NO + 2H_2 \rightarrow N_2 + 2H_2O$

**32** Zinc is used to cover iron to prevent it from rusting.

Why is zinc a suitable metal to use?

- A Iron is more reactive than zinc.
- **B** Iron atoms are bigger than zinc atoms.
- **C** Zinc is more reactive than iron.
- **D** Zinc atoms are bigger than iron atoms.
- **33** Fertilisers are mixtures of different compounds used to increase the growth of crops.

Which pair of substances contain the three essential elements for plant growth?

- A ammonium nitrate and calcium phosphate
- **B** ammonium nitrate and potassium chloride
- C ammonium phosphate and potassium chloride
- D potassium nitrate and calcium carbonate

**34** Which row describes the conditions used in the manufacture of sulfuric acid by the Contact process?

	catalyst	pressure	temperature
Α	iron	high	high
в	iron	low	low
С	vanadium(V) oxide	high	low
D	vanadium(V) oxide	low	high

**35** Petroleum is an important raw material that is separated into useful products.

Which terms describe petroleum and the method used to separate it?

	description	separation method
Α	compound	cracking
В	compound	fractional distillation
С	mixture	cracking
D	mixture	fractional distillation


- 36 Which statements about propene are correct?
  - 1 Propene contains only single bonds.
  - 2 Propene decolourises bromine water.
  - 3 Propene is obtained by cracking.
  - 4 Propene is a hydrocarbon.
  - **A** 1 and 4 **B** 2, 3 and 4 **C** 2 and 4 only **D** 4 only
- **37** Which row describes the production of ethanol and its properties?

	can be made from glucose	can be made from ethene	is used as a fuel	is used as a solvent	
Α	1	1	$\checkmark$	$\checkmark$	key
В	1	x	$\checkmark$	1	√ = yes
С	x	$\checkmark$	$\checkmark$	X	<b>X</b> = no
D	X	✓	X	$\checkmark$	


38 Ethanoic acid is a typical carboxylic acid.

Which statement about ethanoic acid is correct?

- A It can be oxidised to produce ethanol.
- **B** It is a proton acceptor.
- **C** It is fully dissociated in water.
- **D** It reacts with ethanol to produce ethyl ethanoate and water.
- 39 Which structure represents the ester made from ethanoic acid and propanol?



40 The structure of a polymer is shown.



Which statements about the polymer are correct?

- 1 The polymer is nylon.
- 2 The polymer is formed by condensation polymerisation.
- 3 There are ester linkages between the monomers.

Α	1 and 2	В	2 and 3	C 2 only	D	3 only
---	---------	---	---------	----------	---	--------

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	_												с	Τ														
	≡>	2	He	heliun 4	10	Ne	neon 20	18	Ar	argor 40	36	Ϋ́	krypto. 8.4	5 1	5;	×e	xenor 131	86	Rn	rador	I							
	I>						_		6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ъ	bromine 8.0	00	°		iodine 127	85	At	astatine	I			
	N				80	0	oxygen 16	16	ა	sulfur 32	34	Se	selenium 70	0	7c	Ъ	tellurium 128	84	Ро	polonium	I	116	۲<	livermorium –				
	>				7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	5	0	Sb	antimony 122	83	Ē	bismuth	209							
	≥				9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium	2 9	0000	Sn	tin 119	82	Pb	lead	207	114	Fl	flerovium -				
	≡				5	Ш	boron 11	13	١٩	aluminium 27	31	Ga	gallium 70		, t	Ľ	indium 115	81	11	thallium	204							
											30	Zn	zinc	3 4	- - -	Ö	cadmium 112	80	Hg	mercury	201	112	C	copernicium -				
											29	Cu	copper	to 1		Ag	silver 108	79	Au	gold	197	111	Rg	roentgenium -				
Group											28	ïŻ	nickel	20	40	Ра	palladium 106	78	Ţ	platinum	195	110	Ds	darmstadtium -				
Gro		- I			_						27	S	cobalt F0	20	4 0 · 1	Rh	rhodium 103	77	L	iridium	192	109	Mt	meitnerium -				
			т	hydrogen 1							26	Ъe	iron		ŧ 1	Ru	ruthenium 101	76	SO	osmium	190	108	Hs	hassium –				
					-						25	Mn	manganese हह	8	5 5	ц	technetium -	75	Re	rhenium	186	107	Bh	bohrium –				
						bol	sse				24	ū	chromium 50	20	44	Мо	molybdenum 96	74	$\geq$	tungsten	184	106	Sg	seaborgium -				
				Key	atomic number	atomic numbe mic sym	atomic symbo	name relative atomic mass				23	>	vanadium 51	5	+ +	ЧN	niobium 93	73	Ца	tantalum	181	105	Db	dubnium –			
						ato	rele				22	F	titanium 48	<b>P</b>	- <del>1</del>	Zr	zirconium 91	72	Ŧ	hafnium	178	104	Ъf	rutherfordium —				
											21	လိ	scandium 15	2 C	0.0	~	yttrium 89	57-71	lanthanoids			89–103	actinoids					
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium	000	0000	പ്	strontium 88	56	Ba	barium	137	88	Ra	radium -				
	_				3	:	lithium 7	11	Na	sodium 23	19	¥	potassium	20	0	Rb	rubidium 85	55	S	caesium	133	87	Ъг	francium -				

	-	lutetium 175	33	_	cium	
71		luteti 17	10		lawren -	
70	γb	ytterbium 173	102	No	nobelium -	
69	Tm	thulium 169	101	Md	mendelevium -	
68	ц	erbium 167	100	Еm	fermium -	
67	Ч	holmium 165	66	Es	einsteinium –	
66	D	dysprosium 163	98	Ç	californium -	
65	Tb	terbium 159	67	离	berkelium -	
64	Вd	gadolinium 157	96	Cm	curium –	
63	Eu	europium 152	96	Am	americium -	
62	Sm	samarium 150	94	Pu	plutonium –	
61	Pm	promethium –	63	ЧN	neptunium –	
60	Nd	neodymium 144	92		uranium 238	
59	Pr	praseodymium 141	91	Ра	protactinium 231	
58	Ce	cerium 140	06	Th	thorium 232	
57	La	lanthanum 139	89	Ac	actinium -	
	lanthanoids			actinoids		

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).

PMT

16