MARK SCHEME for the October/November 2012 series

0620 CHEMISTRY

0620/22

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



	Ра	ge 2	2	Mark Scheme	Syllabus	Paper		
				IGCSE – October/November 2012	0620	22		
1	(a)	(i)	D / p	phosphorus / P;		[1]		
		(ii)	E/r	nelium / He;		[1]		
		(iii)	C / c	[1]				
		(iv)	A / c	[1]				
		(v)		[1]				
	(b)	C;		[2]				
	(c)	gia		[2]				
	(d)	substance containing only 1 type of atom / substance which cannot be broken down into a simpler one; [1] allow: substance which can't be separated by chemical means ignore: substance with one atom / substance with similar types of atom						
						[Total: 10]		
2	(a)	(damp) red litmus (paper); turns blue; note: second mark dependent on correct reagent allow: universal indicator (1 mark); turns blue / purple (1 mark) allow: 1 mark for litmus paper turns blue / pH paper turns blue allow: white fumes (1 mark); with hydrochloric acid vapour (1 mark) ignore: other chemicals added as long as it is clear that ammonia is the gas				[1] [1] being tested		
	(b)	pН	9;		[1]			
	(c)	(i)	NH_4	C <i>l</i> on right;		[1]		
		(ii)	allo	cture completely correct;; w: 1 mark for 1 pair of electrons bonded between H ore: inner shell electrons	and C <i>l</i>	[2]		

Page 3	3	Mark Scheme	Syllabus	Paper
<u> </u>		IGCSE – October/November 2012	0620	22
(d) (i)	add add until reco repe	4 of: of burette indicator to flask acid to alkali (or vice versa) indicator changes colour rd volume (of acid or alkali added) ignore: amount at without indicator g same volume of acid and ammonia as in previous		[4 ded
(ii)	allov	to crystallisation (point) / evaporate some of the wa w: heat then cool ore: heat (unqualified) / heat to dryness / heat to ge		-
				[Total: 11
(a) (i)	get o	darker / deeper colour;		[1
(ii)	gas; allo v	w: answer written in table		[′
(iii)	•	value between –180 to –20°C (actual = –101 °C); w: answer written in table		[1
(b) (i)		rine \rightarrow bromine \rightarrow iodine \rightarrow astatine;; w: 1 mark if one pair incorrect way round / order co	mpletely reversed	[2
(ii)	igno	nd chlorine is more reactive (than bromine) / bromi pre: chlorine is very reactive / bromine is not very re pre: chloride is more reactive		['
(c) H ₂ 0 2 o	•	right); (this is dependent on H_2O being the product);		[[
(d) (i)	allov	ll bacteria / to kill microbes / to disinfect it w: to kill germs / to get rid of bacteria ore: to clean water		[
(ii)	mine these (larg sand wate	two of: erals or (dead) remains insoluble in water e particles are large / water particles (molecules) and er particles) get stuck (between the sand particles) d / trapped by sand er (molecules) drain through / water comes out the l ore: water is filtered	/ (larger particles)	[ź remain in the

[Total: 11]

Page 4		Mark Scheme Syllabus		Paper		
		IGCSE – October/November 2012	0620	22		
with allo	groups of hydrocarbons / molecules; with similar (range of) boiling points / sizes / masses; allow: 1 mark for idea of separating molecules for particular fuels ignore: petroleum broken down / smaller molecules formed / mixture of fuels					
(b) (i)	gasolin	e; diesel;				
(ii)		gas: heating / cooking;				
	allow: f	uel n: roads / roofing;				
	high temperature;					
cata ign	alyst;	/ stated temperature of 200 °C or more ne of catalyst ssure				
(d) (i)	substar	nce containing hydrogen and carbon <u>only;</u>				
(ii)	C ₄ H ₈ /2	C ₂ H ₄ ;				
(e) (i)	H H C = C H H					
(ii)	monom	ers; addition; polymers;				
				[Total: ²		

Pa	ige 5	Mark Scheme	Syllabus	Paper
		IGCSE – October/November 201	2 0620	22
(a)	Alh allo Alc Alc Alc Alis Alis Alis	two of; as low density / iron has high density w: lightweight or light for density) oes not form coloured compounds / iron formed as only one oxidation state / iron has several or oes not act as a catalyst / iron can act as a cata s softer / iron is harder (comparative needed) as lower density / iron has higher density (comp s a better conductor / iron is not as good a cond s weaker / iron is stronger (comparative needed) ore: melting and boiling points	xidation states alyst parative needed) luctor (comparative needed	[2 3)
(b)	-	suitable use e.g. aircraft or car (bodies) / food ong / drinks cans;	containers / pots and pans	/ electrical [1
(c)	whi diss	cipitate formed; ch is white in colour; olves (in excess sodium hydroxide); w: precipitate disappears		[1 [1 [1
				[Total: 6
(a)	(i)	limestone / chalk;		[1
	(ii)	the other product is a gas / carbon dioxide esca allow: carbon dioxide is a gas / waste gases a allow: reaction goes completely to the right	•	[1
(b)	(i)	C + O ₂ → CO ₂ ;; allow: 1 mark for O ₂ as reactant / C + 2O → C	O ₂	[2
	(ii)	limited; air; monoxide; poisonous; allow: oxygen in place of air note: if dioxide put in third position allow 1 mai	rk for harmless in 4 th positio	[4 on
(c)	calc wat	ium chloride; er;		[1 [1
(d)	(i)	idea of measure the (decrease in) mass / weig idea of measuring time (intervals);	ht;	[1 [1
	(ii)	increases / faster; decreases / slower; increases / faster; note: the answers above must be comparative allow: 1 mark for fast; slow; fast ignore: reference to time taken		[1 [1 [1
				ITotal: 14

Page 6		5	Mark	Scheme	Syllabus	Paper
			IGCSE – Octobe	er/November 2012	0620	22
(a)	(i)	(at 2 as te at 1 ² force at 1 ² when	0 °C / at the start) particl 0 °C / at the start) particl emperature rises / then p 14 °C / then particles beg es between particles wea 14 °C / then particles bec n liquid / above 114 °C / f n liquid / above 114 °C th	es are close together / tou es are vibrating / not mov particles vibrate more / gai jin to move aken / molecules start to b come more randomly arrar then particles slide over e nen particles are randomly rt / particles (move) faster	ing n energy nged / slide over ea ach other/ move / arranged	ach other)
	(ii)	254;				
(b)	(i)	ionic	 '1			
	(ii)	KI;				
(c)	ins sol	uble /	/ does not dissolve; dissolves; ow / high / not very well	doesn't conduct; doesn't conduct;		
(d)	– e allo	lectro ow: 1	de: iodine / I ₂ / I; de: potassium / K; mark if correct electrode odide	e products reversed		
						[Total: 1