



## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CHEMISTRY 0620/22

Paper 2 Multiple Choice (Extended) October/November 2017

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.


A copy of the Periodic Table is printed on page 16.


Electronic calculators may be used.


The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1 The diagram shows the arrangement of particles in the three states of matter.







Solid carbon dioxide (dry ice) sublimes to gaseous carbon dioxide.

Which row describes the initial and final states?

	initial state	final state
Α	Р	R
В	Q	Р
С	R	Р
D	R	Q

2 During an experiment a measurement is recorded in cm<sup>3</sup>.

Which apparatus is used?

- A balance
- B measuring cylinder
- C stopclock
- **D** thermometer
- **3** A student carried out paper chromatography on a mixture of amino acids.

The student sprayed the dried chromatogram with a locating agent.

What is the function of the locating agent?


- A to dissolve the amino acids
- **B** to form coloured spots with the amino acids
- C to preserve the amino acids
- D to stop the amino acids reacting

4 Which row describes silicon(IV) oxide?

	has a giant structure	is an acidic oxide	conducts electricity
Α	✓	✓	<b>√</b>
В	✓	✓	x
С	✓	×	x
D	X	✓	✓

- 5 Why do isotopes of the same element have the same chemical properties?
  - A They have the same nucleon number.
  - **B** They have the same number of electrons in the outer shell.
  - **C** They have the same number of neutrons in the nucleus.
  - **D** They have the same number of protons as neutrons.

**6** Which dot-and-cross diagram shows the outer shell electron arrangement in a molecule of carbon dioxide?



4

7 The equation for the reaction between phosphorus and oxygen is shown.

$$xP_4 + yO_2 \rightarrow zP_2O_5$$

Which values of *x*, *y* and *z* balance the equation?

	X	У	Z
Α	1	5	2
В	1	10	2
С	2	5	2
D	2	10	1

8 The relative molecular mass of an alcohol is 88.


Its percentage composition by mass is: C, 54.5%; H, 9.1%; O, 36.4%.

Which row shows the empirical formula and molecular formula for this alcohol?

	empirical formula	molecular formula
Α	$C_2H_4O$	C <sub>2</sub> H <sub>4</sub> O
В	$C_2H_4O$	C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>
С	$C_4H_8O_2$	C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>
D	$C_4H_8O_2$	C <sub>2</sub> H <sub>4</sub> O

- **9** Which statements about the electrolysis of concentrated copper(II) chloride are correct?
  - 1 Electrons are transferred from the cathode to the copper(II) ions.
  - 2 Electrons move round the external circuit from the cathode to the anode.
  - 3 Chloride ions are attracted to the anode.
  - 4 Hydroxide ions transfer electrons to the cathode.
  - **A** 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4

10 Which metal combination produces the highest voltage reading in the cells shown?



11 The equation for the combustion of methane is shown.

$$CH_4 + 2O_2 \rightarrow CO_2 + 2H_2O$$

The energy change for the combustion of methane is -890 kJ/mol.

The bond energies are shown in the table.


bond	bond energy in kJ/mol
C–H	+410
O=O	+496
H–O	+460

What is the bond energy of the C=O bond?

- +49 kJ/mol
  - **B** +841 kJ/mol
- **C** +1301 kJ/mol **D** +1335 kJ/mol

- 12 Which statement describes an exothermic reaction?
  - A The energy absorbed for bond breaking is greater than the energy released by bond formation.
  - **B** The energy absorbed for bond breaking is less than the energy released by bond formation.
  - **C** The energy released by bond breaking is greater than the energy absorbed for bond formation.
  - **D** The energy released by bond breaking is less than the energy absorbed for bond formation.
- 13 The mass of a beaker and its contents is plotted against time.

Which graph represents what happens when sodium carbonate reacts with an excess of dilute hydrochloric acid in an open beaker?



**14** Copper metal donates electrons to silver ions.

Zinc metal donates electrons to copper ions.

What is the strongest reducing agent?

- A copper ions
- B copper metal
- C silver ions
- D zinc metal
- 15 Four statements about the effect of increasing temperature on a reaction are shown.
  - 1 The activation energy becomes lower.
  - 2 The particles move faster.
  - 3 There are more collisions between reacting particles.
  - 4 There are more collisions which have energy greater than the activation energy.

Which statements are correct?

- **A** 1, 2 and 3
- **B** 1, 3 and 4
- **C** 2, 3 and 4
- **D** 2 and 3 only

16 The formation of sulfur trioxide from sulfur dioxide is a reversible reaction.

$$2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$$

The forward reaction is exothermic.

Which changes would increase the equilibrium yield of SO<sub>3</sub>?

- 1 increasing the pressure
- 2 lowering the temperature
- 3 decreasing the concentration of oxygen
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 only **D** 2 and 3 only
- 17 Some properties of four oxides are listed.

Oxide 1 reacts with both acids and alkalis to form salts.

Oxide 2 reacts with acids to form salts but does not react with alkalis.


Oxide 3 reacts with alkalis to form salts but does not react with acids.

Oxide 4 does not react with acids or alkalis.

Which row describes the oxides?

	oxide 1	oxide 2	oxide 3	oxide 4
Α	amphoteric	acidic	basic	neutral
В	amphoteric	basic	acidic	neutral
С	neutral	acidic	basic	amphoteric
D	neutral	basic	acidic	amphoteric

- **18** What is **not** a typical characteristic of acids?
  - **A** They react with alkalis producing water.
  - **B** They react with **all** metals producing hydrogen.
  - **C** They react with carbonates producing carbon dioxide.
  - **D** They turn blue litmus paper red.



- 24 Why is argon gas used to fill electric lamps?
  - A It conducts electricity.
  - **B** It glows when heated.
  - C It is less dense than air.
  - **D** It is not reactive.
- 25 What is a property of all metals?
  - A conduct electricity
  - **B** hard
  - C low melting points
  - D react with water
- 26 Aluminium is extracted from bauxite by electrolysis.

Which row shows the anode material and the anode reaction?

	anode material	anode reaction
Α	carbon	$Al^{3+} + 3e^- \rightarrow Al$
В	carbon	$20^{2-} \rightarrow 0_2 + 4e^-$
С	steel	$Al^{3+} + 3e^- \rightarrow Al$
D	steel	$20^{2-} \rightarrow O_2 + 4e^-$

- 27 Which statement about the metal zinc is **not** correct?
  - **A** It forms an oxide more readily than iron.
  - **B** It is manufactured by the electrolysis of zinc blende.
  - C It is used to make brass.
  - **D** It is used to prevent iron from rusting.
- **28** Calcium nitrate decomposes when it is heated.

What is the equation for the thermal decomposition of calcium nitrate?

A 
$$2Ca(NO_3)_2 \rightarrow 2CaO + O_2 + 4NO_2$$

$$\mathbf{B} \quad \mathsf{Ca}(\mathsf{NO}_3)_2 \, \to \, \mathsf{Ca}(\mathsf{NO}_2)_2 \, + \, \mathsf{O}_2$$

**C** 
$$Ca(NO_3)_2 \rightarrow Ca + O_2 + 2NO_2$$

**D** 
$$Ca(NO_3)_2 \rightarrow Ca + 3O_2 + N_2$$


29 The flow chart shows stages in the treatment of river water to produce drinking water.



What occurs at stages X and Y?

	Х	Υ
Α	distillation	chlorination
В	distillation	filtration
С	filtration	chlorination
D	filtration	distillation

**30** An experiment to investigate the effect of galvanising iron is shown.



The experiment is left for seven days.

What happens to the water level in tubes X and Y?

	tube X	tube Y
Α	falls	rises
В	no change	no change
С	rises	falls
D	rises	no change

- 31 Which metal is used as a catalyst in the Haber process for the manufacture of ammonia?
  - A iron
  - **B** nickel
  - **C** platinum
  - **D** vanadium

- 32 Which process removes carbon dioxide from the atmosphere?
  - A combustion of fossil fuels
  - **B** decomposition of carbonates
  - C photosynthesis
  - **D** respiration
- 33 Which row shows the conditions used in the manufacture of sulfuric acid by the Contact process?

	temperature /°C	pressure /atm	catalyst
Α	40	200	Fe
В	40	200	$V_2O_5$
С	400	2	Fe
D	400	2	$V_2O_5$


**34** Some marble chips (calcium carbonate) are heated strongly and substances X and Y are formed.

Substance X is a white solid that reacts with water, giving out heat. Substance Y is a colourless gas.

What are substances X and Y?

	Х	Y
Α	calcium chloride	oxygen
В	calcium hydroxide	carbon dioxide
С	calcium oxide	carbon dioxide
D	calcium sulfate	oxygen

**35** The structures of four organic compounds are shown.



Which compounds are unsaturated?


A Sonly B T and U C U only D V only

- **36** Which statement is **not** correct?
  - A Petroleum is a mixture of hydrocarbons.
  - **B** The main constituent of natural gas is ethane.
  - **C** The naphtha fraction of petroleum is used for making chemicals.
  - **D** When natural gas burns in air, carbon dioxide and water are formed.
- **37** X, Y and Z are three hydrocarbons.

$$X CH_2=CH_2$$
  $Y CH_3-CH=CH_2$   $Z CH_3-CH_2-CH=CH_2$ 

What do compounds X, Y and Z have in common?

- 1 They are all alkenes.
- 2 They are all part of the same homologous series.
- 3 They all have the same boiling point.
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- **38** The diagram shows a reaction sequence.



Which row names the processes X, Y and Z?

	Х	Y	Z
Α	cracking	fermentation	respiration
В	cracking	hydration	combustion
С	distillation	fermentation	respiration
D	distillation	hydration	combustion

39 The structure of an ester is shown.

Which substances react to form this ester?

- A ethanol and ethanoic acid
- B ethanol and propanoic acid
- C propanol and ethanoic acid
- D propanol and propanoic acid
- **40** A polymer can be made from methyl propene.

Which diagram shows the structure of the polymer?

14

# **BLANK PAGE**

15

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	<b>II</b>	2 H	helium 4	10	Ne	neon 20	18	Αľ	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=			6	ட	fluorine 19	17	Cl	chlorine 35.5	35	ă	bromine 80	53	_	iodine 127	85	Ą	astatine _			
	5			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>е</u>	tellurium 128	84	Ъ	polonium -	116		livermorium -
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	:Ē	bismuth 209			
	≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pp	lead 207	114	Εl	flerovium
	≡			2	Δ	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	드	indium 115	81	<i>1</i> L	thallium 204			
										30	Zu	zinc 65	48	g	cadmium 112	80	Η̈́	mercury 201	112	S	copernicium –
										29	D C	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium
Group										28	Z	nickel 59	46	Pd	palladium 106	78	₫	platinum 195	110	Ds	darmstadtium -
Gro										27	ပိ	cobalt 59	45	R	rhodium 103	77	<u>-</u>	iridium 192	109	¥	meitnerium -
		- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium
										25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
					pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	ā	tantalum 181	105	9	dubnium –
					atc	rei				22	F	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	쪼	rutherfordium —
										21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
	_			8	:=	lithium 7	7	Na	sodium 23	19	×	potassium 39	37	Rb	rubidium 85	55	S	caesium 133	87	ᇁ	francium

	57	28	59	09	61	62	63	64	65	99	29	89	69	20	7.1
lanthanoids	Га	Ce	P	PN	Pm	Sm	Вu	В	Д	ک	웃	Щ	H	Υp	Pn
	lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium -	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
	88	06	91	92	93	94	92	96	26	86	66	100	101	102	103
actinoids	Ac	드	Ра	$\supset$	d N	Pu	Am	Cm	益	ŭ	Es	Fn	Md	%	۲
	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrencium
	I	232	231	238	ı	I	I	ı	ı	ı	ı	I	I	ı	ı

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).