Cambridge International Examinations Cambridge International General Certificate of Secondary Education

CHEMISTRY

Paper 2 Multiple Choice (Extended) SPECIMEN PAPER 0620/02 For Examination from 2016

45 minutes

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.


Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 18. Electronic calculators may be used.

The syllabus is accredited for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 18 printed pages.



1 Amino acids are colourless and can be separated and identified by chromatography.




What additional apparatus is required to identify the amino acids present in a mixture?

- A a locating agent
- B a ruler
- **C** a ruler and a locating agent
- D neither a ruler or a locating agent
- 2 The diagram shows the diffusion of hydrogen chloride and ammonia in a glass tube.


The gases are given off by the solutions at each end of the tube.

When hydrogen chloride and ammonia mix they produce a white solid, ammonium chloride.


Which line shows where the white solid is formed?



3 The diagram shows the structure of an atom.



Which diagram shows the structure of an isotope of this atom?



4 The table shows the structure of different atoms and ions.

particle	proton number	nucleon number	number of protons	number of neutrons	number of electrons
Mg	12	24	12	W	12
Mg ²⁺	х	24	12	12	10
F	9	19	9	Y	9
F⁻	9	19	9	10	Z

What are the values of W, X, Y and Z?

	W	Х	Y	Z
Α	10	10	9	9
в	10	12	10	9
С	12	10	9	10
D	12	12	10	10

5 Iron is a metal. The structure of iron is described as a lattice of positive ions in a sea of electrons.

Which of the following statements about iron are correct?

- 1 iron conducts electricity because the electrons are free to move
- 2 iron has a high melting point due to the strong covalent bonds
- 3 iron is an alloy
- 4 iron is malleable because the layers of atoms can slide over one another
- A 1 only
- **B** 1 and 3
- **C** 1 and 4
- **D** 2, 3 and 4


R and T

Α

6 Which two elements react together to form an ionic compound?

		element	e	electronic structure	е	
		R T		2,4 2,8		
		X Z		2,8,1 2,8,7		
в	T an	d X	С	X and Z	D	Z and F

7 Ethene is an unsaturated hydrocarbon.



Which description of the bonding in ethene is correct?

- **A** All atoms in the molecule have a share of eight electrons.
- **B** Each carbon atom shares two of its electrons with hydrogen atoms and two of its electrons with a carbon atom.
- **C** Each carbon atom shares two of its electrons with hydrogen atoms and one of its electrons with a carbon atom.
- ${\bf D}$ ~ The two carbon atoms share a total of six electrons with other atoms.
- 8 What is the relative molecular mass, M_r , of butanol?
 - **A** 15 **B** 37 **C** 74 **D** 148

0620/02/SP/16

- **9** The chemical formulae of two substances, W and X, are given.
 - W NaAlSi₃O₈
 - X $CaAl_2Si_2O_8$

Which statements are correct?

- 1 W and X contain the same amount of oxygen.
- 2 W contains three times as much silicon as X.
- 3 X contains twice as much aluminium as W.

A 1 and 2 **B** 1 and 3 **C** 2 and 3 **D** 1, 2 and 3

- **10** What is the concentration of a solution containing 1.0g of sodium hydroxide in 250 cm³ of solution?
 - **A** 0.025 mol/dm³
 - $\mathbf{B} = 0.10 \, \text{mol} \, / \, \text{dm}^3$
 - C 0.25 mol/dm³
 - **D** $1.0 \text{ mol}/\text{dm}^3$
- **11** Four students prepared hydrated copper(II) sulfate by adding an excess of dilute sulfuric acid to copper(II) oxide.

Each student used a different mass of copper(II) oxide.

$$CuO \longrightarrow CuSO_4.5H_2O$$

$$M_r = 80 \qquad M_r = 250$$

After the copper(II) sulfate had crystallised the students dried and weighed the crystals.

	mass of copper(II) oxide used / g	mass of crystals produced / g
Α	4.0	11.5
в	8.0	23.5
С	12.0	35.0
D	16.0	46.5

Which student produced the highest percentage yield of hydrated copper(II) sulfate?

12 20 cm^3 of ethyne, C_2H_2 , are reacted with 500 cm^3 of oxygen.


The equation for the reaction is

 $2C_2H_2(g) \ + \ 5O_2(g) \ \rightarrow \ 4CO_2(g) \ + \ 2H_2O(I)$

What is the total volume of gas remaining at the end of the reaction?

(all volumes are measured at room temperature and pressure)

- **A** 400 cm³
- **B** 450 cm³
- **C** 490 cm³
- \mathbf{D} 520 cm³
- **13** Different metals were tested using the apparatus shown.



Which pair of metals would produce the largest voltage?

- A copper and silver
- B magnesium and silver
- **C** magnesium and zinc
- D zinc and copper
- 14 Three electrolysis cells are set up. Each cell has inert electrodes.

The electrolytes are listed below.

- cell 1 aqueous sodium chloride
- cell 2 dilute sulfuric acid
- cell 3 molten lead(II) bromide

In which of these cells is a gas formed at both electrodes?

A 1 and 2 **B** 1 and 3 **C** 2 only **D** 3 only

- **15** The statements refer to the electrolysis of concentrated copper(II) chloride solution.
 - 1 Electrons are transferred from the cathode to the copper(II) ions.
 - 2 Electrons move around the circuit from the cathode to the anode.
 - 3 Chloride ions are attracted to the anode.
 - 4 Hydroxide ions transfer electrons to the cathode.

Which statements about the electrolysis of concentrated copper(II) chloride are correct?

- A 1 and 3
- **B** 1 and 4
- **C** 2 and 3
- **D** 2 and 4
- **16** Water can be used to produce hydrogen gas.

 $2H_2O \rightarrow 2H_2 + O_2$

Which row describes bond breaking in the reactant?

Α	endothermic	heat absorbed
в	endothermic	heat released
С	exothermic	heat absorbed
D	exothermic	heat released

17 Dinitrogen tetroxide, N_2O_4 , breaks down into nitrogen dioxide, NO_2 .


 $N_2O_4(g) \rightleftharpoons 2NO_2(g)$

The reaction is reversible and endothermic.

Which conditions will give the largest yield of nitrogen dioxide, NO₂?

	temperature	pressure
Α	high	high
в	high	low
С	low	high
D	low	low

18 The apparatus shown can be used to measure the rate of some chemical reactions.




For which two reactions would this apparatus be suitable?

reaction 3	$MgO(s) + 2HCl(aq) \rightarrow MgCl_2(aq) + H_2O(I)$	
reaction 4	$ZnCO_3(s) + 2HCl(aq) \rightarrow ZnCl_2(aq) + CO_2(g) + H_2O(l)$)
1 and 2 B	1 and 3 C 2 and 4 D 3 and 4	

19 A student investigates the rate of reaction between magnesium and excess sulfuric acid.The volume of hydrogen given off in the reaction is measured over time.

The graph shows the results of two experiments, R and S.



Which change in conditions would cause the difference between R and S?

- A catalyst is added in S.
- **B** The acid is more concentrated in R than in S.
- **C** The magnesium is less finely powdered in R than in S.
- **D** The temperature in R is lower than in S.

Α

20 Which of these reactions shows only reduction?

- **A** $Cu^{2+} + 2e^{-} \rightarrow Cu$
- **B** $Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$
- **C** $HCl + NaOH \rightarrow NaCl + H_2O$
- $\textbf{D} \quad Mg + ZnSO_4 \rightarrow Zn + MgSO_4$
- 21 The red colour in some pottery glazes may be formed as a result of the reactions shown.

$$CuCO_3 \xrightarrow{heat} CuO + CO_2$$
$$CuO + SnO \longrightarrow Cu + SnO_2$$

These equations show that1..... is oxidised and2..... is reduced.

Which substances correctly complete gaps 1 and 2 in the above sentence?

	1	2
Α	CO ₂	SnO ₂
в	CuCO ₃	CuO
С	CuO	SnO
D	SnO	CuO

22 Acids are compounds which donate protons (hydrogen ions).

 $NH_3(aq) + H_2O(I) \rightarrow NH_4^{+}(aq) + OH^{-}(aq)$

Which compound in this equation is behaving as an acid?

- A ammonia
- B ammonium hydroxide
- **C** none of them
- D water

23 The reactions of four different oxides W, X, Y and Z are shown.

W reacts with hydrochloric acid but not sodium hydroxide.

X reacts with both hydrochloric acid and sodium hydroxide.

Y does not react with either hydrochloric acid or sodium hydroxide.

Z reacts with sodium hydroxide but not hydrochloric acid.

Which row shows the correct types of oxide?

	acidic	basic	amphoteric	neutral
Α	W	Z	Х	Y
в	Х	Y	W	Z
С	Z	Х	Y	W
D	Z	W	х	Y

24 A solution contains barium ions and silver ions and one type of anion.

What could the anion be?

- A chloride only
- B nitrate only
- **C** sulfate only
- **D** chloride or nitrate or sulfate
- **25** A mixture containing two anions was tested and the results are shown below.


test	result
dilute nitric acid added	effervescence of a gas which turned limewater milky
dilute nitric acid added, followed by aqueous silver nitrate	yellow precipitate formed

Which anions were present?

- A carbonate and chloride
- B carbonate and iodide
- **C** sulfate and chloride
- **D** sulfate and iodide

26 Part of the Periodic Table is shown.

The letters are not the chemical symbols of the elements.



Which statement about the elements is **not** correct.

- **A** W has two electrons in the outermost shell.
- **B** Y is in Group IV of the Periodic Table.
- $\label{eq:constraint} \boldsymbol{C} \quad X \text{ and } Y \text{ bond covalently to form a molecule } XY_4.$
- **D** Z has more metallic character than Y.
- **27** Astatine is an element in Group VII of the Periodic Table. It has only ever been produced in very small amounts.

What are the likely properties of astatine?

	colour	state	reaction with aqueous potassium iodide
Α	black	solid	no reaction
в	dark brown	gas	brown colour
С	green	solid	no reaction
D	yellow	liquid	brown colour


28 The table shows the results of adding three metals, P, Q and R, to dilute hydrochloric acid and to water.

metal	dilute hydrochloric acid	water
Р	hydrogen produced	hydrogen produced
Q	no reaction	no reaction
R	hydrogen produced	no reaction

What is the order of reactivity of the metals?

	most reactive	>	least reactive
Α	Р	R	Q
в	Р	Q	R
С	R	Q	Р
D	R	Р	Q

29 Compound X is heated with carbon using the apparatus shown.



A brown solid is formed in the reaction tube and the limewater turns cloudy.

What is compound X?


- A calcium oxide
- **B** copper(II) oxide
- **C** magnesium oxide
- D sodium oxide

30 Zinc is extracted from zinc blende. Zinc blende is an ore of zinc and consists mainly of zinc sulfide.

One of the steps in the process involves zinc sulfide reacting with oxygen from the air.

What is the equation for this reaction?

- $\textbf{A} \quad 2ZnS + 3O_2 \rightarrow 2ZnO + 2SO_2$
- $\textbf{B} \quad 2ZnS + O_2 \rightarrow 2Zn + SO_2$
- $\textbf{C} \quad 2ZnS + O_2 \rightarrow 2ZnO + S$
- $\textbf{D} \quad ZnS+2O_2 \rightarrow ZnSO_4$
- **31** The diagram shows the carbon cycle.




Which process is shown by the arrow marked X?

- A combustion
- **B** photosynthesis
- **C** respiration
- **D** transpiration

32 A catalytic converter removes harmful gases from motor car exhausts.

Which reaction does not take place in a catalytic converter?

- $\textbf{A} \quad 2\text{CO} + \text{O}_2 \rightarrow 2\text{CO}_2$
- $\textbf{B} \quad N_2 + 2CO_2 \rightarrow 2NO + 2CO$
- $\textbf{D} \quad 2NO_2 + 4CO \rightarrow N_2 + 4CO_2$
- **33** The diagram shows some reactions of substance Y.




Which type of substance is Y?

- A an alcohol
- B a base
- **C** a catalyst
- D a metal

34 Which row shows the conditions for the manufacture of sulfuric acid?

	pressure/atm	temperature/°C	catalyst
Α	2	450	vanadium(V) oxide
в	2	250	iron
С	200	450	iron
D	200	250	vanadium(V) oxide

35 Air containing an acidic impurity was neutralised by passing it through a column containing substance X.




What is substance X?

- A calcium oxide
- B sand
- **C** sodium chloride
- D concentrated sulfuric acid

36 In an oil refinery, petroleum is separated into useful fractions.

The diagram shows some of these fractions.



What are fractions X, Y and Z?

	Х	Y	Z
Α	fuel oil	bitumen	paraffin (kerosene)
в	fuel oil	paraffin (kerosene)	bitumen
С	paraffin (kerosene)	bitumen	fuel oil
D	paraffin (kerosene)	fuel oil	bitumen

- 37 Which reaction does **not** take place in the dark?
 - $\textbf{A} \quad CH_4 + 2O_2 \rightarrow CO_2 + 2H_2O$
 - **B** $CH_4 + Cl_2 \rightarrow CH_3Cl + HCl$
 - $\label{eq:constraint} \boldsymbol{C} \quad C_2H_4 + H_2O \rightarrow C_2H_5OH$
- **38** Ethane and ethene are both hydrocarbons.


Ethane reacts with chlorine and ethene reacts with bromine.

Which row describes the type of reaction that ethane and ethene undergo?


	ethane	ethene
Α	addition	addition
в	addition	substitution
С	substitution	substitution
D	substitution	addition

39 Esters are made by reacting an alcohol with a carboxylic acid.

Which acid and alcohol react together to form the following ester?



- **A** propanoic acid and ethanol
- **B** propanoic acid and methanol
- **C** ethanoic acid and ethanol
- **D** ethanoic acid and methanol
- 40 Which structure represents a polymer?



								Group	dn								
_	=											≡	N	>	VI	VII	VIII
							-										2
							Т										He
				Key			hydrogen 1										helium 4
3	4	_	at	atomic number	er.							5	9	7	8	6	10
:-	Be		ato	atomic symbol	bol							Ш	U	z	0	L	Ne
lithium	beryllium			name								boron	carbon	nitrogen	oxygen	fluorine	neon
2	6		relati	relative atomic mass	nass							1	12	14	16	19	20
7	12											13	14	15	16	17	18
Na	Mg											Ρl	Si.	٩	S	Cl	Ar
sodium 23	magnesium 24											aluminium 27	silicon 28	phosphorus 31	sulfur 32	chlorine 35.5	argon 40
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
¥	Ca	Sc	F	>	ບັ	Mn	Fe	ပိ	ïŻ	Cu	Zn	Ga	Ge	As	Se	Вr	Ъ К
potassium	calcium	scandium	titanium	vanadium	chromium	manganese	iron	cobalt	nickel	copper	zinc	gallium	germanium	arsenic	selenium	bromine	krypťon
39	40	45	48	51	52	55	56	59	59	64	65	70	73	75	79	80	84
37	38	39	40	41	42	43	4	45	46	47	48	49	50	51	52	53	54
Rb	ي ا	≻	Zr		Mo	Тс	Ru	Rh	ЪЧ	Ag	ЪС	In	Sn	Sb	Те	Ι	Xe
rubidium	strontium	yttrium	zirconium	niobium	molybdenum	technetium	ruthenium	rhodium	palladium	silver	cadmium	indium	tin 7,7	antimony	tellurium	iodine	Xenon
55	00 56	57-71	12	73	96 74	75	101	201	78	20	80	81	82	83	84	121 85	86
č	с В	lanthanoids	! `	, L	M	a A	č	: 1	2 4	Ā	S I	11	h d	ä.	, d	Δ+	2 2
Caesium	harium		hafnium	fanfalum	fundsfen	rhenium	nuimer of the second	L	nlafinum	plop	D	thallium	Deal	hismuth	nolonium m	astatine	radon
133	137		178	181	184	186	190	192	195	197	201	204	207	209	I	1	I
87	88	89-103	104	105	106	107	108	109	110	111	112		114		116		
Ŀ	Ra	actinoids	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	C		Fl		۲۷		
francium	radium		rutherfordium	dubnium	seaborgium	bohrium	hassium	meitnerium	darmstadtium	roentgenium	copernicium		flerovium		livermorium		
J	1		1	1	1	j	1)	1	1	ł		Ë.		1		
	20	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	
lanthanoids	s	e	Ce	ŗ		ЪШ	Sm	ШШ	Dd	Tb		РН	ц	Tm	γh	, n	
		anthanum	cerium	praseodymium	m	promethium	samarium	europium	gadolinium	terbium	dysprosium	holmium	erbium	thulium	ytterbium	Iutetium	
		139	140	141		I	150	152	157	159	163	165	167	169	173	175	
		89	06	91	92	93	94	95	96	97	98	66	100	101	102	103	
actinoids		Ac	Th	Ра	⊃	Np	Pu	Am	Cm	BK	ç	Es	Fm	pM	No	5	
		actinium 	thorium 232	protactinium 231	uranium 238	neptunium -	plutonium –	americium -	aurium	berkelium -	californium -	einsteinium -	fermium -	mendelevium 	nobelium -	lawrencium 	
The volur	ne of on	The volume of one mole of any gas is $24{ m dm}^3$ at room	any gas	is 24 dm ³		temperature and pressure (r.t.p.)	ure and p	ressure (r.t.p.)								

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

PMT

18