

Cambridge IGCSE[™] (9–1)

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

CHEMISTRY 0971/31

Paper 3 Theory (Core) May/June 2022

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1	(a)	A list of	symbols	and	formulae	is	shown
---	-----	-----------	---------	-----	----------	----	-------

 $\begin{array}{c} \text{CaO} \\ \text{CH}_4 \\ \text{C}_2\text{H}_4 \\ \text{C}_2\text{H}_6 \\ \text{C} \emph{1}^- \\ \text{Cu}^{2+} \\ \text{H}_2 \\ \text{He} \\ \text{K}^+ \\ \text{N}_2 \\ \text{Na}^+ \\ \text{SO}_2 \end{array}$

Answer the following questions using these symbols or formulae. Each symbol or formula may be used once, more than once or not at all.

State which symbol or formula represents:

(i)	a compound produced by the thermal decomposition of calcium carbonate	
		[1]
(ii)	a positive ion that gives a blue-green colour in a flame test	
		[1]
(iii)	an element used as a fuel	
		[1]
(iv)	the monomer used to produce poly(ethene)	
		[1]
(v)	an ion formed when an atom gains an electron.	
		[1]

(b) Complete the table to show the relative charges of a proton, a neutron and an electron.

type of particle	relative charge
proton	+1
neutron	
electron	

[2]

(c)	Choose the two correct statements about nitrogen. Tick (✓) two boxes.	
	Nitrogen molecules are monoatomic.	
	All nitrogen atoms have seven protons.	
	Nitrogen atoms cannot be split into simpler substances by chemical means.	
	All nitrogen atoms have 14 neutrons.	
	Nitrogen is 21% of clean, dry air.	
		[2]
		[Total: 9]

[2]

2 The table shows the masses of some ions in a 1000 cm³ sample of toothpaste.


name of ion	formula of ion	mass of ion in 1000 cm ³ of toothpaste/g
	NH ₄ ⁺	0.2
calcium	Ca ²⁺	1.2
	Ct-	0.9
fluoride	F-	1.4
magnesium	Mg ²⁺	2.0
phosphate	PO ₄ ³⁻	24.4
sodium	Na ⁺	28.1
sulfate	SO ₄ ²⁻	9.2
tin(II)	Sn ²⁺	0.2
zinc	Zn ²⁺	0.1

a)	Ans	swer these questions using only the information in the table.
	(i)	State which negative ion has the lowest mass in 1000 cm³ of toothpaste.
		[1]
	(ii)	Name the compound that contains NH_4^+ and Cl^- ions.
		[1]
((iii)	Calculate the mass of phosphate ions in 250 cm³ of toothpaste.
		mass = g [1
		mass = g [1]

© UCLES 2022 0971/31/M/J/22

(b) Describe a test for sulfate ions.

(c) Toothpaste also contains cinnamal. The structure of cinnamal is shown.



Deduce the formula of cinnamal to show the number of atoms of carbon, hydrogen and oxygen.


.....[1]

- (d) Cinnamal can be oxidised to a carboxylic acid.
 - (i) Draw the structure of a carboxylic acid functional group to show all of the atoms and all of the bonds.

[1]

(ii) Ethanoic acid is a carboxylic acid. Ethanoic acid reacts like a typical acid.

Complete the word equation for the reaction of ethanoic acid with sodium carbonate.



[2]

[Total: 9]

3	This que	estion is	about	halogens	and ha	alogen	compo	unds

(a)	Deduce the number of electrons, neutrons and protons in one atom of the isotope of chlorine
	shown.

(d) The table shows some properties of four halogens.

halogen	melting point /°C	boiling point /°C	density of liquid at boiling point in g/cm ³
fluorine	-220		1.51
chlorine	-101	-35	
bromine	-7	59	3.12
iodine	114	184	4.93

(i) Complete the	table by	predicting:
------------------	----------	-------------

the boiling point of fluorine

Give a reason for your answer.

(ii) Predict the physical state of chlorine at -105°C.

the density of liquid chlorine at its boiling point.

.....

[2]


[Total: 11]

	8	
Thi	nis question is about acids and bases.	
(a)) Describe the colour of methyl orange in acidic and alkaline solutions.	
	in acidic solution	
	in alkaline solution	
(b)) Complete the word equation for the reaction of hydrochloric acid with calcium oxide.	
	hydrochloric acid + calcium oxide → +	
	acid oxide	
, ,		
(c)) Calcium oxide is lime.	
	Give one use of lime.	
	Give dile use of liftle.	
(식)) The reaction of hydrochloric acid with calcium oxide is exothermic.	
(u)		
	(i) State the meaning of the term exothermic.	
	(ii) The energy level diagram for the reaction of hydrochloric acid with calcium oxide is	sho
	in The energy level diagram for the reaction of hydrocinione acid with calcium oxide is	3110
	↑	
	reactants	
	energy	
	v products	
	progress of reaction	
	progress of reaction	
	progress of reaction Explain how the energy level diagram shows that this reaction is exothermic.	

[Total: 7]

5 This question is about Group IV elements and their compour	pounds	and their com	elements and	ρIV	Group	about	uestion is	This	5
--	--------	---------------	--------------	-----	-------	-------	------------	------	---

(a) The changes of state of lead are shown.



Name the changes of state represented by **A** and **B**.

Α	
В	
	[2

(b)	Use the kinetic	particle mod	el to descri	be the diffe	erences betw	ween liquid l	lead and I	ead gas in
	terms of:							

	the separation of the particles
•	the motion of the particles.

[4]

(c) Lead is extracted from lead(II) oxide by heating with carbon.


$$PbO + C \rightarrow Pb + CO$$

Describe how this equation shows that lead(II) oxide is reduced.

[Total: 13]

(d)	Lea	ad is a pollutant of the air.			
	(i)	State one source of lead in the air.			
					[1]
	(ii)	State one adverse effect of lead on	health.		
					[1]
(e)		amond is a form of carbon. e structure of diamond is shown.			
	(i)	Choose the word which best describ	pes the structur	e of diamond.	
		Draw a circle around your chosen a	nswer.		
		giant ionic	metallic	simple	[1]
	(ii)	Name the type of bonding in diamor	nd.		
					[1]
((iii)	Give one use of diamond.			
					[1]
((iv)	Deduce the electronic structure of c	arbon.		
		Use the Periodic Table to help you.			
					[1]

6 (a) The structures of four organic compounds, C, D, E and F, are shown.



Answer the following questions about these compounds. Each compound may be used once, more than once or not at all.

State which compound, C, D, E or F:

Name the method used to separate these fractions.

[1]

(c) Complete the table to show the name and uses of some petroleum fractions.

name of fraction	use of fraction
refinery gas	
gasoline	
	waxes and polishes

[3]

(d)	Sor	ne hydrocarbons are formed by the process of cracking.
	(i)	State the meaning of the term <i>cracking</i> .
		[2]
	(ii)	Describe the conditions needed for cracking.
		[2]
		[Total: 12]

- 7 This question is about zinc and compounds of zinc.
 - (a) Zinc is a metal.

Give **three** physical properties of metals.

1	 																						
2	 																						
3																							


[3]

(b) Zinc reacts with phosphorus to form zinc phosphide, Zn₃P₂.

Complete the equation for this reaction.

....Zn +P
$$\rightarrow$$
 Zn₃P₂ [2]

(c) Molten zinc chloride is electrolysed. The incomplete apparatus is shown.



- (i) Complete the diagram by:
 - completing the circuit to show the wires and power pack
 - labelling the anode.

[2]

(ii) Name the products formed at each electrode.

positive electrode

negative electrode[2]

(d)	Zinc chloride reacts	with water	as shown.	The solution	formed is	acidio
-----	----------------------	------------	-----------	--------------	-----------	--------

$$ZnCl_2 + 2H_2O \rightleftharpoons Zn(OH)_2 + 2HCl$$

(i) State the meaning of the symbol \rightleftharpoons .

[1	1
	-

(ii) Choose the pH value which is acidic.

Draw a circle around your chosen answer.

(e) A compound of zinc has the formula ZnC_4H_{10} .

Complete the table to calculate the relative molecular mass of ZnC_4H_{10} .

atom	number of atoms	relative atomic mass	
zinc	1	65	1 × 65 = 65
carbon		12	
hydrogen		1	

relative molecular mass = [2]


[Total: 13]

8 A student investigates the reaction of large pieces of copper(II) carbonate with dilute hydrochloric acid. The hydrochloric acid is in excess.

$$CuCO_3 + 2HCl \rightarrow CuCl_2 + CO_2 + H_2O$$

The rate of reaction is found by measuring the mass of the reaction mixture as time increases.

The results are shown on the graph.



(a) Deduce the mass of the reaction mixture at 30 s.

(b) The experiment is repeated using smaller pieces of copper(II) carbonate.

All other conditions stay the same.

Draw a line **on the grid** to show how the mass of the reaction mixture changes as time increases. [2]

(c)	Describe the effect each of the following has on the rate of reaction of $copper(II)$ carbonate with dilute hydrochloric acid.
	All other conditions stay the same.
	The reaction is carried out in the presence of a catalyst.
	The reaction is carried out using a lower concentration of hydrochloric acid.
	[2]
(d)	When 0.2 g of copper(II) carbonate is used, 38 cm³ of carbon dioxide gas is produced.
	Calculate the volume of carbon dioxide gas produced when 0.50 g of copper(II) carbonate is used.
	volume of carbon dioxide gas = cm ³ [1]
	[Total: 6]

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

		-	2 7	helium 2	100	e e	20	18	۸r	rgon 40	36	궃	ypton 84	54	× e	enon 131	98	٦	adon			
	Group			- ĕ	+																	
		₹			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Н	iodine 127	85	Ą	astatine			
		5			000	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	molonium I	116	^	livermorium -
		>		7	Z	nitrogen 14	15	凸	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209				
		≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	ŁΙ	flerovium
		≡			22	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	18	11	thallium 204			
											30	Zu	zinc 65	48	g	cadmium 112	80	Ρ̈́	mercury 201	112	ű	copernicium
											59	no	copper 64	47	Ag	silver 108	62	Αu	gold 197	111	Rg	roentgenium -
											28	Z	nickel 59	46	Pd	palladium 106	78	£	platinum 195	110	Ds	darmstadtium -
											27	ပိ	cobalt 59	45	Rh	rhodium 103	11	Ľ	iridium 192	109	₩	meitnerium -
2			-]	hydrogen	-						26	Fe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium
					_						25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
			Key		lo	name relative atomic mass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -	
				atomic number	atomic symbo					23	>	vanadium 51	41	g	niobium 93	73	ā	tantalum 181	105	90	dubnium	
					7	ator	relat				22	i=	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	圣	rutherfordium -
								J			21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
		=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium
		_			8	· :=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	S	caesium 133	87	ъ́	francium -

Lu Lu	lutetium 175	103	ב	lawrendum -
o ₂ AY	ytterbium 173	102	8	nobelium –
e9 Tm	thulium 169	101	Md	mendelevium –
₈₈ Ё	erbium 167	100	Fm	fermium -
67 Ho	holmium 165	66	Es	einsteinium –
66 Dy	dysprosium 163	86	ŭ	californium -
e5 Tb	terbium 159	26	BK	berkelium -
Gd Gd	gadolinium 157	96	Cm	curium
e3 Eu	europium 152	92	Am	americium -
62 Sm	samarium 150	94	Pu	plutonium –
e1 Pm	promethium	93	d N	neptunium -
 9 N	neodymium 144	92	\supset	uranium 238
P.	praseodymium 141	91	Ра	protactinium 231
Ce Se	cerium 140	06	드	thorium 232
57 La	lanthanum 139	88	Ac	actinium _

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).