

# Cambridge IGCSE<sup>™</sup>(9–1)

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

CHEMISTRY

0971/32

Paper 3 Theory (Core)

May/June 2023

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

#### **INFORMATION**

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

[Total: 6]

1 Fig. 1.1 shows part of the Periodic Table.

- 1	Ш							Ш	IV	V	VI	VII	VIII
													He
									С	N	0		Ne
												Cl	
K	Ca		Cr			Cu	Zn					Br	
	Sr											I	

Fig. 1.1

Answer the following questions using only the elements in Fig. 1.1. Each symbol of the element may be used once, more than once or not at all.

Give the symbol of the element that:

[1]
[1]
[1]
[1]
[1]
[1]

**2** (a) Table 2.1 shows some properties of the halogens.

Table 2.1

halogen	melting point in °C	boiling point in °C	density at room temperature and pressure in g/cm³
chlorine	-101	<del>-</del> 35	0.003
bromine	-7	+59	3.12
iodine	+114		4.93
astatine	+302	+337	

Use the information in Table 2.1 to predict:

(i)	the boiling point of iodine	[1]
(ii)	the density of astatine at room temperature and pressure	[1]
(iii)	the physical state of bromine at +50 °C. Give a reason for your answer.	
	physical state	
	reason	

- (b) Aqueous bromine reacts with aqueous potassium iodide.
  - (i) Complete the word equation for this reaction.



[2]

[2]

(ii) Explain why aqueous iodine does **not** react with aqueous potassium bromide.

.....[1]

(iii) Describe a test for iodide ions.

test .....

[Total: 9]

[2]

(i)		/o other substances to		which are harmful to aq	
	2				
					[2]
(ii)	State wh	y phosphates are harn	nful to aquation	c life.	
					[1]
<b>(b)</b> Tab	10 3 1 sho	ows the masses of ions	: in ma nres	ent in a 1000 cm³ sampl	e of polluted water
(b) Tak	71C 0.1 311C	The masses of lone		shtin a rood chi sampi	e of politica water.
			Table 3.1		
		name of ion	formula of ion	mass of ion present in mg/1000 cm <sup>3</sup> of polluted water	
		ammonium	NH <sub>4</sub> <sup>+</sup>	0.5	
		calcium	Ca <sup>2+</sup>	1.8	
		chloride	C <i>l</i> −	2.0	
		copper(II)	Cu <sup>2+</sup>	0.3	
		hydrogencarbonate	HCO <sub>3</sub> -	8.0	
		magnesium	Mg <sup>2+</sup>	1.6	_
			NO <sub>3</sub> -	0.6	
		potassium	K <sup>+</sup>	8.3	
		silicate	SiO <sub>3</sub> <sup>2-</sup>	5.0	
		sodium	Na⁺	5.2	
		sulfate	SO <sub>4</sub> <sup>2-</sup>	0.2	
Ans	swer these	e questions using infor	mation from T	able 3.1.	
(i)	Name th	e positive ion present i	n the highest	concentration	
(1)	rianic in				
					[1]
(ii)	State the	e name of the NO <sub>3</sub> ion.			
					[1]

mass = ..... mg [1]

(c)	Water is	produced	when	blue	copper	II)	) sulfate	is	heated
-----	----------	----------	------	------	--------	-----	-----------	----	--------

$$\begin{array}{cccc} \text{CuSO}_4 \bullet 5\text{H}_2\text{O(s)} & \Longleftrightarrow & \text{CuSO}_4(\text{s}) & + & 5\text{H}_2\text{O(l)} \\ \text{blue copper(II)} & & \text{white copper(II)} \\ & & \text{sulfate} & & \text{sulfate} \end{array}$$

(i)	Describe how white copper(II) sulfate can be changed to blue copper(II) sulfate.	
		[1]

(ii) Choose a word from the list which best describes white copper(II) sulfate.

Draw a circle around your chosen answer.

(d) Complete the symbol equation for the reaction of calcium with water.

Ca + .....
$$H_2O \rightarrow Ca(OH)_2 + ....$$
 [2]

[Total: 10]

			6	
4	This	s que	estion is about chlorine and compounds of chlorine.	
	(a)	Chl	orine has diatomic molecules.	
		Def	ine the term diatomic.	
				[1]
	(b)	Dec	duce the number of protons, neutrons and electrons in the chloride ion shown.	
			<sup>37</sup> C <i>l</i> <sup>-</sup>	
		nun	nber of protons	
			nber of neutrons	
			nber of electrons	
				[3]
	(c)		orine reacts with hydrogen to produce hydrogen chloride. The reaction is exothermic.	
		(i)	State the meaning of the term exothermic.	
		(ii)	Fig. 4.1 shows an incomplete reaction pathway diagram for the reaction of chlorine whydrogen.	with
			energy V	
			progress of reaction	
			Fig. 4.1	
			Complete Fig. 4.1 by writing these formulae on the diagram:  • $Cl_2 + H_2$ • $2HCl$ .	[1]
	(	(iii)	Explain how Fig. 4.1 shows that the reaction is exothermic.	

(d)	A few drops of n	nethyl	orange indicator	are a	dded to dilute hydr	ochlo	ric acid.	
	State the colour	of the	solution.					
								[1]
(e)	Dilute hydrochlo	oric aci	id reacts with so	dium h	ydroxide.			
_	(i) Complete the	ne wor	d equation for th	is read	ction.	I		
	hydrochloric acid	+	sodium hydroxide	$\rightarrow$		+		
								[0]
	(ii) Sodium hyd	droxide	e is an alkali.					[2]
				. 4 ! II	allialia			
	vvrite the 10	rmuia	of the ion preser	il in al	aikalis.			
								[1]

(f) Fig. 4.2 shows the apparatus used for the electrolysis of concentrated aqueous sodium chloride using graphite electrodes.




Fig. 4.2

- (i) Label Fig. 4.2 to show:
  - the anode

[2	2
	Į,

(11)	name the products and state the observations at the positive and negative electrodes.
	product at the positive electrode
	observations at the positive electrode
	product at the negative electrode
	observations at the negative electrode
	[4]

[Total: 18]

(i)	Name the main ore o	if iron.	
(ii)	Iron(III) oxide in the	iron ore is reduced by carbon monoxide.	
		ances which react in the blast furnace to produce	
Sta	e <b>one</b> method of prev		r.a
		formation about the reaction of four metals with ste	
	e 5.1 shows some inf	formation about the reaction of four metals with ste	
	e 5.1 shows some inf	Table 5.1 reaction with steam when metal is cold	
	e 5.1 shows some information metal beryllium	Table 5.1  reaction with steam when metal is cold reacts slowly	
	e 5.1 shows some inf	Table 5.1 reaction with steam when metal is cold	
	metal beryllium chromium	reacts slowly only when the metal is very hot	

[Total: 6]

**6 (a)** A student investigates the reaction of different-sized pieces of calcium carbonate with dilute hydrochloric acid.

The sizes of the pieces of calcium carbonate are:

- large
- medium
- small.

All other conditions stay the same.

Table 6.1 shows the time taken for each reaction to finish.

Table 6.1

size of pieces of calcium carbonate	time taken for the reaction to finish/s
	160
	50
	450

	(i)	Complete Table 6.1 by writing the sizes of the pieces of calcium carbonate in the first column.
	(ii)	Describe the effect on the time taken for small pieces of calcium carbonate to finish reacting with dilute hydrochloric acid when the temperature is increased.
		All other conditions stay the same.
		[1]
(	(iii)	Describe the effect on the time taken for small pieces of calcium carbonate to finish reacting with dilute hydrochloric acid when the concentration of hydrochloric acid is decreased.
		All other conditions stay the same.
		[1]
(b)	-	stals of calcium chloride can be prepared by reacting excess calcium carbonate with dilute rochloric acid.

Name the process used to separate the unreacted calcium carbonate from the rest of the

© UCLES 2023 0971/32/M/J/23

reaction mixture.

(c)	Calcium carbonate is insoluble in water.	
	Choose one other compound that is insoluble in	water.
	Tick (✓) one box.	
	ammonium sulfate	
	potassium nitrate	
	silver chloride	
	sodium hydroxide	
		[1]
		[Total: 5]

7 (a) Fig. 7.1 shows the displayed formula of compound **D**.

(i) Draw the displayed formula of ethene.

Fig. 7.1

(i)	On Fig. 7.1 draw a circle around the alcohol functional group.	[1]
(ii)	Deduce the molecular formula of compound <b>D</b> .	
		[1]
(iii)	Explain, by referring to the structure in Fig. 7.1, why compound <b>D</b> is unsaturated.	
		[1]
<b>(b)</b> Eth	ene is also an unsaturated compound.	

		[1]
(ii)	Describe a test for unsaturated compounds.	
	test	
	observations	
		[2]

(c)	Eth	ene can be ma	nufactured by cracki	ng larger alkane mo	lecules.	
	(i)	State <b>two</b> con	ditions for cracking.			
		1				
		2				
						[2]
	(ii)	Complete the one other hyd		the cracking of deca	ane, $C_{10}H_{22}$ , to produce	ethene and
			$C_{10}H_{22} \rightarrow 0$	C <sub>2</sub> H <sub>4</sub> +		[1]
(d)	Eth	anol can be ma	anufactured by the re	eaction of ethene with	h steam.	
	Naı	me one <b>other</b> n	nethod of manufactu	ring ethanol.		
						[1]
(e)	Eth	anol can be oxi	idised to ethanoic ac	id.		
	Eth	anoic acid read	cts with sodium.			
	Naı	me the salt form	ned when ethanoic a	cid reacts with sodiu	ım.	
						[1]
(6)	<b>-</b>	,				
(f)			cts with propanol.  Ict has the molecular	formula $C_5H_{10}O_2$ .		
	Coi	mplete Table 7.	1 to calculate the rela	ative molecular mas	s of $C_5H_{10}O_2$ .	
			Т	able 7.1		
			I		1	
		atom	number of atoms	relative atomic mass		1
		carbon		12		
		hydrogen		1		

relative molecular mass = ..... [2]

2 × 16 = 32

[Total: 13]

16

oxygen

2

		14	
8	This	question is about non-metals and compounds of non-metals.	
	(a)	Describe <b>two</b> physical properties which are typical of non-metals.	
		1	
		2	
			[2]
	(b)	Methane is a compound of carbon and hydrogen.	
		(i) Complete Fig. 8.1 to show the dot-and-cross diagram for a molecule of methane.	
		Show outer shell electrons only.	
		Н	
		H C H	
		H	
		Fig. 8.1	
		119.0.1	[1]
	(	ii) Methane is an alkane.	
		Write the general formula for alkanes.	
			[1]
	(i	ii) Methane is an air pollutant.	
		State <b>one</b> source of methane in the air.	
			[1]
	(i	v) State <b>one</b> adverse effect of methane in the air.	
			[1]
	(	v) Carbon particulates and water are two of the products of the incomplete combustion	on of
		methane.	

Name one **other** compound formed during the incomplete combustion of methane.

- (c) Sulfur dioxide is an air pollutant which contributes to acid rain.
  - (i) Choose from the list the pH value that is acidic.

Draw a circle around your chosen answer.

(iii) Sulfur dioxide gas turns aqueous acidified potassium manganate(VII) from purple to colourless.

Fig. 8.2 shows a gas jar of sulfur dioxide separated from a gas jar of air by a glass plate. A piece of filter paper soaked in aqueous acidified potassium manganate(VII) is glued to the top of the gas jar of air.




Fig. 8.2

The glass plate is removed.

At first, the filter paper remains purple.

After a short time, the filter paper turns colourless.

Explain these results in terms of the kinetic particle theory.

.....

.....[3

[Total: 13]

## **BLANK PAGE**

## **BLANK PAGE**

## **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

	III/	2	He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon	118	Ő	oganesson –
	II/				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ă	bromine 80	53	П	iodine 127	85	Ą	astatine -	117	<u>⊳</u>	tennessine -
	5				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	polonium –	116	^	livermorium —
	>				7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	<u>.</u>	bismuth 209	115	Mc	moscovium -
	2				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium —
	≡				2	Δ	boron 11	13	Ν	aluminium 27	31	Ga	gallium 70	49	In	indium 115	84	lT	thallium 204	113	R	nihonium —
											30	Zu	zinc 65	48	g	cadmium 112	80	Рg	mercury 201	112	S	copernicium —
											29	DO.	copper 64	47	Ag	silver 108	62	Αu	gold 197	111		
Group											28	Z	nickel 59	46	Pd	palladium 106	78	₽	platinum 195	110	Ds	darmstadtium -
Gre											27	රි	cobalt 59	45	Rh	rhodium 103	77	'n	iridium 192	109	₩	meitnerium -
		-	I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	H	hassium -
								_			25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
					_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	д	tantalum 181	105	g C	dubnium —
						ato	<u>1</u>				22	ı=	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	꿒	rutherfordium —
											21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium —
	_				က	:=	lithium 7	=	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	S	caesium 133	87	Ā	francium —

7.1	P	lutetium 175	103	۲	lawrencium	I
		ytterbium 173			-	
69	TB	thulium 169	101	Md	mendelevium	ı
89	Щ	erbium 167	100	Fm	fermium	I
29	웃	holmium 165	66	Es	einsteinium	I
99	ò	dysprosium 163	86	₽	californium	ı
65	Q L	terbium 159	97	Ř	berkelium	ı
64	<del>G</del> d	gadolinium 157	96	Cm	curium	I
63	Вп	europium 152	92	Am	americium	ı
62	Sm	samarium 150	94	Pu	plutonium	ı
61	Pa	promethium	93	ď	neptunium	I
09	PZ	neodymium 144	92	$\supset$	uranium	238
59	P	praseodymium 141	91	Ра	protactinium	231
58	Ce	cerium 140	06	H	thorium	232
22	Гa	lanthanum 139	68	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).