



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	

CHEMISTRY 0620/31

Paper 3 Theory (Core)

May/June 2018

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1 The names of eight gases are given.

ammonia
argon
carbon dioxide
helium
hydrogen
methane
neon
sulfur dioxide


(a) Answer the following questions about these gases.

Each gas may be used once, more than once or not at all.

State which gas:

	(i)	turns damp red litmus paper blue	
			[1]
	(ii)	contributes to the formation of acid rain	
			[1]
(iii)	is a hydrocarbon which contributes to climate change	
			[1]
(iv)	is a product of the reaction of copper(II) carbonate with hydrochloric acid	
			[1]
	(v)	is a monatomic gas which has atoms with the electronic structure 2,8,8.	
			[1]
(b)	(i)	Explain why helium and not hydrogen is used to fill party balloons.	
			[1]
	(ii)	Give one use of argon.	
			[1]
(c)	Cor	than diavida is a compound	
(0)		rbon dioxide is a compound.	
	vvn	at is meant by the term compound?	
			[1]

(d) Complete the dot-and-cross diagram to show the electron arrangement in a molecule of ammonia. Show outer shell electrons only.



[2]

2 The table shows the percentage by volume of each of the gases present in the exhaust gases from a petrol engine.

name	percentage by volume
carbon monoxide	1.0
carbon dioxide	
hydrogen	0.2
nitrogen	77.0
nitrogen dioxide	0.3
oxygen	0.7
hydrocarbons	0.3
water vapour	5.0
	total 100.0

(a) (i) Calculate the percentage by volume of carbon dioxide in the exhaust gases.

	% [1]
(ii)	Which gas shown in the table is present in the lowest percentage by volume?	
	[1]
(iii)	Which two elements in the table combine to form nitrogen dioxide?	
	and [1]
(iv)	Give the formula for nitrogen dioxide.	
	[1]
(v)	Where does the nitrogen in the exhaust gases come from?	
	[1]
	e carbon monoxide in the exhaust gases comes from the incomplete combustion drocarbons.	of
(i)	What is meant by the term <i>hydrocarbon</i> ?	
	[2]
(ii)	Give one adverse effect of carbon monoxide on health.	
	Г	41

(iii) Balance the chemical equation for the complete combustion of pentane.

$$C_5H_{12} + 8O_2 \rightarrowCO_2 +H_2O$$
 [2]

(a) A teacher placed a beaker of limonene at the front of a classroom. At first, the students at the back of the classroom could not smell the limonene.

3 Limonene is a volatile liquid which smells of ora	anges.
---	--------

		er two minutes, the smell of limonene had spread throughout the classroom. e air in the classroom was still and calm.	
	(i)	Explain these observations using the kinetic particle model.	
			[3]
	(ii)	The melting point of limonene is –74°C. The boiling point of limonene is 176°C.	
		What is the physical state of limonene at -80°C ? Explain your answer.	
			[2]
(b)	An	enzyme present in peppermint plants is a catalyst for the oxidation of limonene.	
	Sto	to what is moont by the terms:	

State what is meant by the terms:

(i)	catalyst	
		[1]
(ii)	oxidation	
		[1]

(c) Limonene can be made from a colourless compound called α -terpineol. The structure of α -terpineol is shown.

(i)	What feature of the structure of the $\alpha\text{-terpineol}$ molecule shows that it is an unsaturated compound?
	[1]
(ii)	Describe how the colour of aqueous bromine changes when an excess of $\alpha\text{-terpineol}$ is added to it.
	from to

4 This question is about iron and its compounds	4	This	question	is	about	iron	and	its	compo	unds
---	---	------	----------	----	-------	------	-----	-----	-------	------

(a) The table shows how easy it is to reduce four metal oxides by heating with carbon.

metal oxide	ease of reduction with carbon
chromium(III) oxide	only reduced above 1700°C
iron(III) oxide	only reduced above 650 °C
magnesium oxide	not reduced at 1750°C
nickel(II) oxide	only reduced above 300 °C

Use this information to put the metals in order of their reactivity. Put the least reactive metal first.

		[2]
(b)	Iron is a transition element. Potassium is an element in Group I of the Periodic Table.	
	Describe three ways in which the properties of iron differ from those of potassium.	
	1	
	2	
	3	

(c) Iron wire burns in oxygen.

least reactive

Balance the chemical equation for this reaction.

....Fe +
$$O_2 \rightarrow Fe_3O_4$$
 [2]

most reactive

[3]

(d) Pure iron can be made by reducing iron(III) oxide, Fe_2O_3 , with hydrogen.

$$Fe_2O_3 + 3H_2 \rightarrow 2Fe + 3H_2O$$

How does this equation show that iron(III) oxide is reduced?


[1]

[2]

(i)	Describe a	test for	iron(II) ions
-----	------------	----------	---------	--------

test	
result	


(ii) Another chloride of iron has the structure shown.



Deduce the molecular formula of this compound showing the number of iron and chlorine atoms.

......[1]

(f) Some iron nails were placed in bottles under different conditions.




In which bottles will the iron nails **not** rust? Give reasons for your answer.

[0]

5	(a)	Complete the sentence	about	electrolysis	using	words	from	the	list
---	-----	-----------------------	-------	--------------	-------	-------	------	-----	------

	breakdown	compound	electricity	electroplating		
	element gaseous heat		heat	molten		
Electrolysis is the of an ionic when						
or in aqueous solution by the passage of						

(b) Molten zinc iodide can be electrolysed using the apparatus shown.



On the diagram, label:

- the anode
- the cathode
 - the electrolyte [2]

(c)	Why are the electrodes made of graphite?
	[1]
(d)	Predict the products of the electrolysis of molten zinc iodide at:
	the negative electrode
	the positive electrode.
	[2]

(e) When chlorine is bubbled through a colourless aqueous solution of zinc iodide, the solution turns brown.

reaction occurs.

Name the brown substance. Suggest, using ideas about reactivity of the halogens, why this

[Total: 11]

6	This	question	is	about	isoto	pes.
---	------	----------	----	-------	-------	------

(a) An atom of an isotope of fluorine is represented by the sym	svmbol shown
---	--------------

¹⁹F

		191	-			
	Describe the structure of a In your answer, include: the position of the pro the number of protons	tons, neutrons ar	nd electrons	s in the atom	n.	
						•••••
			•••••			[5]
(b)	Complete the sentence ab	out isotopes usir	ng words fro	om the list.		
	atomic compoun	d element	ions	molecular	nucleons	
	Isotopes are atoms of the	same	wł	nich have the sa	me	
	numbe	er but different nu	mbers of			
						[3]
(c)	Give one medical use of r	adioactive isotop	es.			
						[1]
(d)	Which one of the following Draw a circle around the c		d as a sourc	ce of energy?		
	¹²⁷ I	²³⁵ U	¹³¹ Xe	⁶⁶ Zn		
						[1]

[2]

- 7 This question is about Group I elements and their compounds.
 - (a) The properties of some Group I elements are shown in the table.

element	boiling point	atomic radius /pm	relative thermal conductivity	observations when it reacts with cold water
sodium	883	186	3.9	rapid bubbling but does not burst into flame
potassium	759	227		very rapid bubbling and bursts into flame
rubidium	688		1.6	
caesium	671	265	1.0	explodes

(i)) Com	plete	the	table	to	estimate:
-----	-------	-------	-----	-------	----	-----------


- the relative thermal conductivity of potassium
- the atomic radius of rubidium.

(ii)	Describe the trend in the boiling points of the Group I elements.	
(iii)	Use the information in the table to predict what you would observe when rubidium react with cold water.	1] ts
cor	ich one of the statements about the formation of a sodium ion from a sodium atom rect?	-
HC	A sodium atom gains an electron. A sodium atom loses an electron. A sodium atom loses a proton. A sodium atom gains a proton.	1]

(c) Is sodium oxide an acidic oxide or a basic oxide? Give a reason for your answer.														
(d)	A compound	d of sc	odium has the fo	ormul	a C₄H₅Na.									
	Calculate the relative formula mass of C ₄ H ₅ Na. Show all your working. Use your Periodic Table to help you.													
	Ose your remode rable to help you.													
					relative form	ula ma	ass =	[2]						
(e)	Complete th	e wor	d equation for t	the re	action of sodium hydr	oxide	with sulfuric acid.							
	sodium hydroxide	+	sulfuric acid	\rightarrow		+								
		'				_		[2]						

When zinc reacts with hydrochloric acid, hydrogen gas is produced.

The graph shows how the volume of hydrogen gas produced changes with time when an excess of zinc is reacted with 0.2 mol/dm³ hydrochloric acid.



(a)	Explain why the volume of hydrogen gas remains constant after six minutes.	
		[1]
(b)	What volume of hydrogen gas was released in the first two minutes of the reaction?	
		[1]
(c)	The experiment is repeated using the same volume of 0.1 mol/dm³ hydrochloric acid. All other conditions are kept the same.	
	On the grid, draw the graph for the experiment using 0.1 mol/dm³ hydrochloric acid.	[2]
(d)	Give the name of the salt formed when zinc reacts with hydrochloric acid.	
		[1]

pH 1 pH 7 pH 9 pH 13 [1]

(e) Which one of the following pH values could be the pH of dilute hydrochloric acid?

[Total: 6]

© UCLES 2018 0620/31/M/J/18

Draw a circle around the correct answer.

15

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	 	ه ح لا ح	helium 4	10	neon 20	18	٩Ľ	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon								
	=			o L	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	П	iodine 127	85	Ą	astatine -								
	5			∞ (oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	polonium –	116		livermorium —					
	>								<u> </u>	Nitrogen 14	15	Ф	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	≥			ω (carbon 12	14	:S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium —					
	≡			ω (poron 17	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	84	1L	thallium 204								
									30	Zu	zinc 65	48	g	cadmium 112	80	Ρ̈́	mercury 201	112	ű	copernicium					
									29	C	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -					
Group									28	Z	nickel 59	46	Pd	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium -					
g.									27	රි	cobalt 59	45	Rh	rhodium 103	77	'n	indium 192	109	Ĭ	meitnerium -					
		- I	hydrogen 1						26	Ьe	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	¥	hassium -					
		Kev							25	M	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –					
				-	DOI ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -					
				Key	Key	Key	Key	Key	atomic number	atomic symbo name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	ā	tantalum 181	105	op O	dubnium -
					200				22	i=	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	¥	rutherfordium —					
									21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids						
	=			4 0	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ва	barium 137	88	Ra	radium -					
	_			e <u>-</u>	LI lithium 7	7	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	22	S	caesium 133	87	ъ	francium					

Lu Lu	lutetium 175	103	ב	lawrencium	ı
70 Yb	ytterbium 173	102	8	nobelium	ı
e9 Tm	thulium 169	101	Md	mendelevium	ı
68 Fr	erbium 167	100	Fm	ferminm	I
67 H0	holmium 165	66	Es	einsteinium	ı
% Oy	dysprosium 163	86	ర	californium	ı
es Tb	terbium 159	26	Ř	berkelium	ı
Gd ⁶	gadolinium 157	96	Cm	curium	ı
e3 Eu	europium 152	98	Am	americium	ı
62 Sm	samarium 150	94	Pn	plutonium	ı
Pm Pm	promethium —	93	ď	neptunium	ı
[©] P	neodymium 144	92	\supset	uranium	238
59 P	praseodymium 141	91	Ра	protactinium	231
Se Ce	cerium 140	06	드	thorium	232
57 La	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).