



# **Cambridge IGCSE**<sup>™</sup>

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

CHEMISTRY

Paper 3 Theory (Core)

October/November 2021

1 hour 15 minutes

0620/33

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

### **INFORMATION**

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

1 (a) A list of formulae is shown.


Br<sub>2</sub>
CO
CO<sub>2</sub>
CH<sub>4</sub>
C<sub>2</sub>H<sub>6</sub>
HC*l*KBr
LiC*l*MgC*l*<sub>2</sub>

Answer the following questions using these formulae. Each formula may be used once, more than once or not at all.

State which formula represents:

(i)	a compound that gives a red colour in a flame test	
		[1]
(ii)	a compound containing an ion with a 2+ charge	
		[1]
(iii)	a compound that is a product of respiration	
		[1]
(iv)	a compound used as a food preservative	
		[1]
(v)	an element that is used in the production of steel.	

**(b)** Complete the dot-and-cross diagram to show the electron arrangement in a molecule of hydrogen chloride. Show outer shell electrons only.



[2]

(c)	State whether carbon dioxide is a basic oxide or an acidic oxide. Give a reason for your answer.					
	[1]					
	[Total: 8]					

[2]

2 The table shows the masses of some of the ions in 1000 cm<sup>3</sup> of water from a river.

	Υ	T .
name of ion	formula of ion	mass of ion in 1000 cm <sup>3</sup> of river water/mg
ammonium	NH <sub>4</sub> <sup>+</sup>	1.0
	Ca <sup>2+</sup>	16.5
chloride	C1 <sup>-</sup>	7.0
iron(III)	Fe <sup>3+</sup>	0.5
magnesium	Mg <sup>2+</sup>	4.0
	NO <sub>3</sub> -	0.5
potassium	K <sup>+</sup>	3.5
silicate	SiO <sub>3</sub> <sup>2-</sup>	7.5
sodium	Na⁺	6.0
sulfate	SO <sub>4</sub> <sup>2-</sup>	11.0

(a)	Answer these questions using only the information in the table	Э.

	(i)	State which positive ion has the lowest concentration.
		[1]
	(ii)	Name the compound containing Ca <sup>2+</sup> and NO <sub>3</sub> <sup>-</sup> ions.
		[1]
(	(iii)	Calculate the mass of sulfate ions in 500 cm³ of river water.
		mass = mg [1]
(b)	Des	scribe a test for iron(III) ions.
	test	

observations .....

(c) Compound A is found in river water.
The structure of compound A is shown.

(i) On the structure draw a circle around the alcohol functional group. [1]

(ii) Deduce the formula of compound **A** to show the number of carbon, hydrogen, oxygen and nitrogen atoms.

......[1]

(iii) Another compound found in river water has the formula C<sub>4</sub>H<sub>8</sub>O<sub>2</sub>.

Complete the table to calculate the relative molecular mass of this compound.

type of atom	number of atoms	relative atomic mass	
carbon	4	12	4 × 12 = 48
hydrogen		1	
oxygen		16	

relative molecular mass = .....[2]

[Total: 9]

	is extracted in a blast furnace using a mixture of iron ore, coke (carbon), air and calcium carbor estone).	nate
(a)	Give <b>two</b> reasons why air is blown into the blast furnace.	
	1	
2	2	 [2]
		[4]
(b)	Magnetite is an ore of iron which contains a compound of iron with the formula Fe <sub>3</sub> O <sub>4</sub> .	
	(i) Give the name of another ore of iron.	
		[1]
<b>(</b> i	ii) In the blast furnace Fe <sub>3</sub> O <sub>4</sub> is reduced to Fe.	
	Complete the chemical equation for the reduction of Fe <sub>3</sub> O <sub>4</sub> .	
	$Fe_3O_4 + 4CO \rightarrowFe +CO_2$	[2]
(ii	ii) Explain how this equation shows that Fe <sub>3</sub> O <sub>4</sub> is reduced.	
		[1]
	Calcium carbonate (limestone) is added to the blast furnace. The calcium carbonate undergoes thermal decomposition.	
(	Give the meaning of the term thermal decomposition.	
,		[2]
(d)	Iron can form alloys such as vanadium steel.	
	(i) State the meaning of the term <i>alloy</i> .	
		[1]

(ii)	Choose from the diagrams, <b>B</b> , <b>C</b> , <b>D</b> or <b>E</b> , the structure which best represents an alloy.					
	В	С	D	E		
			:	structure[1]		
(iii)	The symbol for a	an isotope of vanadium	n is shown.			
		51y 23	V			
	Deduce the number of electrons, neutrons and protons in one atom of this isotope vanadium.					
	number of election	rons				
	number of neutr	ons				
	number of proto	ns				
<i>a</i> . \				[3]		
(iv)	Vanadium is ma	lleable and conducts e	lectricity.			
	Give two other	physical properties of v	anadium that are o	characteristic of <b>all</b> metals.		
	1					
	2					
				[2]		

[Total: 15]

4 The table shows some properties of four halogens in Group VII.

halogen	melting point /°C	boiling point /°C	density of liquid at boiling point in g/cm³
chlorine	-101	-35	1.56
bromine	-7	59	
iodine	114		4.93
astatine	302	337	6.35

(a)	(i)	Complete the	ne table b	y predicting

(b)

•	the	boiling	point	of	iodine
---	-----	---------	-------	----	--------


the density of bromine.

(ii)	Describe the trend in the melting points of the halogens down Group VII.	
		[1]
(i)	Deduce the electronic structure of chlorine. Use the Periodic Table to help you.	
		[1]

(ii) Explain why a bromide ion has a single negative charge.

 $\mbox{(c)}\;$  Scientists have predicted that sodium a statide reacts with chlorine.

Complete the word equation for this reaction.



[2]

[2]

(d) Hydrogen chloride is produced when chlorine reacts with ammonia.

An aqueous solution of hydrogen chloride is acidic.	
Describe how you could determine the pH of an acidic solution without using a pH meter.	
	 [2]
[Total:	9]

5 The table shows the structures of some organic compounds.

compound	structure of compound	homologous series
F	H H O        H—C—C—C—O—H     H H	carboxylic acid
G	H H   C==C   H H	
Н	H H H 	

- (a) Complete the table by naming the homologous series.

  The first one has been done for you.


  [2]
- (b) Draw the structure of a compound containing two carbon atoms which belongs to the same homologous series as compound F. Show all of the atoms and all of the bonds.

[1]

[Total: 10]

(c) Compour	nd <b>G</b>	reacts	with	bromine	٤.
-------------	-------------	--------	------	---------	----

Choose from the structures, P, Q, R or S, the structure of the product formed.



(d)	(i)	Compound <b>G</b> can be obtained by cracking petroleum fractions.
		Describe what is meant by the term <i>cracking</i> .

(ii)	Name the product of the reaction when compound <b>G</b> reacts with steam.	
		[1]

(iii) Many molecules of compound **G** can join together to form a compound with a very long chain.

Choose from the list the general name given to a compound that is formed by the addition of many small units.

Draw a circle around the correct answer.

		isomer	monomer	naphtha	polymer	[1]
e)	State the name	es of the <b>two</b> o	compounds forme	ed during the co	mplete combustion of compou	nd <b>H</b> .
			8	and		[2]

**6** The diagram shows part of the structures of sodium chloride and pentane at room temperature and pressure.



,		D " "	1.00				41				-
(i	a)	Describe the	differences in	the ph	ysıcal pro	perties of	these s	substances	ın	terms (	Ot:

•	volatility	
sod	lium chloride	
pen	ntane	
•	solubility in water	
sod	lium chloride	
pen	ntane	
•	electrical conductivity when molten (liquid).	
sod	lium chloride	
pen	ntane	 [5]
Cor	ncentrated aqueous sodium chloride is electrolysed using carbon (graphite) electrodes.	
Nar	me the gas produced at the positive electrode.	
		[1]
Per	ntane is a fuel. Under some conditions pentane forms carbon monoxide.	
(i)	State the condition under which pentane forms carbon monoxide.	
		[1]
(ii)	State <b>one</b> adverse effect of carbon monoxide on health.	
		[1]

[Total: 8]

© UCLES 2021 0620/33/O/N/21

(b)

(c)

This	question is about aluminium and the extraction of metals.					
(a) V	When aluminium is heated above 660 °C it changes from solid to liquid.					
<b>(</b> i	Name the change of state from solid to liquid.					
		[1]				
(i	i) Use the kinetic particle theory to describe the differences between solid aluminium a liquid aluminium in terms of:	and				
	the separation of the particles					
	the motion of the particles.					
		[4]				
<b>(b)</b> A	Aluminium is extracted from aluminium ore by electrolysis.					
Е	Explain why aluminium is extracted by electrolysis and <b>not</b> by reduction with carbon.					
_		[1]				
		[-]				
(c) (	Give <b>two</b> reasons why aluminium is used in the manufacture of aircraft.					
1						
2	)					
		[2]				
(d) (	Give <b>one</b> advantage of recycling aluminium.					
		[1]				

(e) The table compares the ease of reduction of four metal oxides when heated with carbon.

metal oxide	ease of reduction
aluminium oxide	not reduced at 2080°C
nickel(II) oxide	reduced at 540°C
titanium(IV) oxide	reduced at 1600°C
zinc oxide	reduced at 850°C

Put the four metals in order of their reactivity. Put the least reactive metal first.


	lea	st reactive   → most reactive	
			[2]
(f)	Me	thane is used as a fuel in the extraction of some metals.	
	(i)	State the main source of methane.	
			[1]
	(ii)		
			[1]
		[Total:	13]

**8** A student investigated the reaction of small pieces of zinc with dilute hydrochloric acid. The hydrochloric acid was in excess.

$$Zn + 2HCl \rightarrow ZnCl_2 + H_2$$

The rate of reaction is found by measuring the increase in volume of hydrogen gas with time.

The results are shown on the graph.



(a) Deduce the time taken from the beginning of the experiment to collect 30 cm<sup>3</sup> of hydrogen gas.

**(b)** The experiment was repeated using dilute hydrochloric acid of a higher concentration.

All other conditions stayed the same.

Draw a line **on the grid** to show how the volume of hydrogen gas changes with time. [2]

	Describe the effect each of the following has on the rate of reaction of zinc with dilute hydrochloric acid.
	All other conditions stay the same.
	The reaction is carried out at a lower temperature.
(	The reaction is carried out using zinc powder instead of small pieces of zinc.
	[2]
(d) \	When 0.065 g of zinc is used, 24 cm <sup>3</sup> of hydrogen gas is formed.
(	Calculate the mass of zinc needed to produce 96 cm <sup>3</sup> of hydrogen gas.
	mass of zinc = g [1]
(e) <i>i</i>	Aqueous ammonia is added to aqueous zinc chloride.
	Describe the observations when a few drops of aqueous ammonia are added and when excess aqueous ammonia is added.
i	a few drops of aqueous ammonia
(	excess aqueous ammonia[2]
	[Total: 8]

## **BLANK PAGE**

## **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	III VIII	2	a L	helium 4	6	ш	fluorine 19	17	Cl	sulfur chlorine argon 32 35.5 40	35	Ā	bromine 80	53	I	iodine 127	85	Ą	astatine	16		norium -
	>									phosphorus su											_	liver
	2				9	ပ	carbon 12	41	S	silicon 28	32	Ge	germanium 73	90	S	tin 119	82	Pb	lead 207	114	Εl	flerovium
	=				5	Ω	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	S	cadmium 112	80	Hg	mercury 201	112	Ö	copernicium
											59	D.	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium
Group											28	Ż	nickel 59	46	Pd	palladium 106	78	Ŧ	platinum 195	110	Ds	darmstadtium -
Gr											27	රි	cobalt 59	45	Rh	rhodium 103	12	Ir	indium 192	109	₩	meitnerium -
		- <u>-</u>	Γ	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	H	hassium -
											25	M	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
					_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	д	tantalum 181	105	СP	dubnium –
						atc	rek				22	ı	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	꿒	rutherfordium –
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium I
	_				8	:=	lithium 7	11	Na	sodium 23	19	×	potassium 39	37	Rb	rubidium 85	55	S	caesium 133	87	μ̈	francium

Lu Lu	lutetium 175	103	ت	lawrencium	I
°20 Yb	ytterbium 173	102	8	nobelium	ı
ee Tm	thulium 169	101	Md	mendelevium	ı
<sub>88</sub> <u>п</u>	erbium 167	100	Fm	ferminm	I
67 Ho	holmium 165	66	Es	einsteinium	I
°° Dy	dysprosium 163	86	₽	californium	ı
es Tb	terbium 159	97	Ř	berkelium	ı
Gd	gadolinium 157	96	Cm	curium	ı
es Eu	europium 152	92	Am	americium	ı
62 Sm	samarium 150	94	Pn	plutonium	I
Pm	promethium —	93	ď	neptunium	ı
% PX	neodymium 144	92	$\supset$	uranium	238
59 <b>P</b>	praseodymium 141	91	Ра	protactinium	231
Ce Ce	cerium 140	06	H	thorium	232
57 La	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).