



# **Cambridge IGCSE**<sup>™</sup>

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

**CHEMISTRY** 0620/33

Paper 3 Theory (Core) October/November 2024

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

#### **INFORMATION**

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

This document has 20 pages.

Fig. 1.1 shows part of the Periodic Table.

I	Ш							Ш	IV	V	VI	VII	VIII
				Н									Не
Li										Ν			Ne
								Αl					
K	Ca		Cr	Fe			Zn						
Rb						Ag						Ι	
						Au							

2

Fig. 1.1

(a) Answer the following questions using only the elements in Fig. 1.1. Each symbol of the element may be used once, more than once or not at all.

Give the symbol of the element that:

	(i)	is in brass	
			[1]
	(ii)	produces an orange-red colour in a flame test	
			[1]
(	iii)	is a reactant in a fuel cell	
			[1]
(	iv)	has an atom with only three occupied electron shells	
			[1]
	(v)	forms an ion that gives a red-brown precipitate on addition of aqueous ammonia	
			[1]
(	vi)	forms an ion with a charge of 1–.	
			[1]
(b)	Exp	plain why Li, K and Rb have similar chemical properties.	

[Total: 8]

(I



3

2 Oxygen, water and ethene have simple molecular structures.

(a) (i) State the percentage of oxygen in clean, dry air.

......[

(ii) Complete Fig. 2.1 to show the dot-and-cross diagram for a molecule of water. Show outer shell electrons only.




Fig. 2.1

iii) Ethene is a small molecule used to make polymers.

- State the name of the polymer formed from ethene.
- (b) Potassium chloride is an ionic compound.

2 ......[2]

(ii) Choose the correct statement that describes ionic bonding.

Tick (✓) one box.

It is a weak electrostatic attraction between anions and cations.

It is a weak electrostatic attraction between cations.

It is a strong electrostatic attraction between anions.

It is a strong electrostatic attraction between cations and anions.

[Total: 8]

[1]

[Turn over



3 (a) The list shows some gases in a sample of water.


Choose from the list the gas that is essential for aquatic life.

Draw a circle around your chosen answer.

argon hydrogen nitrogen oxygen [1]

(b) Polluted water contains harmful substances.

Link each harmful substance on the left to the correct effect on the right. One has been done for you.





Question 3 continues on the next page.

5



(c) Table 3.1 shows the masses of ions, in mg, present in a 1000 cm<sup>3</sup> sample of polluted water.

## Table 3.1

name of ion	formula of ion	mass of ion in 1000 cm <sup>3</sup> of polluted water/mg	
bromide	Br⁻	0.1	
calcium	Ca <sup>2+</sup>	2.0	
chloride	C1-	3.5	
hydrogencarbonate	HCO <sub>3</sub> -	12.0	
magnesium	Mg <sup>2+</sup>	0.8	
mercury	Hg <sup>2+</sup>	0.3	
nitrate	NO <sub>3</sub> -	0.4	
phosphate	PO <sub>4</sub> <sup>3-</sup>	2.0	
potassium	K <sup>+</sup>	6.4	
silicate	SiO <sub>3</sub> <sup>2-</sup>	4.0	
sodium	Na⁺	10.2	
	SO <sub>4</sub> <sup>2-</sup>	0.5	
tin	Sn <sup>2+</sup>	0.2	

Answer these questions using the information from Table 3.1.

(1)	Name the positive for that has the lowest concentration.	
		[1]
(ii)	State the name of the SO <sub>4</sub> <sup>2-</sup> ion.	
		[1]

(iii) Calculate the mass of potassium ions in 125 cm³ of polluted water.

mass = ..... mg [1]

DO NOT WRITE IN THIS MARGIN

\* 0000800000007 \* 

(d)	Name two substances used in the treatment of the domestic water supply
	For each substance give a reason for its use.

substance 1	
reason	
substance 2	
reason	
	[4]

7

(e) Complete the symbol equation for the reaction of silicon(IV) chloride,  ${
m SiC}\,l_{\scriptscriptstyle 4}$ , with water.

$$SiCl_4 + .....H_2O \rightarrow SiO_2 + .....HCl$$
 [2]

[Total: 11]

(a) Fig. 4.1 shows the displayed formula of compound A.




Fig. 4.1

(i)	On Fig 4.1 draw a circle around the carboxylic acid functional group.	[1]
ii)	Deduce the molecular formula of compound <b>A</b> .	
		[1]

(b) Compound A reacts with ethanol to produce a compound with the molecular formula  $C_5H_{11}NO_3$ .

Complete Table 4.1 to calculate the relative molecular mass of  $C_5H_{11}NO_3$ .

Table 4.1

type of atom	number of atoms	relative atomic mass	
carbon	5	12	5 × 12 = 60
hydrogen		1	
nitrogen		14	
oxygen		16	

relative molecular mass = ......[2]



Question 4 continues on the next page.

9



[4]

10

(c) Table 4.2 shows the names, formulae and boiling points of methanol, ethanol, propanol and butanol.

## Table 4.2

name	formula	boiling point /°C
methanol	CH₃OH	65
ethanol	C <sub>2</sub> H <sub>5</sub> OH	79
propanol	C <sub>3</sub> H <sub>7</sub> OH	98
butanol	C <sub>4</sub> H <sub>9</sub> OH	117

Use the information in Table 4.2 to answer these questions.

(i)	Name the homologous series that includes methanol, ethanol, propanol and butanol.
	[1]
(ii)	Deduce the general formula of this homologous series.
	[1]
iii)	State the trend in the boiling point of this homologous series as the number of carbon atoms increases.
	[1]
Eth	anol can be manufactured by an addition reaction.
(i)	Name <b>two</b> substances and state <b>two</b> conditions required.
	substance 1
	substance 2
	condition 1

(d)

		[1]
(iii)	Name the toxic gas produced when ethanol undergoes incomplete combustion.	
		[1]
	דן	Total: 13]

Table 5.1 shows some properties of five halogens.

#### Table 5.1


halogen	melting point in °C	atomic volume in cm³/mol				
fluorine	-220	-188				
chlorine	-101	-35	22.7			
bromine	-7	+59	25.6			
iodine	+114	+184	25.8			
astatine		+337	32.8			

Use the information in Table 5.1 to predict:

- the melting point of astatine ......[1]
- the physical state of fluorine at –240 °C. Give a reason for your answer. physical state ......physical state .....

[2]

- (b) Aqueous chlorine reacts with aqueous sodium iodide.
  - (i) Complete the word equation for this reaction.



Explain why aqueous bromine does **not** react with aqueous sodium chloride.

[2]

\* 000080000013 \*

(c) Fluorine reacts with water to produce hydrogen fluoride and oxygen.

Complete the symbol equation for this reaction.

$$2F_2 + ....H_2O \rightarrow 4HF + .....$$
 [2]

(d) Name an anhydrous compound used to test for water. State the colour of the compound after water is added.

[Total: 11]

[1]

	s question is abo	out metals.		14								
	Metals are mal		ductile.									
	State three <b>other</b> typical physical properties of metals.											
	1											
	2											
	3						 [3]					
(b)			to show the oper ion shown		ectrons, neutro	ons and protons in t	:he					
	Table 6.1											
			number of electrons	number of neutrons	number of protons							
		<sup>48</sup> Ca	20									
		<sup>65</sup> <sub>29</sub> Cu <sup>2+</sup>		36								
						1	[3]					
	(ii) Write the e	electronic co	onfiguration of	the calcium at	om.							
							[1]					
(c)	Copper is a tra	nsition eler	nent.									
	Choose the co	rrect staten	nent about tran	sition elements	S.							
	Tick (✓) one bo	ox.										
		The	ey have low de	nsities.								
		The	ey often act as	catalysts.								

They have low melting points.

All their compounds are white.



(d) Table 6.2 shows the observations when four different metals react with concentrated nitric acid.

Table 6.2

15

metal	observations with concentrated nitric acid
calcium	brown gas produced very rapidly
copper	brown gas produced slowly
manganese	brown gas produced rapidly
niobium	no brown gas seen

Put the four metals in order of their reactivity. Put the least reactive metal first.

least reactive —		<b>—</b>	most reactive	
				[2]

(e) Manganese(IV) oxide is reduced by aluminium.

$$3MnO_2 + 4Al \rightarrow 3Mn + 2Al_2O_3$$

Explain how this equation shows that manganese(IV) oxide is reduced.

 [1]

[Total: 11]



7 This question is about acids, bases and salts.

(a)	Crystals	of	zinc	chloride	can	be	made	by	warming	excess	solid	zinc	oxide	with	dilute
	hydrochle	oric	acid												

$$ZnO(s) + 2HCl(aq) \rightarrow ZnCl_2(aq) + H_2O(.....)$$

16

- (i) Complete the symbol equation by adding the state symbol for water at room temperature. [1]
- (ii) State the method used to separate the excess solid zinc oxide from the reaction mixture.

......[1]

(iii) Describe how to make dry crystals of zinc chloride from an aqueous solution of zinc chloride.


.....

**(b)** Choose from the list the ion that is present in all acids.

Draw a circle around your chosen answer.

 $Cl^ H^+$   $O^{2-}$   $OH^-$  [1]



(c) The reaction of zinc oxide with hydrochloric acid is exothermic.

(i) Define the term exothermic.

17

(ii) Fig. 7.1 shows the incomplete reaction pathway diagram for the reaction of zinc oxide with hydrochloric acid.




Fig. 7.1

Complete Fig. 7.1 by writing these formulae on the diagram:

ZnO + 2HC1

• 
$$ZnCl_2 + H_2O$$
. [1]

(iii) Explain how Fig. 7.1 shows that the reaction is exothermic.



(d) Litmus is an acid-base indicator.

State the colour of litmus at pH2 and at pH12.

colour at pH2 .....

colour at pH 12 .....[2]

[Total: 10]

**8 (a)** A student investigates the reaction of small pieces of magnesium oxide with excess dilute hydrochloric acid of three different concentrations.

The time taken for each reaction to finish is recorded.

The three concentrations of the acid are:

- 0.4 mol/dm³
- 0.8 mol/dm<sup>3</sup>
- 1.6 mol/dm<sup>3</sup>.

All other conditions stay the same.

Table 8.1 shows the time taken for each reaction to finish.

Table 8.1

concentration of dilute hydrochloric acid in mol/dm³	time taken for the reaction to finish in s
	160
	80
	320

(i)	Complete Table 8.1 by writing the concentrations in the first column.	[1]
ii)	Describe the effect on the time taken for the reaction to finish when the reaction is carrout at a lower temperature.	ied
	All other conditions stay the same.	
		[1]
ii)	Describe the effect on the time taken for the reaction to finish when large pieces	of

(iii) Describe the effect on the time taken for the reaction to finish when large pieces of magnesium oxide are used instead of small pieces of magnesium oxide.

.....[1

All other conditions stay the same.

\* 0000800000019 \*

(b) Molten magnesium chloride is electrolysed using inert electrodes.

(i)	Name the products at the positive and negative electrodes.										
	product at the positive electrode										
	product at the negative electrode										
	[2]										
(ii)	Describe the arrangement, motion and separation of the particles in liquid magnesium chloride.										
	arrangement										
	motion										
	separation										
	[3]										
	[0]										
	[Total: 8]										

19

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.





The Periodic Table of Elements

															.0									
	NIII	2 He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon	118	Og	oganesson			
	IIV			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ă	bromine 80	53	П	iodine 127	85	Ą	astatine	117	<u>8</u>	tennessine			
	IN			80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	polonium –	116		livermorium			
	>			7	z	nitrogen 14	15	<u></u>	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209	115	Mc	moscovium			
	/			9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	90	Sn	tin 119	82	Pb	lead 207	114	lΉ	flerovium			
				2	Ω	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204	113	R	nihonium			
										30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	Ö	copernicium			
										29	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium			
Group										28	z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -			
Ğ										27	ဝိ	cobalt 59	45	몺	rhodium 103	77	٦	iridium 192	109	Μ̈́	meitnerium -			
		ΓI	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium			
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium			
				_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium			
		Key	Key	Key	Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	д	tantalum 181	105	Op	dubnium	
					ato	rek				22	i=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿆	rutherfordium -			
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89-103	actinoids				
	Ш			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ва	barium 137	88	Ra	radium	_		
	_			3	:=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ŧ	francium			
																						-		

20

7.1	Γn	lutetium	175	103	۲	lawrencium	ı
70	Υp	ytterbium	173	102	Š	nobelium	ı
69	T	thulium	169	101	Md	mendelevium	ı
89	Щ	erbinm	167	100	Fm	fermium	ı
29	웃	holmium	165	66	Es	einsteinium	ı
99	۵	dysprosium	163	86	ర్	californium	ı
99	Tp	terbium	159	26	Ř	berkelium	ı
64	В	gadolinium	157	96	Cm	curium	I
63	En	europium	152	92	Am	americium	ı
62	Sm	samarium	150	94	Pu	plutonium	ı
61	Pm	promethium	I	93	ď	neptunium	ı
09	PZ	neodymium	144	92	$\supset$	uranium	238
69	Ā	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	H	thorium	232
22	Га	lanthanum	139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,\mathrm{dm}^3$  at room temperature and pressure (r.t.p.).