

**UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

**MARK SCHEME for the May/June 2010 question paper**  
**for the guidance of teachers**

**0620 CHEMISTRY**

**0620/33**

Paper 33 (Extended Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0620	33

1 In (a), (b) and (c), descriptions of chemical properties need not be detailed. If more than one answer is given in each section, mark the **first** one and ignore anything subsequent unless it contradicts what they have already written. No marks for reversing physical and chemical properties.

(a) properties should focus on a group 1 metal and not just metals in general

PHYSICAL soft / can be cut (with a knife) / low density / light / low melting point / (good) conductor (heat or electricity) / shiny (when freshly cut) / malleable / ductile / tarnishes [1]

CHEMICAL react with water (**not** steam) / (very) reactive / forms salts with halogens / react vigorously with acids (**ignore** concentration) / forms an alkaline or basic oxide / fixed oxidation state or oxidation number or valency of +1 / has one valency or outer shell electron **not** forms ionic compounds on its own. [1]

(b) properties should focus on a transition metal

PHYSICAL hard / high density / dense / high mp or bp / (good) conductor (heat or electricity) / strong / malleable / ductile / silver or grey or lustrous or shiny solid [1]

CHEMICAL more than one oxidation state or valency (**accept** many oxides) / forms coloured compounds or ions (**not** coloured on its own) / forms complex ions / behave as a catalyst / less reactive than group 1 [1]

(c) PHYSICAL colourless gas / yellow gas [1]  
**not** diatomic molecules

CHEMICAL most reactive halogen / **very** reactive / forms **ionic** fluorides / bonds with metals / form **covalent** fluorides / bonds with non-metals / powerful oxidant / gains one electron (to be stable) / fixed oxidation state or valency of -1  
**allow** decolourised when reacts with alkene) / forms F<sup>-</sup> ions / forms acidic oxides / forms an acid when reacted with hydrogen / hydride is acidic [1]  
**not** bleaching agent

2 (a) (i) enzymes are proteins / come from living organisms / biological (catalysts) [1]  
**not** enzymes are living or natural

(ii) carbohydrates have 2H:1O ratio [1]  
contain elements of water [1]

contain water = [1]

unless they state that carbohydrates contain water, this response scores 2 or 0

(b) correct -O- linkage [1]

**cond** same correct monomer (this mark is lost if 2 different boxes are shown) [1]

**cond** continuation (i.e. bonds at **both** ends) [1]

(c) (i) (concentration or amount or mass etc.) of starch decreases (with time) [1]

(concentration etc.) of starch becomes zero / all starch gone [1]

colour (intensity) indicates how much starch is present (can be inferred) [1]

(ii) enzyme denatured / destroyed [1]

**not** enzymes killed / don't work / saliva denatured

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0620	33

- 3 (a) (i) red brown or orange to colourless [1]  
**not** just bromine decolourised  
yellow (**not** dark) / white solid / precipitate / goes cloudy [1]  
brown to yellow with no mention of solid/precipitate scores = [1]
- (ii)  $\text{Br}_2 + \text{Na}_2\text{S} \rightarrow 2\text{NaBr} + \text{S}$  [1]
- (iii) look for two comments  
sulfide (ion) / sulfur (ion) loses electrons [1]  
**not** sodium sulfide  
bromine accepts them [1]
- (b) (i) oxidation [1]  
**not** redox
- (ii) hydrogen /  $\text{H}_2$  [1]  
**not** H
- (iii) iron(II) hydroxide / ferrous hydroxide [1]
- (iv)  $4\text{Fe}(\text{OH})_2 + \text{O}_2 + 2\text{H}_2\text{O} \rightarrow 4\text{Fe}(\text{OH})_3$  [1]
- (v) oxidation number or state or valency increases / electron loss /  $\text{Fe}^{2+}$  to  $\text{Fe}^{3+}$  [1]  
**not** gains oxygen
- (vi) sacrificial protection **or** zinc is sacrificed /  
zinc corrodes not iron **or** zinc corrodes therefore iron doesn't /  
**not** just zinc rusts  
zinc is oxidised in preference to iron /  
zinc reacts with oxygen and water in preference to iron /  
zinc more reactive or electropositive than iron /  
zinc forms ions more readily than iron **or** zinc loses electrons more readily than iron /  
electrons move on to iron /  
iron is cathode **or** zinc is anode /  
any **three** [3]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0620	33

- 4 (a) (i) same molecular formula / same number of C and H atoms [1]  
different structural formula or structure [1]  
same compound = [1]
- (ii) correct **formula** of but-2-ene / methylpropene / methyl cyclopropane [1]
- (iii) bromine / bromine water / aqueous bromine [1]  
brown to colourless **not** clear [1]  
stays brown [1]  
**bromide** loses the first mark only
- OR** alkaline potassium manganate(VII) [1]  
from purple/pink to green/brown [1]  
stays purple [1]
- OR** acidic potassium manganate(VII) [1]  
from purple/pink to colourless **not** clear [1]  
stays purple [1]
- (b) heat / high temperature (temperature need not be stated, but if it is stated it must be 500°C or above) [1]
- catalyst (need not be named, but if they are named accept any metal oxide or zeolite / aluminosilicates / silicon dioxide) [1]  
**not** nickel/platinum
- (c) (1,2)dibromobutane [1]  
if numbers given must be correct  
butane [1]  
butanol [1]  
**accept** butan-1-ol or butan-2-ol **not** but-1-ol / but-1-anol / buthanol
- 5 (a) fractional distillation [1]  
[1]
- (b) (i) O=O / oxygen(-)oxygen / H-H / hydrogen(-)hydrogen [1]
- (ii) O-H / oxygen(-)hydrogen / OH / bond between hydrogen and oxygen [1]  
**not** H-O-H
- (iii) endothermic. [1]
- (c) (i) no pollution / no CO / no CO<sub>2</sub> / no oxides of nitrogen / only produces steam or water / no greenhouse gases / no global warming [1]  
does not use up fossil fuels / water is not a finite resource / water is a renewable source of energy / hydrogen is renewable / available from electrolysis of water [1]
- (ii) obtaining hydrogen from water requires fossil fuels / storage problems / transport problems / limited range of vehicles available / gaseous nature means only produces small amount of energy per unit volume / methane as a source of steam reforming is finite / lack of distribution network [1]  
**not** expensive / anything regarding safety / flammability / explosiveness

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0620	33

- 6 (a) (i)  $Tl_2S$  [1]  
(ii)  $TlCl_3$  [1]
- (b) filter / centrifuge / decant  
wash the precipitate  
dry the solid / heat the solid (in oven) / press between filter paper [3]  
all three stated but not in correct order = [2]  
two out of three stated in any order = [1]
- (c) (i) silver chloride / silver bromide [1]  
photography / cameras / films / photo chromic lenses / sunglasses [1]  
(ii) increase distance between lamp and paper **or** put lamp far away /  
put a screen **or** translucent **or** semi-opaque material between them /  
use a less powerful **or** low voltage **or** dim lamp /  
lower the temperature  
any **two** [2]
- (d) (i) thalium sulfate + ammonia + water [1]  
(ii)  $2TlOH + H_2SO_4 \rightarrow Tl_2SO_4 + 2H_2O$  [2]  
not balanced = [1]  
incorrect formula = [0]  
(iii) green precipitate or solid (ignore shades of green but not bluey green etc.) [1]  
 $Fe^{2+} + 2OH^- \rightarrow Fe(OH)_2$  **accept** multiples [1]
- 7 (a) sodium is expensive / difficult to obtain sodium (from sodium chloride) / problems getting electricity / hard to extract sodium / high energy costs in extraction of sodium [1]
- (b) (i) reduce temperature / reduce melting point (to 900/1000°C) temperature need not be stated, but if it is stated it must be within the range  
better conductivity / solid aluminium oxide does not conduct  
aluminium oxide is insoluble in water any **two** [2]  
(ii)  $2O^{2-} \rightarrow O_2 + 4e^-$  [2] or [0]  
(iii) they burn (away) / react with oxygen / form carbon dioxide [1]
- (c) hydrogen formed / aluminium above hydrogen in reactivity series /  $H^+$  discharged in preference to  $Al^{3+}$  / aluminium is more reactive than hydrogen [1]  
aluminium more reactive than carbon / carbon cannot reduce aluminium oxide / aluminium is higher than carbon in the reactivity series / carbon doesn't reduce aluminium oxide / carbon doesn't displace aluminium [1]  
comparison is essential for mark

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0620	33

- 8 (a) (i) accept all metals excluding Group I (lithium is acceptable) [1]  
**not** lead **accept** silver
- (ii) M nitrite / nitrate(III) [1]  
**not** nitride
- (b) (i) exothermic [1]  
**not** reverse reaction is endothermic as the question asks about the forward reaction  
**cond** forward reaction favoured by low temperature / reverse reaction favoured by high temperature [1]  
second mark only scores if exothermic is correct.
- (ii) position of equilibrium to right / forwards / more products / more N<sub>2</sub>O<sub>4</sub> / lighter colour [1]  
because this side has smaller volume / fewer moles [1]
- (c) if the final answer is between 86–89% award all 4  
if the final answer is between 66–67% award 3 marks (M<sub>r</sub> of 32 must have been used)  
for all other answers marks can be awarded using the mark scheme as below and applying ecf if necessary
- number of moles of O<sub>2</sub> formed =  $0.16/24 = 0.0067/0.00667$  or 1/150  
number of moles of Pb(NO<sub>3</sub>)<sub>2</sub> in the sample =  $0.0133/0.013$  or 1/75  
mass of one mole of Pb(NO<sub>3</sub>)<sub>2</sub> = 331 g  
mass of lead(II) nitrate in the sample = 4.4(1) g  
percentage of lead(II) nitrate in sample = 88.3% (**allow** 88–89) [4]
- mark **ecf** in this question but **not** to simple integers  
if mass of lead(II) nitrate > 5.00 only marks 1 and 2 available  
If divides by 32 (not 24) only last 3 marks can score consequentially