

## Cambridge IGCSE<sup>®</sup>

CHEMISTRY

Paper 3 Theory (Core) MARK SCHEME Maximum Mark: 80 0620/03 For examination from 2020

Specimen

This document consists of 6 printed pages.

mark scheme abbreviations

• •	separates marking points
1	alternative responses for the same marking point
not	do not allow
allow	accept the response
ecf	error carried forward
avp	any valid point
ora	or reverse argument
owtte	or words to that effect
underline	actual word given must be used by candidate (grammatical variants excepted)
()	the word / phrase in brackets is not required but sets the context
max	indicates the maximum number of marks
Any [number] from	accept the [number] of valid responses
note:	additional marking guidance

1	cc gi cł m cc		diamond: covalent; giant structure / macromolecule; chlorine: any two of: molecule; covalent; diatomic;		
	(b)	$C_6 C l_{12}$			
	(c)	(i)	green / yellow-green / light green	[1]	
		(ii)	value between $2.5-4(.0)$ (g per dm <sup>3</sup> ) (actual = $3.12$ )	[1]	
		(iii)	increases	[1]	
	(d)	(i)	potassium bromide not: potassium bromine	[1]	
			iodine not: iodide	[1]	
		(ii)	chlorine is <u>more</u> reactive than bromine / ora not: chloride is more reactive than bromide	[1]	
	(e)	ioni	ibility in water: c compounds are soluble <b>and</b> molecular compounds are not soluble e: both needed for mark	[1]	
electrical conductivity: ionic compounds conduct electricity <u>when molten</u> / <u>i</u> <b>and</b> molecular compounds do not note: both needed for mark			c compounds conduct electricity <u>when molten</u> / <u>in</u> (aqueous) <u>solution</u> I molecular compounds do not	[1]	
2	(a)	Br <sub>2</sub>		[1]	
	(b)	Any • •	three of: bromine evaporates / liquid evaporates; more energetic particles change from liquid to vapour or gas; diffusion; random movement of particles / particles move everywhere / <u>air</u> and <u>bromine</u> part are moving; (bromine and air) particles get mixed up / collision of <u>bromine</u> and <u>air</u> particles; allow: molecules in place of particles	[3] icles	

3	(a)	E /	nitrogen (di)oxide / NO <sub>2</sub>	[1]	
	(b)	<b>B</b> /	potassium nitrate / KNO <sub>3</sub>	[1]	
	(c)	<b>A</b> /	ammonia / NH₃	[1]	
	(d)	E /	nitrogen (di)oxide / NO <sub>2</sub>	[1]	
	(e)	<b>C</b> /	NI <sub>3</sub> / nitrogen (tri)iodide	[1]	
	(f)	<b>B</b> /	potassium nitrate / KNO <sub>3</sub>	[1]	
4	(a)		cium oxide w: CaO	[1]	
	(b)	<u>the</u>	rmal decomposition	[1]	
	(c)	(c) carbon dioxide has been removed from the limestone / it comes from the limes dioxide is a product			
	(d) neutralising acidic soils / treating acidic lakes / flue gas desulfurisation allow: any suitable use				
	(e)	terr	perature of Bunsen / distance of Bunsen from the tube / mass of carbonate used / owth	e [1]	
	(f)	(i)	calcium carbonate	[1]	
		(ii)	27 (cm <sup>3</sup> )	[1]	
		(iii)	calcium faster than strontium which is faster than barium / idea of trend down the group; correct trend, i.e. less rapid reaction the further down the group / ora;	[1] [1]	
	(g)	but dio:	ble gas or carbon dioxide (evolved) through limewater / test gas or carbon	[1] [1] [1]	

5	(a)	) Any three of: high melting / boiling point; high density;		
		forr	n <u>coloured compounds</u> or have <u>coloured ions;</u>	
		form ions of more than one charge / variable valency / variable oxidation state; allow: form complex ions; hard / hardness; catalysts;		
	(b)	(i)	different number of neutrons / different nucleon number	[1]
		(ii)	31	[1]
		(iii)	23	[1]
	(c)	(c) suitable method, e.g. coating with paint / zinc / unreactive metal / plastic / oil galvanising / sacrificial protection; suitable reason, e.g. stops air / water reaching surface; note: reason must be consequential to the method chosen		
	(d)	Any two of: recycling promotes sustainable development / owtte; uses <u>less energy</u> than extraction; preserves limited <u>natural resources;</u>		
		correct reference to cost; reference to landfill; Fe <sub>2</sub> O <sub>3</sub> / iron oxide; it loses oxygen / gains electrons / iron decreases oxidation number;		
	(e)			
	(f)	(i)	incomplete combustion / insufficient or limited or not enough oxygen	[1]
		(ii)	toxic / suffocates you / stops red blood cells carrying oxygen / binds with hemoglobi place of oxygen	in in [1]
6	(a)	dec	<u>ak down</u> (of substance / electrolyte) by <u>electricity</u> / <u>splitting</u> up of substance by <u>electric</u> composition by <u>electricity</u> w: current / voltage for electricity	<u>city</u> / [1]
	(b)	<ul> <li>anode</li> <li>hydrogen allow: H<sub>2</sub></li> </ul>		
	(c)			
	(d)	plat ine	tinum; rt;	[1] [1]

			0	
	(e)	(i)	2,8,7 as shown in an electron shell diagram	[1]
		(ii)	pair of electrons between two chlorine atoms; rest of electrons correct;	[1] [1]
		(iii)	(damp) litmus (paper) / Universal indicator (paper); allow: indicator paper / pH paper	[1]
			bleaches / goes white / goes red then bleaches;	[1]
	(f)	(i)	calcium chloride + water (1 mark each) not: calcium chlorine	[2]
		(ii)	2 on left; $H_2$ on right; not: 2H	[1] [1]
7	(a)	(i)	78 (%) allow: 78–80	[1]
		(ii)	Any two of: carbon dioxide; argon; neon; xenon; helium; radon; water; not: hydrogen	[2]
	(b)	(i)	decreases / gets less / gets lower / gets used up	[1]
		(ii)	increases / gets more / greater	[1]
	(c)	any	suitable use e.g. electrical conductor / electrical wiring / saucepans	[1]
8	(a)	<ul> <li>(a) (i) (group of) molecules with similar boiling points / (group of) molecules with similar molecular masses / molecules with limited range of boiling points / molecules w range of molecular masses / molecules coming off at the same place in the fractionary / owtte</li> </ul>		
		(ii)	$C_{10}H_{22}$ allow: reasonable mixtures, e.g. $C_7H_{16}$ + $C_3H_6$	[1]
	(b)	refinery gas: (fuel) for heating / (fuel) for cars / (fuel) for cooking; gasoline: (fuel) for cars / mowers etc.; unsaturated: contains double bonds / contains C=C bonds; hydrocarbon: containing carbon and hydrogen <u>only;</u>		[1] [1]
	(c)			[1] [1]
	(d)	(i)	1st box down ticked (catalytic addition of steam)	[1]
		(ii)	correct structure of ethanol; bond between O-H;	[1] [1]
	(e)		nomers; ymers;	[1] [1]