

Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

CHEMISTRY 0620/42

Paper 4 Theory (Extended)

February/March 2024

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

Iron ore	contains iron(III) oxide, Fe_2O_3 . A blast furnace is used to extract iron from Fe_2O_3 .
Equation	ns for some of the reactions in the blast furnace are shown.
equation	on 1 $C + O_2 \rightarrow CO_2$
equation	on 2 $CaCO_3 \rightarrow CaO + CO_2$
equation	on 3 CaO + $SiO_2 \rightarrow CaSiO_3$
(a) Eq	uation 1 shows the combustion of carbon in the blast furnace.
(i)	Name the substance which provides the carbon for this reaction.
	[1]
(ii)	State the purpose of the combustion of carbon in the blast furnace.
	[1]
(b) Iro	$n(III)$ oxide, Fe_2O_3 , in iron ore is converted to iron when it reacts with carbon monoxide, CO, he blast furnace.
	Calculate the percentage by mass of iron in iron(III) oxide, $\mathrm{Fe_2O_3}$.
in t	Calculate the percentage by mass of iron in iron(III) oxide, Fe_2O_3 . $percentage =\% \ [2]$ State the name of the iron ore which consists mainly of iron(III) oxide.
in t	percentage =% [2]
in t	percentage =% [2] State the name of the iron ore which consists mainly of iron(III) oxide.
in t	percentage =% [2] State the name of the iron ore which consists mainly of iron(III) oxide. [1]
in t	percentage =% [2] State the name of the iron ore which consists mainly of iron(III) oxide.
in t (i) (ii)	percentage =% [2] State the name of the iron ore which consists mainly of iron(III) oxide. [1] Describe how carbon monoxide is formed in the blast furnace. [1] Write the symbol equation to show the reaction that occurs when iron(III) oxide is converted
in t (i) (ii)	percentage =% [2] State the name of the iron ore which consists mainly of iron(III) oxide. [1] Describe how carbon monoxide is formed in the blast furnace. [1] Write the symbol equation to show the reaction that occurs when iron(III) oxide is converted to iron in the blast furnace.
in t (i) (ii) (iv)	percentage =% [2] State the name of the iron ore which consists mainly of iron(III) oxide. [1] Describe how carbon monoxide is formed in the blast furnace. [1] Write the symbol equation to show the reaction that occurs when iron(III) oxide is converted to iron in the blast furnace. [2] Name the chemical process which happens to iron when iron(III) oxide is converted to

(d)	(i)	Explain why the reaction in equation 3 can be described as an acid-base reaction.	
			[2]
	(ii)	State:	
		• the chemical name of SiO ₂	
		 the common name given to CaSiO₃ when it is formed in the blast furnace. 	
			 [2]
(a)	Δlin	minium cannot be extracted from its ore using a blast furnace.	
(6)			
	(i)	State why aluminium is not extracted from its ore using a blast furnace.	
			[1]
	(ii)	Name the process used to extract aluminium from its ore.	
			[1]
(f)	Botl	h iron(III) oxide and aluminium oxide contain metal ions with a 3+ charge.	
	(i)	Write the electronic configuration of an Al^{3+} ion.	
	,		[1]
	(ii)	Deduce the number of protons and electrons in an Fe ³⁺ ion.	
		protons electrons	
			[2]
			r1

[Total: 19]

2		e ele ide id	ments in Group VII of the Periodic Table are known as the halogens. Halogens carons.	form
	(a)	Ide	ntify the halogen with the lowest density at r.t.p. (room temperature and pressure).	[1]
	(b)	Sta	ite the appearance of bromine at r.t.p.	
	(c)	Use	e the Periodic Table to:	
		•	give the symbol of the halogen with the highest atomic number	
		•	deduce the number of occupied electron shells in an atom of this element.	
	<i>(</i> 1)			[2]
	(d)	(i)	State what is meant by the term covalent bond.	
		(ii)	Name one halide ion which bromine molecules can displace.	
		(,		[1]
	((iii)	Explain why bromine can displace the halide ion in (d)(ii).	[1]
	(e)	Naı	me a halide compound which can be used to detect the presence of water.	
				[2]

(f) Calcium chloride is an ionic compound.

Complete the dot-and-cross diagram in Fig. 2.1 for the ions in calcium chloride.

Give the charges on each of the ions.




Fig. 2.1

[3]

- (g) Aqueous lead(II) ions are added to aqueous chloride ions. A white precipitate of insoluble lead(II) chloride, $PbCl_2$, is formed.
 - (i) Name a lead(II) compound which can be used in this reaction.

		[1]
(ii)	Write the ionic equation for this reaction. Include state symbols.	

-

(iii) Name one other insoluble chloride.

[Total: 18]

3 This question is about acids, bases and alkalis.

Table 3.1 shows the pH values of some substances.

Table 3.1

substance	рН
NaOH(aq)	14
Ca(OH) ₂ (aq)	10
H ₂ O(I)	7
CH ₃ COOH(aq)	4
HNO ₃ (aq)	1

(a)	Def	fine the term base.
		[1]
(b)	Sta	te what is meant by the term alkali.
		[1]
(c)	Thy	molphthalein is an indicator.
	Sta	te the colour of thymolphthalein in:
	•	NaOH(aq)
	•	CH ₃ COOH(aq). [2]
(d)	(i)	Use the information in Table 3.1 to identify the substance with the highest concentration of $H^{+}(aq)$ ions.
		Explain your answer.
		substance
		explanation
		[2]
	(ii)	Name an indicator which can be used to identify the substance with the highest concentration of $H^{\scriptscriptstyle +}(aq)$ ions.
		[1]

(e)	Complete the equation to show the dissociation of ethanoic acid, $\mathrm{CH_{3}COOH},$ in aqueous solution.
	CH ₃ COOH(aq)[3]
(f)	Write the ionic equation which represents a neutralisation reaction between any acid and any alkali.
	[1]
(g)	Dilute nitric acid, $HNO_3(aq)$, reacts with aqueous calcium hydroxide, $Ca(OH)_2(aq)$, as shown.
	$2HNO_3(aq) + Ca(OH)_2(aq) \rightarrow Ca(NO_3)_2(aq) + 2H_2O(I)$
	$20.0\mathrm{cm^3}$ of $0.0150\mathrm{mol/dm^3}$ Ca(OH) ₂ (aq) reacts with $25.0\mathrm{cm^3}$ of HNO ₃ (aq).
	Calculate the concentration of HNO ₃ (aq) in g/dm ³ .
	Use the following steps.
	 Calculate the number of moles of Ca(OH)₂(aq) used.
	• Determine the number of moles of HNO ₃ (aq) which react with the Ca(OH) ₂ (aq).
	mol
	 Calculate the concentration of HNO₃(aq) in mol/dm³.
	• Calculate the concentration of HNO ₃ (aq) in g/dm ³ .
	g/dm³ [5]
	[Total: 16]

[3]

4	The equation for the reaction between methanoic acid and ethanol in the presence of a catalyst car
	be represented as shown.

HCOOH + CH₃CH₂OH \rightleftharpoons **X** + H₂O $\Delta H = -29.5 \,\text{kJ/mol}$

(a) (i)	In the equation, methanoic acid is represented by the formula HCOOH.
	Name this type of formula.

.....[1

I)	Write the empirical formula of methanoic acid.	
		[1

(b)	Name and	draw the	displayed	formula	of	ester	X
-----	----------	----------	-----------	---------	----	-------	---

name .	 	 	

displayed formula

(c)	The	reaction is reversible and reaches an equilibrium within a closed system.	
	(i)	State what is meant by the term closed system.	
			[1]
	(ii)	State two characteristics of an equilibrium.	
		1	

[2]

(iii) Complete Table 4.1 to show the effect, if any, on the concentration of **X** at equilibrium for each change of condition.

Table 4.1

change of condition	effect on the concentration of X at equilibrium
temperature is decreased	
concentration of HCOOH is decreased	
concentrations of both HCOOH and CH ₃ CH ₂ OH are decreased	
the catalyst is removed	

[4]

[Total: 12]

5

Butane	and but-1-ene are colourless gases at room temperature and pressure.	
(a) Su	ggest why but-1-ene diffuses quicker than butane.	
		[1]
(b) Ide	entify the products formed when butane undergoes complete combustion.	
		[1]
` '	e molecule of butane reacts with one molecule of chlorine in the presence of ultraviolet light ring the reaction, one hydrogen atom in butane is replaced by one chlorine atom.	ht.
(i)	Name the type of reaction which needs ultraviolet light.	
		[1]
(ii)	State the purpose of ultraviolet light during this reaction.	
		[1]
(iii)	Name the type of reaction which takes place when one atom of chlorine replaces of atom of hydrogen.	ne
		[1]
(iv)	Determine how many different structural isomers can form during this reaction.	
		[1]
(d) Wh	nen but-1-ene reacts with steam, two possible products form.	
(i)	Identify the type of catalyst which is used in this reaction.	
(-)	, ,,,	[4]

(ii) Name and draw the displayed formulae of the two possible products.

product 1	product 2
name	name
displayed formula	displayed formula

[4]

(e) But-1-ene undergoes polymerisation.

(i)	State the type of polymerisation but-1-ene undergoes.	
		[1]

(ii) Draw part of the polymer molecule to show three repeat units.

[3]

[Total: 15]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

		2	e 우	elium 4	10	é	eon 20	18	٦٢	argon 40	36	>	vpton 84	54	(e	anon 31	98	٦	adon –	18	g	oganesson -
	_		_			_	c ``		_	a ai	.,	_			_	× L		<u> </u>	<u>e</u>		_	
	₹				6	Щ	fluorine 19	17	Cl	chlorine 35.5	35	Ā	bromine 80	53	Ι	iodine 127	85	Ą	astatine _	117	<u>⊼</u>	tennessine -
	5				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	polonium —	116	_	livermorium -
	>				7	Z	nitrogen 14	15	凸	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	<u>B</u>	bismuth 209	115	Mc	moscovium -
	≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium
	=				2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	18	11	thallium 204	113	Z	nihonium
											30	Zu	zinc 65	48	р	cadmium 112	80	Ε̈́	mercury 201	112	ű	copernicium
											29	D C	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium
dn											28	z	nickel 59	46	Pd	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium -
Group											27	ပိ	cobalt 59	45	R	rhodium 103	11	Ir	indium 192	109	¥	meitnerium -
		-	I	hydrogen 1							26	Ь	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Η	hassium
					J						25	M	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	В	bohrium
						ГО	ss				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	<u>n</u>	tantalum 181	105	o O	dubnium
					<u>a</u>	ator	relat				22	j	titanium 48	40	ZĽ	zirconium 91	72	茔	hafnium 178	104	፟ጟ	rutherfordium -
								1			21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89-103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ва	barium 137	88	Ra	radium
	_				3	:=	lithium 7	7	Na	sodium 23	19	×	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ъ.	francium

71 Lu	lutetium 175	103	ב	lawrencium	ı
70 Yb				_	ı
e9 Tm	thulium 169	101	Md	mendelevium	ı
88 Fr	erbium 167	100	Fm	ferminm	ı
67 H0	holmium 165	66	Es	einsteinium	ı
。 Dy	dysprosium 163	86	₽	californium	ı
65 Tb	terbium 159	26	B	berkelium	ı
² Od	gadolinium 157	96	Cm	curium	ı
ы Еu	europium 152	92	Am	americium	ı
62 Sm	samarium 150	94	Pu	plutonium	ı
Pm	promethium —	93	d	neptunium	ı
% P	neodymium 144	92	\supset	uranium	238
59 Pr	praseodymium 141	91	Ра	protactinium	231
Çe Oe	cerium 140	06	드	thorium	232
57 La	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).