# **Cambridge IGCSE**<sup>™</sup>

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

CHEMISTRY

Paper 4 Theory (Extended)

October/November 2021

1 hour 15 minutes

0620/42

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

#### **INFORMATION**

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

1	This	question	is	about	states	of	matter
	11110	quodion		about	oluloo	$\sim$	HIGH


(a)	Complete the table,	using ticks (🗸)	) and crosses ( <b>x</b>	(), to describe the	e properties of	gases, li	iquids
	and solids.						

state of matter	particles are touching	particles have random movement	particles are regularly arranged
gas			
liquid			
solid			

			[3
(b)	Sul	ostances can change state.	
	(i)	Boiling and evaporation are two ways in which a liquid changes into a gas.	
		Describe <b>two</b> differences between boiling and evaporation.	
		1	
		2	[2]
	(ii)	Name the change of state when:	
		a gas becomes a liquid	
		a solid becomes a gas.	
			[2

(c) A substance boils at temperature X and melts at temperature Y.

Complete the graph to show the change in temperature over time as the substance cools from temperature  ${\bf A}$  to temperature  ${\bf B}$ .



(d) A solution is a mixture of a solute and a solvent.

(i) Name the process when a solid substance mixes with a solvent to form a soluti	tion.
---	-------

|--|

(ii) Name the type of reaction when two solutions react to form an insoluble sub	substance	uble s	insolu	an	form	to	react	olutions	two	when	f reaction	type of	Name the	(ii)
--	-----------	--------	--------	----	------	----	-------	----------	-----	------	------------	---------	----------	------

 [1]

[Total: 11]

[2]

Acids a	re important laboratory chemicals.
(a) Soi	me acids completely dissociate in water to form ions.
(i)	State the term applied to acids that completely dissociate in water.
	[1]
(ii)	Complete the equation to show the complete dissociation of sulfuric acid in water.
	$H_2SO_4 \rightarrow \dots$ [2]
(iii)	State the colour of methyl orange in sulfuric acid.
	[1]
<b>(b)</b> The	e equation for the reaction between powdered zinc carbonate and dilute nitric acid is shown.
	$ZnCO_3$ + $2HNO_3$ $\rightarrow$ $Zn(NO_3)_2$ + $H_2O$ + $CO_2$
(i)	Complete the equation by adding state symbols. [2]
(ii)	A student found that 2.5 g of zinc carbonate required 20 cm <sup>3</sup> of dilute nitric acid to react completely.
	Calculate the concentration of dilute nitric acid using the following steps:
	<ul> <li>calculate the mass of 1 mole of ZnCO<sub>3</sub></li> </ul>
	• calculate the number of moles of ZnCO <sub>3</sub> reacting
	<ul> <li>determine the number of moles of HNO<sub>3</sub> reacting</li> </ul>
	<ul> <li>calculate the concentration of HNO<sub>3</sub>.</li> </ul>
	mol/dm³ [4] [Total: 10]
	[Total: To]

- 3 Atoms contain protons, neutrons and electrons.
  - (a) Complete the table to show the relative mass and the relative charge of a proton, a neutron and an electron.

	relative mass	relative charge
proton		
neutron		
electron	<u>1</u> 1840	

[3]

**(b)** The table shows the number of protons, neutrons and electrons in some atoms and ions.

Complete the table.

atom or ion	number of protons	number of neutrons	number of electrons
<sup>32</sup> S			
<sup>39</sup> K+			
	35	44	36

[5]

[Total: 8]

4 Chlorine reacts with carbon monoxide to produce phosgene gas,  $COCl_2(g)$ . A catalyst is used.

$$Cl_2(g) + CO(g) \rightleftharpoons COCl_2(g)$$

The reaction is exothermic.


(a)	bond making.

.....[3

(b) (i) Complete the energy level diagram for this reaction.

On your diagram show:

- the product of the reaction
- an arrow representing the energy change, labelled  $\Delta H$
- an arrow representing the activation energy, labelled A.



[3]

(ii) State why a catalyst is used.

......[1]

(c) Describe and explain the effect, if any, on the position of equilibrium w
---

the pressure is increased	
	[2]
the temperature is increased.	

(d) The reaction between chlorine and carbon monoxide can be represented as shown.

$$Cl-Cl + CO \rightleftharpoons Cl$$

When one mole of chlorine reacts with one mole of carbon monoxide, 230 kJ of energy is released.

Some bond energies are shown in the table.

(ii)

bond	bond energy in kJ/mol
C1-C1	240
C=O	745
C-C1	400


Use the information to calculate the energy of the bond between the C and the O in carbon monoxide, CO.

bond energy in carbon monoxide, CO = ..... kJ/mol [3]

(e) Complete the dot-and-cross diagram to show the electron arrangement in a molecule of  ${
m COC}\,l_2$ .



Show outer electrons only.



[3]

[Total: 17]

Iron is a transition element. Potassium is a Group I element.

5

(a)	Iron	and potassium have the same type of bonding.
	Nar	ne and describe the type of bonding in these two elements.
	nan	ne
	des	cription
		[4]
(b)	Trai	nsition elements and Group I elements have some similar physical properties.
	The	y can both:
	•	be hammered into a shape conduct electricity be stretched into wires.
	(i)	Name the term used to describe the ability of elements to be hammered into a shape.  [1]
	(ii)	Describe what happens to the particles in iron when it is hammered into a shape.
		[1]
(	(iii)	Suggest why copper, rather than other transition elements, is used for wires which conduct electricity.
		[1]
(c)	Trai	nsition elements are harder and stronger than Group I elements.
		scribe how <b>two</b> other <b>physical</b> properties of transition elements are different from those of up I elements.
	1	
	2	[2]

[Total: 22]

(d) Chemical properties of some Group I elements are shown in the table.

element	reaction with cold water	reaction with oxygen	flame test colour
lithium	<ul><li>steadily effervesces</li><li>forms a colourless solution</li></ul>	very slowly forms an oxide layer	red
sodium	<ul><li>strongly effervesces</li><li>forms a colourless solution</li></ul>	slowly forms an oxide layer	
potassium	<ul><li>very strongly effervesces</li><li>forms a colourless solution</li></ul>	quickly forms an oxide layer	
rubidium			ruby red

(i)	Add to the table:	
	<ul> <li>the flame test colours for sodium and potassium</li> <li>the predicted reactions of rubidium with water and with oxygen.</li> </ul>	[4]
(ii)	Name the gas produced when Group I elements react with water.	
(iii)	Name the solution formed when potassium reacts with water.	
(iv)	Predict the pH of the colourless solution formed when potassium reacts with water.	
(v)	Write the chemical equation for the reaction of sodium with oxygen.	ניו
		[2]
(e) Iron	is a typical transition element. It is the catalyst used in the Haber process.	
(i)	Write the equation for the reaction that occurs in the Haber process.	[2]
(ii)	State the temperature and pressure used in the Haber process. Include units.	[ <del>-</del> ]
	temperature	
	pressure	 [2]

Etha	anol, C <sub>2</sub> H <sub>5</sub> OH, belongs to the homologous series called alcohols.	
(a)	Write the general formula of alcohols.	
		[1]
(b)	Explain why ethanol <b>cannot</b> be described as a hydrocarbon.	
		[1]
(c)	Ethanol can be manufactured from different substances by reaction with steam or fermentation.	by
	(i) Give the formula of the substance which reacts with steam to form ethanol.	
		[1]
	(ii) Name a substance which will undergo fermentation to form ethanol.	
		[1]
(d)	Ethanol is a fuel.	
	Write the chemical equation for the complete combustion of ethanol.	
		[2]

(e) Ethane-1,2-diol has two alcohol functional groups.

One molecule of ethane-1,2-diol will react with two molecules of ethanoic acid to form molecule  $\mathbf{X}$ .

 ${\bf X}$  has two ester functional groups and a molecular formula of  ${\bf C}_6{\bf H}_{10}{\bf O}_4$ .

(i)	State the	empirical	formula of X.	
-----	-----------	-----------	---------------	--

.....[1]

(ii) Draw the structure of X.

Show all of the atoms and all of the bonds.

(iii)	Name the <b>other</b> substance formed in this reaction.	
		[1]

- (f) Each alcohol functional group in ethane-1,2-diol reacts with acidified potassium manganate(VII) to form a different organic compound, Y.
  - (i) Name the functional groups formed in  ${\bf Y}.$

.....[1]

(ii) Draw the structure of Y.

Show all of the atoms and all of the bonds.

[1]

[2]

[Total: 12]

## **BLANK PAGE**

## **BLANK PAGE**

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

	=	2 He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	Ru	radon			
	=			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	Ą	astatine -			
	5			80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	moloud –	116		livermorium –
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	≥			9	ပ	carbon 12	41	S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Fl	flerovium –
	=			2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	18	11	thallium 204			
										30	Zu	zinc 65	48	S	cadmium 112	80	Hg	mercury 201	112	ű	copernicium -
										59	Cn	copper 64	47	Ag	silver 108	62	Αu	gold 197	111	Rg	roentgenium -
dn										28	ïZ	nickel 59	46	Pq	palladium 106	78	Ŧ	platinum 195	110	Ds	darmstadtium -
Group										27	ပိ	cobalt 59	45	R	rhodium 103	77	Г	iridium 192	109	¥	meitnerium -
		- I	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	£	hassium
				,						25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
					loc	ISS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>R</u>	tantalum 181	105	9	dubnium –
					ato	rela				22	ı=	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	꿒	rutherfordium -
										21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ва	barium 137	88	Ra	radium -
	_			က	:=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ē	francium -

71 Lu	lutetium 175	103	۲	lawrendum -	
70 Yb	ytterbium 173	102	%	nobelium	
ee Tm	thulium 169	101	Md	mendelevium -	
88 Er	erbium 167	100	Fm	fermium -	
67 Ho	holmium 165	66	Es	einsteinium –	
% Dy	dysprosium 163	86	ర	californium	
es Tb	terbium 159	26	Ř	berkelium	
64 Gd	gadolinium 157	96	Cm	curium	
e3 Eu	europium 152	92	Am	americium -	
62 Sm	samarium 150	94	Pu	plutonium	
e1 Pm	promethium -	93	ď	neptunium	
9 <b>P</b> N	neodymium 144	92	$\supset$	uranium 238	
59 Pr	praseodymium 141	91	Ра	protactinium 231	
Se Ce	cerium 140	06	드	thorium 232	
57 <b>La</b>	lanthanum 139	88	Ac	actinium	

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).