



Cambridge Assessment International Education
Cambridge International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

CANDIDATE
NUMBER

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

* 4 5 8 0 1 3 8 8 2 7 *



CHEMISTRY

0620/53

Paper 5 Practical Test

May/June 2019

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: As listed in the Confidential Instructions

READ THESE INSTRUCTIONS FIRST

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

Notes for use in qualitative analysis are provided on pages 11 and 12.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Examiner's Use | |
|--------------------|--|
| 1 | |
| 2 | |
| 3 | |
| Total | |

This syllabus is regulated for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **10** printed pages and **2** blank pages.

- 1 You are going to investigate the temperature changes when two different metals, zinc and magnesium, react with aqueous copper(II) sulfate.

Read all the instructions carefully before starting the experiments.

Instructions

You are going to do three experiments.

(a) Experiment 1

- Put the cup provided into the 250 cm³ beaker for support.
- Use the measuring cylinder to pour 25 cm³ of aqueous copper(II) sulfate into the cup.
- Measure the initial temperature of the solution and start the timer.
- Measure the temperature of the solution at 30 seconds and at 60 seconds.
- Record the temperatures in the table.
- At 60 seconds, add all of the zinc powder to the aqueous copper(II) sulfate. Stir the mixture continuously with the thermometer.
- Continue to stir the mixture and measure the temperature of the mixture every 30 seconds for a total of 180 seconds.
- Record your results in the table.
- Empty the cup and rinse it with distilled water.

| | | | | | | | |
|---------------------------|---|----|----|----|-----|-----|-----|
| time/s | 0 | 30 | 60 | 90 | 120 | 150 | 180 |
| temperature of mixture/°C | | | | | | | |

[2]

(b) Experiment 2

- Repeat Experiment 1 but using magnesium powder instead of zinc powder.
- Record your results in the table.

| | | | | | | | |
|---------------------------|---|----|----|----|-----|-----|-----|
| time/s | 0 | 30 | 60 | 90 | 120 | 150 | 180 |
| temperature of mixture/°C | | | | | | | |

[2]


(c) Experiment 3

- Repeat Experiment 1 but using zinc granules instead of zinc powder.
- Record your results in the table.

| | | | | | | | |
|---------------------------|---|----|----|----|-----|-----|-----|
| time/s | 0 | 30 | 60 | 90 | 120 | 150 | 180 |
| temperature of mixture/°C | | | | | | | |

[1]

- (d) Plot your results for Experiments 1–3 on the grid. Draw **three** smooth line graphs. Clearly label your lines.



[3]

- (e) From your graph, deduce the temperature of the mixture in Experiment 2 after 75 seconds.

Show clearly **on the grid** how you worked out your answer.

..... °C [2]

(f) (i) From your results, which experiment was the most exothermic? Explain your answer.

.....
..... [2]

(ii) Compare the rates of reaction in Experiments 1 and 3. Explain why the rates of reaction are different.

.....
.....
..... [2]

(g) Predict the temperature of the mixture in Experiment 2 after 2 hours. Explain your answer.

.....
..... [2]

(h) When doing the experiments, what would be an advantage of taking the temperature readings every 15 seconds?

.....
..... [2]

(i) Explain why a copper can should **not** be used in place of the cup in these experiments.

.....
..... [1]

[Total: 19]

Question 2 starts on the next page.

- 2 You are provided with solid **M**, which is a salt.
Do the following tests on solid **M**, recording all of your observations at each stage.

tests on solid M

- (a) Describe the appearance of solid **M**.

..... [1]

Use a spatula to divide solid **M** into two approximately equal portions.

- (b) Heat the first portion of solid **M** in a hard-glass test-tube. Test any gas produced with cobalt(II) chloride paper.
Record your observations.

.....

.....

..... [4]

Add the second portion of solid **M** to about 10 cm³ of distilled water in a boiling tube. Stopper the boiling tube and shake the mixture to dissolve solid **M** and form solution **M**. Divide solution **M** into three approximately equal portions in three test-tubes.

- (c) (i) Add drops of aqueous sodium hydroxide to the first portion of solution **M**.
Record your observations.

..... [2]

- (ii) Now add an excess of aqueous sodium hydroxide to the mixture from (c)(i).
Record your observations.

..... [1]

- (d) (i) Add drops of aqueous ammonia to the second portion of solution **M**.
Record your observations.

..... [1]

- (ii) Now add an excess of aqueous ammonia to the mixture from (d)(i).
Record your observations.

..... [1]

- (e) Add a few drops of dilute nitric acid and about 1 cm³ of aqueous barium nitrate to the third portion of solution **M**.
Record your observations.

..... [2]

(f) What does the test in (b) tell you about solid **M**?

..... [1]

(g) Identify solid **M**.

.....
..... [2]

[Total: 15]

Notes for use in qualitative analysis

Tests for anions

| anion | test | test result |
|---|---|---|
| carbonate (CO_3^{2-}) | add dilute acid | effervescence, carbon dioxide produced |
| chloride (Cl^-) [in solution] | acidify with dilute nitric acid, then add aqueous silver nitrate | white ppt. |
| bromide (Br^-) [in solution] | acidify with dilute nitric acid, then add aqueous silver nitrate | cream ppt. |
| iodide (I^-) [in solution] | acidify with dilute nitric acid, then add aqueous silver nitrate | yellow ppt. |
| nitrate (NO_3^-) [in solution] | add aqueous sodium hydroxide, then aluminium foil; warm carefully | ammonia produced |
| sulfate (SO_4^{2-}) [in solution] | acidify, then add aqueous barium nitrate | white ppt. |
| sulfite (SO_3^{2-}) | add dilute hydrochloric acid, warm gently and test for the presence of sulfur dioxide | sulfur dioxide produced will turn acidified aqueous potassium manganate(VII) from purple to colourless |

Tests for aqueous cations

| cation | effect of aqueous sodium hydroxide | effect of aqueous ammonia |
|------------------------------------|---|---|
| aluminium (Al^{3+}) | white ppt., soluble in excess, giving a colourless solution | white ppt., insoluble in excess |
| ammonium (NH_4^+) | ammonia produced on warming | – |
| calcium (Ca^{2+}) | white ppt., insoluble in excess | no ppt., or very slight white ppt. |
| chromium(III) (Cr^{3+}) | green ppt., soluble in excess | grey-green ppt., insoluble in excess |
| copper(II) (Cu^{2+}) | light blue ppt., insoluble in excess | light blue ppt., soluble in excess, giving a dark blue solution |
| iron(II) (Fe^{2+}) | green ppt., insoluble in excess | green ppt., insoluble in excess |
| iron(III) (Fe^{3+}) | red-brown ppt., insoluble in excess | red-brown ppt., insoluble in excess |
| zinc (Zn^{2+}) | white ppt., soluble in excess, giving a colourless solution | white ppt., soluble in excess, giving a colourless solution |

Tests for gases

| gas | test and test result |
|-----------------------------------|--|
| ammonia (NH ₃) | turns damp red litmus paper blue |
| carbon dioxide (CO ₂) | turns limewater milky |
| chlorine (Cl ₂) | bleaches damp litmus paper |
| hydrogen (H ₂) | 'pops' with a lighted splint |
| oxygen (O ₂) | relights a glowing splint |
| sulfur dioxide (SO ₂) | turns acidified aqueous potassium manganate(VII) from purple to colourless |

Flame tests for metal ions

| metal ion | flame colour |
|--------------------------------|--------------|
| lithium (Li ⁺) | red |
| sodium (Na ⁺) | yellow |
| potassium (K ⁺) | lilac |
| copper(II) (Cu ²⁺) | blue-green |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.