

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

## **MARK SCHEME for the October/November 2013 series**

### **0620 CHEMISTRY**

**0620/62**

Paper 6 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

| Page 2 | Mark Scheme                   | Syllabus | Paper |
|--------|-------------------------------|----------|-------|
|        | IGCSE – October/November 2013 | 0620     | 62    |

- 1 (a) trough/tub/beaker/bowl/waterbath/basin (1) [1]  
**not:** tray/container/dish
- (b) arrow to space in boiling tube above liquid in trough (1) [1]
- (c) to absorb/contain/store/trap/hold the alkane/liquid (1) [1]
- (d) idea of large surface area/catalyst/speeds up reaction (1) [1]
- (e) test bromine(water) (1)  
 result colourless (1) [2]  
**not:** clear
- 2 (a) chromatography (1) [1]
- (b) 3 dots above the line and must be vertical (1)  
 1 dot on base-line (1) [2]  
**allow:** 1 mark for 4 dots above the base-line and must be vertical
- (c) interferes with results/ink spreads/ink is soluble/owtte (1) [1]
- (d) dyes would wash off/dissolves in propanone (1) [1]
- 3 (a) both masses correct 31.2 and 31.8 (1) [1]
- (b) all masses correct (2), -1 each incorrect  
 31.9, 32.2, 32.2 [2]
- (c) to allow air/oxygen in (1) [1]  
**not:** release/allow gas to escape
- (d) to make sure all calcium reacted/owtte (1)  
 eliminate anomalies/reduce errors/reference to accuracy (1)  
 constant mass (1) max [2]  
**not:** fair test/take average/reference to reliability
- (e) results table completed for mass of oxygen reacted (1)  
 0.21, 0.28, 0.31, 0.36 [1]

| Page 3 | Mark Scheme                   | Syllabus | Paper |
|--------|-------------------------------|----------|-------|
|        | IGCSE – October/November 2013 | 0620     | 62    |

- (f) all points plotted correctly (4), –1 each incorrect  
straight line drawn with a ruler through all points except 0.4 g (1) [5]
- (g) point at 0.4 g mass calcium/0.21 g oxygen/Experiment 4 (1) [1]
- (h) any evidence of extrapolation/indication (1) 0.45 g oxygen reacted (1)  
mass of calcium oxide = 1.15 g(1) [3]
- 4 (c) table of results for Experiments 1, 2 and 3  
initial temperature boxes completed correctly (1)  
23, 22, 21  
maximum temperature boxes correctly completed (1)  
26, 24, 71  
temperature rises correct (1)  
3, 2, 50 [3]
- (e) table of results for Experiments 4 and 5  
initial and maximum temperature boxes completed correctly (2)  
19, 21 44, 29 [2]
- all temperature rises correct in tables (1)  
25, 8 [1]
- (f) appropriate scale for y axis (1)  
bars inserted at correct heights (3) –1 for any incorrect  
**not:** a line graph  
labels (1) [5]
- (g) (i) temperature rises greatest in Experiment 3 (1)
- (ii) magnesium is most reactive / more reactive (1) [2]
- (h) hydrogen (1) [1]
- (i) (i) copper (1)
- (ii) displacement/redox/exothermic (1) [2]  
**allow:** oxidation/reduction
- (j) solid would react slower/temperature rises would be lower/less temperature change (1)  
smaller/less surface area (1) [2]  
**or**  
same temperature (1)  
same mass of magnesium used (1)
- (k) dangerous/too reactive/explodes/owtte (1) [1]

| Page 4 | Mark Scheme                   | Syllabus | Paper |
|--------|-------------------------------|----------|-------|
|        | IGCSE – October/November 2013 | 0620     | 62    |

- 5 (a) colourless **and** smells acidic/vinegar/pungent/choking/sour (1) [1]  
**not:** strong  
red/orange/yellow (1) pH 1–6 (1) [2]
- (b) fizzes/effervescence (1)  
lighted splint (1) pops (1) [3]  
**not:** glowing splint pops
- (c) effervescence/fizz/bubbles (1) [1]  
**not:** carbon dioxide unless limewater test described as an observation
- (f) organic/hydrocarbon (1) fuel/flammable (1) reducing agent (1) max [2]  
**allow:** 2 marks for alcohol/ethanol
- 6  $x \text{ cm}^3$  of hydrogen peroxide/solution H (1)  
add  $\text{MnO}_2$  (1)  
method to collect gas that works (1)  
measurement of (total) volume of gas produced/counting bubbles in time interval (1)  
repeat using solution J (1)  
comparison/conclusion (1) max [5]  
**ignore:** reference to heat  
**not:** speed of relighting a glowing splint