

Write your name here

Surname					Other names									
<b>Edexcel Certificate</b>					Centre Number					Candidate Number				
<b>Edexcel International GCSE</b>					<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>					<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>				
<h1>Chemistry</h1> <p><b>Unit: KCH0/4CH0</b> <b>Paper: 2C</b></p>														
Monday 10 June 2013 – Afternoon										Paper Reference				
<b>Time: 1 hour</b>										<b>KCH0/2C</b> <b>4CH0/2C</b>				
<b>You must have:</b> Ruler Calculator										Total Marks				

## Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided  
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.

## Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets  
– *use this as a guide as to how much time to spend on each question.*

## Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P41555A

©2013 Pearson Education Ltd.

1/1/1/



**PEARSON**

# THE PERIODIC TABLE

Period 1 2 3 4 5 6 7 0

1	<table border="1"> <tr> <td>1</td> <td>H</td> <td colspan="14"></td> <td>He</td> </tr> <tr> <td></td> <td>Hydrogen</td> <td colspan="14"></td> <td>Helium</td> </tr> <tr> <td></td> <td>1</td> <td colspan="14"></td> <td>2</td> </tr> </table>																1	H															He		Hydrogen															Helium		1															2
1	H															He																																																			
	Hydrogen															Helium																																																			
	1															2																																																			
2	7	9															20																																																		
	Li	Be															Ne																																																		
	Lithium	Beryllium															Neon																																																		
	3	4															10																																																		
3	23	24	39	40	45	48	51	52	55	56	59	59	63.5	65	70	73	75	79	80	84																																															
	Na	Mg	K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr																																															
	Sodium	Magnesium	Potassium	Calcium	Scandium	Titanium	Vanadium	Chromium	Manganese	Iron	Cobalt	Nickel	Copper	Zinc	Gallium	Germanium	Arsenic	Selenium	Bromine	Krypton																																															
	11	12	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36																																															
4	86	88	89	91	93	96	99	101	103	106	108	112	115	119	122	128	127	131	131	131																																															
	Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Te	I	Xe	Xe	Xe	Xe																																															
	Rubidium	Strontium	Yttrium	Zirconium	Niobium	Molybdenum	Technetium	Ruthenium	Rhodium	Palladium	Silver	Cadmium	Indium	Tin	Tellurium	Iodine	Xenon	Xenon	Xenon	Xenon																																															
	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	54	54																																															
5	133	137	139	179	181	184	186	190	192	195	197	201	204	207	209	210	210	222	222	222																																															
	Cs	Ba	La	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn	Rn	Rn																																															
	Caesium	Barium	Lanthanum	Hafnium	Tantalum	Tungsten	Rhenium	Osmium	Iridium	Platinum	Gold	Mercury	Thallium	Lead	Bismuth	Polonium	Astatine	Radon	Radon	Radon																																															
	55	56	57	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	86	86																																															
6	223	226	227	226	227	227	227	227	227	227	227	227	227	227	227	227	227	227	227	227																																															
	Fr	Ra	Ac	Ra	Ac	Ra	Ac	Ra	Ac	Ra	Ac	Ra	Ac	Ra	Ac	Ra	Ac	Ra	Ac	Ra																																															
	Francium	Radium	Actinium	Radium	Actinium	Radium	Actinium	Radium	Actinium	Radium	Actinium	Radium	Actinium	Radium	Actinium	Radium	Actinium	Radium	Actinium	Radium																																															
	87	88	89	88	89	88	89	88	89	88	89	88	89	88	89	88	89	88	89	88																																															

**Key**

Relative atomic mass
Symbol
Name
Atomic number



**Answer ALL questions.**

1 The box shows some methods that can be used in separating mixtures.

crystallisation	dissolving	evaporation	filtration
paper chromatography	simple distillation	fractional distillation	

From the box, select the best method for each of the separations.

You may use each method once, more than once or not at all.

(a) Removing sand from a mixture of sand and water. (1)

---

(b) Obtaining pure water from a salt solution. (1)

---

(c) Extracting the red dye from a sample of rose petals. (1)

---

(d) Separating the coloured dyes in a sample of green ink. (1)

---

(e) Obtaining ethanol (alcohol) from a mixture of ethanol and water. (1)

---


**(Total for Question 1 = 5 marks)**






- 3 A student measured the temperature change when 0.5 g of magnesium powder was added to 50 cm<sup>3</sup> of copper(II) sulfate solution.

She repeated the experiment using 1.0 g, 1.5 g and 2.0 g of magnesium powder.



The diagrams of the thermometer show the highest temperature, in °C, reached in each of the experiments.



- (a) Use the thermometer readings to complete the table of results.

(2)

Mass of magnesium in g	Initial temperature in °C	Highest temperature in °C	Temperature rise in °C
0.5	25		
1.0	24		
1.5	23		
2.0	23		




(b) A second student carried out the experiment. The table shows his results.

Mass of magnesium in g	Temperature rise in °C
0.5	2
1.0	4
1.5	6
2.0	6
2.5	6

(i) Plot the points on the grid.

Draw a straight line through the first three points and another straight line through the last two points. Make sure that the two lines cross.

(3)



(ii) Use your graph to find the mass of magnesium required to produce a temperature rise of 3 °C.

(1)

(c) Suggest why the last three temperature rises were the same.

(1)



(d) State and explain the effect on the temperature rises if the student were to repeat the experiment using the same masses of zinc powder instead of magnesium powder.

Do not refer to the difference in reactivity of the two metals.

[relative atomic masses: Mg = 24; Zn = 65]

(2)

.....

.....

.....

.....

**(Total for Question 3 = 9 marks)**



- 4 (a) Plastic bags used to store food are made from a polymer.

Ethene is the monomer used to make the polymer for some plastic bags.

- (i) Name the polymer that is made from ethene.

(1)

- (ii) Use a word from the box to complete the sentence about ethene.

chromatography      condensing      cracking      crystallising

(1)

Ethene is made by breaking down large hydrocarbon molecules into smaller hydrocarbon molecules, using a process called .....

- (b) The hydrocarbons used to make ethene are called alkanes.


They are obtained from crude oil.

The boiling point of an alkane is related to the number of carbon atoms in the molecule.

<b>Number of carbon atoms in molecule</b>	5	6	7	8	9
<b>Boiling point in °C</b>	36	69	99	125	151

- (i) Use the data in the table to complete the bar chart.

(2)





(ii) What is the relationship between the boiling point of an alkane and the number of carbon atoms in its molecule?

(1)

.....

.....

.....

.....

(c) Many plastic bags are not biodegradable.

Used plastic bags can be

**A** buried underground, which is called landfill

or

**B** burned to release energy, which also produces large amounts of gases.

Suggest which of these methods of disposal is better for the environment, giving two reasons for your choice.

(2)

Choice .....

Reason 1 .....

.....

.....

.....

Reason 2 .....

.....

.....

.....

**(Total for Question 4 = 7 marks)**



5 This information was taken from a label on a packet containing a pizza.

<b>Nutritional information (per ½ pizza)</b>	
Energy	1260 kJ
Protein	14.0 g
Carbohydrate	370 g
sugars	62 g
Fat	106 g
saturated	50 g
unsaturated	56 g

(a) (i) Which type of fat contains a double carbon to carbon ( $C=C$ ) bond? (1)

(ii) The colour of bromine water is orange.

State the final colour of the mixture after bromine water is shaken with (2)

an unsaturated fat .....


a saturated fat .....

(iii) What type of reaction takes place when bromine reacts with a compound containing a  $C=C$  bond? (1)



(b) In February 2005, some companies had to remove their pizzas from sale because the food colourings in them were found to contain the artificial dye called Sudan 1, which is known to cause cancer.

The chromatogram shows how the dyes in the colourings were detected and identified.



(i) Which one of the food colourings, A, B, C or D, is made up of only one dye? (1)

(ii) Identify the food colourings that may have contained Sudan 1. (1)

(iii) Explain how the chromatogram shows that the five food colourings are different from each other. (1)

**(Total for Question 5 = 7 marks)**



6 Sodium (Na) and sodium chloride (NaCl) both have lattice structures.

Their melting points are shown in the table.

	Melting point in °C	Type of lattice structure
sodium	98	giant metallic
sodium chloride	801	

(a) Complete the table by stating the type of lattice structure in sodium chloride. (1)

(b) Explain why sodium and sodium chloride have different melting points.

In your answer you should refer to

- the types of particle
- the types of forces between the particles in each substance

(5)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....



(c) The equation shows the reaction of sodium with water.



A sample of sodium of mass 0.138 g reacts with excess water.

Calculate the volume of hydrogen, in  $\text{cm}^3$ , produced at room temperature and pressure (rtp).

[The volume of one mole of a gas at rtp is 24 000  $\text{cm}^3$ ]

(3)

Volume of gas produced = .....  $\text{cm}^3$



(d) Sodium chloride can be made by many different reactions.

A student prepared a sample of sodium chloride using the following method.

Step 1 She added an excess of a solid sodium compound, X, to dilute hydrochloric acid. The mixture fizzed as the solid reacted.

Step 2 She filtered the mixture produced to remove the excess solid X. The filtrate was a colourless liquid.

Step 3 She evaporated the colourless liquid. A white solid remained.

(i) Describe a chemical test that the student could do to show that the colourless liquid in Step 2 contained chloride ions,  $\text{Cl}^-$ .

(3)

Test .....

.....

.....

Result .....

(ii) The student concluded that solid X was sodium hydroxide.

State one reason why this conclusion was **not** correct.

Suggest a possible identity of solid X.

(2)

Reason .....

.....

Solid X could be .....



(e) Sodium chloride can also be made by reacting sodium with chlorine gas.

Draw a dot and cross diagram to show the arrangement of the electrons in each of the ions in sodium chloride. Show the charge on each ion.

Show only the outer electrons.

(3)

(f) Potassium bromide can be made by reacting potassium with bromine gas.

Explain why it is difficult to be sure whether the reaction between potassium and bromine gas would be more vigorous than the reaction between sodium and chlorine gas.

(2)

.....

.....

.....

.....

.....

.....

.....

.....

**(Total for Question 6 = 19 marks)**




- 7 (a) The table shows some results of the electrolysis of aqueous solutions using inert electrodes. The solutions were electrolysed under the same conditions.

Use the information given to complete the table.

(3)

Solution	Product at the negative electrode	Product at the positive electrode	Substance left in solution at the end of the electrolysis
copper(II) sulfate	copper	oxygen	sulfuric acid
potassium sulfate	hydrogen	oxygen	potassium sulfate
silver nitrate	silver	oxygen	nitric acid
silver sulfate		oxygen	sulfuric acid
potassium nitrate	hydrogen		

- (b) Water can be decomposed by electrolysis using this apparatus.



- (i) Suggest a suitable element for the inert electrodes.

(1)


- (ii) Suggest why a small amount of dilute acid is added to the water before it is electrolysed.

(1)





- (c) (i) The overall equation for the decomposition of water is



Use this equation to explain why the volume of hydrogen collected should be twice that of the volume of oxygen.


(1)

- (ii) The volume of oxygen collected is always slightly less than expected, even though there are no leaks in the apparatus.

Suggest a reason for this.

(1)

- (d) The equation represents the formation of hydrogen gas at the negative electrode.



During electrolysis, 482 500 coulombs were passed through the solution.

Calculate the amount, in moles, of hydrogen gas formed.

[One faraday = 96 500 coulombs]

(2)

Amount of hydrogen gas formed = ..... mol

**(Total for Question 7 = 9 marks)**

**TOTAL FOR PAPER = 60 MARKS**



**BLANK PAGE**



**BLANK PAGE**



**BLANK PAGE**

