Surname	Other	names
Edexcel GCSE	Centre Number	Candidate Number
Chamistr	y/Scion	<u> </u>
		LE
Unit 1: Chemistry i		
Chemistry i		Higher Tier
	n Our World	

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- Questions labelled with an asterisk (*) are ones where the quality of your written communication will be assessed
 - you should take particular care with your spelling, punctuation and grammar, as well as the clarity of expression, on these questions.

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶

PEARSON


P40198A
©2012 Pearson Education Ltd.

		Ī					
	0 4 He helium	20 Neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86	: fully
	_	19 fluorine 9	35.5 CI chlorine 17	80 Br bromine 35	127 	[210] At astatine 85	orted but not
	9	16 oxygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po polonium 84	ave been rep
	ഹ	14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83	Elements with atomic numbers 112-116 have been reported but not fully authenticated
S	4	12 carbon 6	28 Si silion 14	73 Ge gemanium 32	119 Sn tin 50	207 Pb lead 82	omic number
nent	ო	11 a poron	27 Al aluminium 13	70 Ga gallium 31	115 In indium 49	204 TI thallium 81	ents with atc
Elen				65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80	
odic Table of the Elements				63.5 Cu capper 29	108 Ag silver 47	197 Au gold 79	[272] Rg roentgenium
e of				59 Ni nickel 28	106 Pd palladium 46	195 Pt platinum 78	[271] Ds damstadtum 110
Tabl			59 Co cobalt 27	103 Rh rhodium 45	192 	[268] Mt meitnerium 109	
odic	T Hydrogen			56 Fe iron 26	101 Ru ruthenium 44	190 Os osmium 76	[277] Hs hassium 108
				55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] Bh bohrium 107
The Per		mass ɔol ıumber		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74	[266] Sg seaborgium 106
	Kev	relative atomic mass atomic symbol name atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73	[262] Db dubnium 105
		relativ atc atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72	[261] Rf rutherfordium 104
				45 Sc scandium 21	89 Y yttrium 39	139 La* lanthanum 57	[227] Ac* actinium 89
	8	9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba barium 56	[226] Ra radium 88
	~	7 Li lithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55	[223] Fr francium 87

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

P 4 0 1 9 8 A 0 2 2 0




Answer ALL questions.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

Useful products from crude oil

1 Fractional distillation is used to separate crude oil into fractions. A fractionating column is used for the process. The diagram shows a fractionating column and the fractions obtained when crude oil is fractionally distilled.

fraction



(a) Which of the following statements is true?

Put a cross (☒) in the box next to your answer.

(1)

- A fuel oil has a lower boiling point than petrol
- **B** kerosene is more viscous than bitumen
- **D** diesel oil is easier to ignite than petrol
- (b) Some fractions obtained from crude oil are cracked to produce alkenes.
 - (i) Explain what is meant by **cracking**.

(2)

	•••••	• • • • • • • • • • • • • • • • • • • •	 •	 	 •	•••••	 	• • • • • • • • • • • • • • • • • • • •	•••••	 	 	•••••	•••••	 •••••	 	 	•••••	 •••••	• • • • • • • • • • • • • • • • • • • •	 	•••••	 	 	
•••••	•••••	• • • • • • • • • • • • • • • • • • • •	 	 	 	•••••	 		•••••	 	 			 •••••	 	 	•••••	 		 		 	 	•••••



		PΙ

Ed		H H		
	ene is unsaturated. ene is a hydrocarbon.			
Exp	lain why ethene is desci	ribed as an unsatu	rated hydrocarbon.	(3)
	cribe what you would s mine water.	ee when a sample	of ethene is shaken wit	:h (2)
			(Total for Question	I = 8 marks)

BLANK PAGE




Gases in the atmosphere

2 (a) The table shows possible percentages of some of the gases in the Earth's early atmosphere.

gas	percentage in early atmosphere (%)
oxygen	small amount
nitrogen	small amount
carbon dioxide	12
water vapour	77

(i)	Some time after the early atmosphere had been formed, oceans appeared on the Earth's surface.	
	State how these oceans were formed.	(1)
(ii)	The amount of carbon dioxide in today's atmosphere is much lower than that in the early atmosphere.	
	State how the formation of the oceans caused this reduction.	(1)
(iii)	The amount of oxygen in today's atmosphere is much higher than that in the early atmosphere.	
	Describe the process that has caused this increase.	(2)
		(2)

(b) John was doing an experiment to find the percentage of oxygen in air at room temperature. He used this apparatus.



The copper powder in the test tube was heated strongly so that it could react with oxygen in the air in the apparatus.

John stopped heating the copper when there was no further change in the reading on the gas syringe.

(i) Complete the sentence by putting a cross (☒) in the box next to your answer.

At the end of the experiment the apparatus was allowed to cool before the final reading on the syringe was recorded.

This is because

(1)

- A reading the volume while the apparatus is hot is dangerous
- **B** the apparatus must be left to allow the reaction to finish
- C the gas must be at room temperature when its volume is measured
- **D** the copper expands when it is hot
- (ii) At the end of the experiment not all of the copper had reacted.

Suggest a reason for this.

(1)

(iii)	John's results were initial volume of gas in syringe = 32 cm^3 final volume of gas in syringe = 24 cm^3	
	Calculate the percentage decrease in the volume of gas originally in the	
	syringe.	(2)
	percentage decrease =	
(iv)	The percentage of oxygen in air at room temperature is 21%. John thought the answer to part (iii) was the percentage of oxygen in air and was surprised that the value was too high.	
	John confirmed that he had not made an error when doing his experiment. Suggest why the answer calculated in part (iii) is higher than John expected.	(1)
	(Total for Question 2 = 9 ma	·ks)
	,	



	Metals									
,										
3	Metals have many uses.									
	(a) Complete the sentence by putting a cross () in the box next to your answer.									
	Aluminium and magnesium are melted together to form magnalium.									
	Magnalium is	(1)								
	A an element									
	■ B an ore									
	■ D a type of steel									
	(b) Describe how iron is extracted from its ore.									
		(2)								
	(c) Copper oxide reacts with hydrogen to form copper and water.									
	The equation for the reaction is									
	$CuO + H_2 \rightarrow Cu + H_2O$									
	Explain how this reaction involves both oxidation and reduction.	(2)								
		(3)								

(d) Some modern spectacle frames are made of shape memory alloys.



Explain why shape memory alloys are better than other alloys for making spectacle frames.

(2)

(e) Complete the sentence by putting a cross (☒) in the box next to your answer.

Alloys are usually stronger than the pure metals from which they are made because they


(1)

- A have stronger bonds between the molecules they contain
- **B** combine the properties of the metals from which they are made
- **D** are made using electrolysis

(Total for Question 3 = 9 marks)

R	0	c	k	S

4 A student produced this sketch of a quarry face.



(a) The limestone shown was originally formed in layers.

State what type of rock limestone is.

(1)

(b) Granite is an igneous rock formed from magma.

(i) Explain how the marble has formed above the granite.

(2)

(ii) Explain why the rock at **X** contained larger crystals than the rock at **Y**.

(2)

		F	'n

(c) Limestone is a natural form of calcium carbonate. When calcium carbonate, CaCO ₃ , is heated it decomposes.	
(i) Complete the equation for this reaction.	(1)
$CaCO_3 \rightarrow CaO + \dots$	(1)
(ii) Calcium oxide reacts with water to form calcium hydroxide.	
Write the balanced equation for this reaction.	(2)
	(2)
(iii) Explain why calcium hydroxide (slaked lime) is spread on fields.	(2)
	(2)
(Total for Overtion 4 –	10 moules)
(Total for Question 4 = 1	i u marks)
	10 11141110,

	Chemical reactions	
5	(a) Complete the sentence by putting a cross (☒) in the box next to your answer.	
	When dilute hydrochloric acid reacts with copper oxide one of the products is	
		(1)
	A copper	
	■ B copper hydroxide	
	C copper chlorate	
	□ Copper chloride	
	(b) Chlorine is manufactured by electrolysis.	
	Explain what is meant by electrolysis .	(2)
		(-/
	(c) Chlorine gas reacts with sodium hydroxide solution to form sodium chlorate(I),	
	NaOCI, sodium chloride and water.	
		(3)
	NaOCI, sodium chloride and water.	(3)
	NaOCI, sodium chloride and water.	
	NaOCI, sodium chloride and water. Write the balanced equation for this reaction.	
	NaOCI, sodium chloride and water. Write the balanced equation for this reaction.	
	NaOCI, sodium chloride and water. Write the balanced equation for this reaction.	
	NaOCI, sodium chloride and water. Write the balanced equation for this reaction.	
	NaOCI, sodium chloride and water. Write the balanced equation for this reaction.	
	NaOCI, sodium chloride and water. Write the balanced equation for this reaction.	
	NaOCI, sodium chloride and water. Write the balanced equation for this reaction.	
	NaOCI, sodium chloride and water. Write the balanced equation for this reaction.	
	NaOCI, sodium chloride and water. Write the balanced equation for this reaction.	
	NaOCI, sodium chloride and water. Write the balanced equation for this reaction.	

*(d) Sulfur is an impurity in some fossil fuels. Explain how the presence of sulfur in fossil fuels can lead to damage to the environment and how the amount of damage can be reduced.	
	(6)
(Total for Question 5 – 12)	marks)
(Total for Question 5 = 12 i	marks)

	•	•	
Bu	rnin	a ti	ueis

6 The picture shows a gas water heater. The fuel used in this heater is natural gas which is mainly methane.




(a) Complete the sentence by putting a cross (図) in the box next to your answer. Natural gas is a good fuel because	
 ■ A supplies of it will never run out ■ B it always burns with a yellow flame that is easily seen ■ C it produces no waste gases on complete combustion 	(1)
D it produces no solid waste on complete combustion	
(b) The complete combustion of fossil fuels releases gases into the atmosphere. Explain how these gases could cause an increase in the temperature of the Earth.	(2)
(c) Biofuels, made from plants, can be used as alternatives to fossil fuels.(i) State an advantage of replacing fossil fuels with biofuels made from plants.	(1)



(ii) Explain a disadvantage of replacing fossil fuels with biofuels made from	
plants.	
	(2)
*(d) Incomplete combustion of methane can occur in gas heaters such as the one shown in the photograph.	
Explain how incomplete combustion occurs and the problems it can cause.	
Explain flow incomplete combustion occurs and the problems it can cause.	(6)
(Total for Question 6 - 12)	marks)
(Total for Question 6 = 12	iiai KSj
TOTAL FOR PAPER = 60 M	MARKS







BLANK PAGE	
BLANK PAGE	

