



GCSE (9-1) Chemistry A (Gateway Science)

J248/01 Paper 1, C1–C3 and C7 (Foundation Tier)

Thursday 17 May 2018 – Morning

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet (for GCSE Chemistry A (inserted))

You may use:

- · a scientific or graphical calculator
- an HB pencil



First name	
Last name	
Centre number	Candidate number

INSTRUCTIONS

- The data sheet will be found inside this document.
- Use black ink. You may use an HB pencil for graphs and diagrams.
- Complete the boxes above with your name, centre number and candidate number.
- Answer all the questions.
- Write your answer to each question in the space provided. If additional space is required, use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.
- Do **not** write in the barcodes.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended responses will be assessed in questions marked with an asterisk (*).
- This document consists of 28 pages.



2 SECTION A


Answer **all** the questions.

You should spend a maximum of 30 minutes on this section.

1	Which of these pH values shows the pH of a strong acid?				
	Α	1			
	В	5			
	С	7			
	D	10			
	You	ur answer	[1]		
2	Wh	ich of these general properties correctly describes a metal?			
	Α	Ductile and good conductor of heat			
	В	High density and forms negative ions			
	С	Malleable and low density			
	D	Shiny and brittle			
	You	ur answer	[1]		
3	A n	umber of scientists contributed to the development of the atomic model.			
	Wh	ich of these scientists discovered the electron?			
	Α	Bohr			
	В	Dalton			
	С	Rutherford			
	D	Thomson			
	You	ur answer	[1]		

PMT

4 This is a section of the Periodic Table.



In which section of the Periodic Table would you find **non-metals**?

Your answer [1]

- 5 What is the typical size of the radius of an atom?
 - **A** 10^{-2} m
 - **B** 10⁻⁵ m
 - $C 10^{-10} \,\mathrm{m}$
 - **D** 10^{-20} m

Your answer [1]

6 Lead nitrate contains lead ions, Pb²⁺, and nitrate ions, NO₃⁻.

What is the formula for lead nitrate?

- A PbNO₃
- **B** $Pb(NO_3)_2$
- \mathbf{C} Pb_2NO_3
- **D** $Pb_2(NO_3)_2$

Your answer [1]

4

7 Look at the equation.

$$\mathsf{CH_4} \ + \ 2\mathsf{O}_2 \ \longrightarrow \ \mathsf{CO}_2 \ + \ 2\mathsf{H}_2\mathsf{O}$$

Which substance is **oxidised** in this reaction?

- A CH_₄
- B CO₂
- **C** H₂O
- $D O_2$

Your answer [1]

8 Look at the equation.

$$\mathrm{CH_4}$$
 + $\mathrm{2O_2}$ \longrightarrow $\mathrm{CO_2}$ + $\mathrm{2H_2O}$

Which substance is the oxidising agent in this reaction?

- A CH₄
- B CO₂
- C H₂O
- \mathbf{D} O_2

Your answer [1]

- **9** Which statement about **covalent** bonding is true?
 - A Electrons are transferred from one atom to another.
 - **B** Electrons are delocalised.
 - **C** Electrons are shared between atoms.
 - **D** lons are formed.

Your answer [1]

10	The electronic structure of an atom of an element is 2.8.8.2.			
	In which period of the Periodic Table is this element found?			
	Α	1		
	В	2		
	С	4		
	D	8		
	You	r answer	[1]	
11	The	electronic structure of an atom of an element is 2.8.8.2.		
	In w	hich group of the Periodic Table is this element found?		
	Α	1		
	В	2		
	С	4		
	D	8		
	You	r answer	[1]	
12	Wha	at is the name of the gas made when zinc carbonate reacts with hydrochloric acid?		
	Α	Carbon dioxide		
	В	Chlorine		
	С	Hydrogen		
	D	Oxygen		
	You	r answer	[1]	

6

13	Which equation represents neutralisation?		
	Α	$2H^+ \longrightarrow H_2$	
	В	$H_2O \longrightarrow H^+ + OH^-$	
	С	$H^+ + OH^- \longrightarrow H_2O$	
	D	$2OH^- \longrightarrow O_2 + H_2$	
	You	ır answer	[1]
14	Wh	ich of these statements about nanoparticulate materials is correct?	
	Α	Nanoparticles are much smaller than atoms.	
	В	Nanoparticulate materials can be used as catalysts.	
	С	Nanoparticulate materials have a very small surface area to volume ratio.	
	D	There are no risks when using nanoparticulate materials.	
	You	ir answer	[1]
15	Eth	anol is a liquid at room temperature. It has a low melting point and boiling point.	
	Wh	y?	
	Α	Ethanol is an ionic compound.	
	В	The forces of attraction between ethanol molecules are strong.	
	С	The forces of attraction between ethanol molecules are weak.	
	D	There are no forces of attraction between ethanol molecules.	
	You	ır answer	[1]

7 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

8 SECTION B

Answer all the questions.

16 A student investigates the energy changes during some chemical reactions.

She measures the temperature at the start and end of each reaction.

Look at her results.

Reaction	Temperature at start (°C)	Temperature at end (°C)	Temperature change (°C)	Type of reaction
Α	20	25		Exothermic
В	18	10		
С	21	35		
D	20	20		No reaction


(a) Complete the table.

[3]

(b) Which reaction has the largest energy change?

Answer =[1]

(c) Look at the reaction profile for reaction A.



Progress of reaction

(i)	Calculate the energy change in this reaction.	
(ii)	Calculate the activation energy.	Answer = kJ [1]
		Answer = kJ [1]

[2]

17 Look at the diagram. It shows the displayed formula of succinic acid.

(a) Complete the table to show the number of atoms of each element in this displayed formula.

Element	Number of atoms
С	
Н	
0	

	Explain your answer.
	What is the state of succinic acid at 25 °C?
(c)	Succinic acid has a melting point of 184 °C and a boiling point of 235 °C.
	[1
(b)	What is the empirical formula of succinic acid?

18	A student is separating some mixtures. She wants to make pure water from a solution of water. She filters the mixture.				
	Her				
	(a)	Explain why her metho	d does not work and describe tl	ne method she should use.	
				[2]	
	(b)	The liquids are:	eparate a mixture of two liquids Boiling point		
		Liquid	(°C)		
		Water	100		
		Ethanol	78		
		Which separation techr			
		Explain how the metho	d works.		
				[2]	

(c)	The	e student separates tw	o solid substances A and B .	She wants to check that they are pure .
	(i)	What is meant by a	oure solid?	
				[1]
	(ii)	The student measure	es the melting points of four s	amples of solid A .
		Sample	Melting point (°C)	
		1	115	_
		2	119	
		3	114–118	
		4	120–122	
		She concludes that s	re sample of solid A has a me	
		Do the results suppo	rt her conclusion?	
		Explain your answer	using evidence from the table	э.
				[3]

19	Two students	heat some	calcium	carbonate,	CaCO ₃
----	--------------	-----------	---------	------------	-------------------

Look at the equation for the reaction.

$$CaCO_3(s)$$
 — $CaO(s)$ + $CO_2(g)$

4	(a)	What is the	meaning c	of (e)	in the	equation?
-(a)	vviiat is tile	meaning c	л (5)	, iii tiie	equations

[4]
 וין.

(b) Look at their results.

Mass of calcium carbonate (g)	Mass of calcium oxide (g)	Mass of carbon dioxide (g)
1.00	0.56	0.44
2.00	1.12	0.88
3.00	1.68	1.32
4.00	2.24	

Complete the table.	[1]
---------------------	-----

(c) Student A states:

'If I heat 20 g of calcium carbonate, I will make 8.8 g of calcium oxide and 11.2 g of carbon dioxide.'

Is student A correct?


Explain your answer.

		14
(d)	Stud	dent B investigates another reaction.
	Loo	k at the equations.
	2Mg	$g(s)$ + $O_2(g)$ \longrightarrow 2MgO(s)
	mag	gnesium + oxygen — → magnesium oxide
	(i)	Calculate the relative formula mass of magnesium oxide.
		Answer =[1]
	(ii)	Use the relative formula mass of magnesium oxide and the relative atomic masses of magnesium and oxygen to show if mass is conserved during this reaction.
		[2]

15 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

20 A student electrolyses dilute sulfuric acid.



Hydrogen gas is made at the cathode.

The student measures the volume of hydrogen made at the cathode every 2 minutes for 10 minutes.


Look at his results.

Time (minutes)	Volume of hydrogen (cm ³)
0	0.0
2	4.0
4	8.0
6	14.0
8	16.0
10	20.0

(a) Plot the results on the grid. The first 3 points have been done for you.

Draw a line of best fit.

[2]



(b) One of the results is **anomalous**.

Circle the anomalous result on the graph.

[1]

(c) Sulfuric acid contains these particles.

H⁺ OH⁻

OH H₂O

SO₄2-

Which particles are attracted to the anode?

.....[1]


(d) The student also investigates the electrolysis of some molten (liquid) salts.

Complete the table.

Molten salt	Formula	Product at cathode	Product at anode
Potassium chloride	KC1	Potassium	
Lead iodide	PbI ₂		lodine

[2]


21 The diagrams show the structures of diamond and graphite.



One property of diamond is that it is very hard. One property of graphite is that it is slippery.

a)	Write about the other properties of diamond and graphite.	
	Diamond	
	Graphite	
		[4]
b)	Describe the type of bonding between the carbon atoms in diamond.	
		[1]
c)	Graphite is slippery.	
	Use the structure of graphite to explain why.	
		[2

22 Look at the diagram of an atom.



(a)	Which particles are present in the charge cloud?
	[1]
(b)	Which two particles make up the nucleus?
	and[1]
(c)	Most of the mass of an atom is in the nucleus.
	Explain why.
	[2]
	[4]

(d) Look at these two atoms of chlorine.


³⁵₁₇C*l* ³⁷₁₇C*l*

What is the relationship between these two atoms of chlorine?

 23 A forensic scientist is investigating the ink that has been used to forge the signature on a cheque.

She separates the colours in some inks using paper chromatography.


Look at the diagram of her apparatus.



(a) What is the **mobile phase** in this experiment?

	[1]
(b)	Explain how paper chromatography separates the colours in ink.
	[1]

(c) Look at the results of the scientist's experiment.



(i)	Look at the green spot for ink A.
	Calculate the R _f value for the green spot.
	Answer =[2]
(ii)	Which ink was used to forge the signature on the cheque?
	Explain how you can tell.
	[2]

24* Look at the data about some substances.

Substance	Melting point (°C)	Boiling point (°C)	Does it conduct Electricity?	Density (g/cm³)
Α	0	100	No	1.0
В	1085	2562	Good conductor	9.0
С	801	1413	Solid does not conduct but conducts when melted or when dissolved in water	2.2

What is the type of bonding present in each of substances A , B and C ?
Explain how you can tell.
[6]

23 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

25	Mag	lagnesium is an element. It is solid at room temperature.				
	(a)	(i)	Solid magnesium cannot be compressed.			
			Why?			
			[1]			
		(ii)	Solid magnesium cannot flow, but liquid magnesium can flow.			
			Explain why.			
			[3]			
		(iii)	Magnesium gas completely fills any container it is put in.			
			Explain why.			
			[2]			
	(b)	Ма	gnesium reacts with water. Magnesium hydroxide, ${\rm Mg(OH)}_2$, and hydrogen, ${\rm H}_2$, are made.			
		Wri	e a balanced symbol equation for this reaction.			
			[2]			
	(c)	Ма	gnesium nitrate has the formula ${\rm Mg(NO_3)_2}$.			
		Cal	culate the relative formula mass of magnesium nitrate.			
			Answer =[1]			

26 A student has a solution of hydrochloric acid, HC*l*, and a solution of sodium hydroxide, NaOH.

a) Describe how he can	Describe how he can do this.							
Include the apparatus	clude the apparatus he should use and his method.							
b) Write a balanced sym	bol equation for the reaction.							
c) The student also inves	tigates other reactions.							
c) The student also inves	bol equation for the reaction.							
c) The student also inves	tigates other reactions.							
The student also invested. The table shows the same	tigates other reactions.							
The student also invest The table shows the second Complete the table.	tigates other reactions.	starting materials.						
The student also invest The table shows the second Complete the table. Acid used	tigates other reactions. alts he can make from different	starting materials.						
The student also invest The table shows the second Complete the table. Acid used	tigates other reactions. alts he can make from different Other starting material Copper oxide	starting materials. Salt made						
The student also invest The table shows the stable. Complete the table. Acid used Sulfuric acid	tigates other reactions. alts he can make from different Other starting material Copper oxide	starting materials. Salt made Zinc nitrate						
The student also invest The table shows the stable. Complete the table. Acid used Sulfuric acid Hydrochloric acid	tigates other reactions. alts he can make from different Other starting material Copper oxide	starting materials. Salt made Zinc nitrate Magnesium chloride						

26 ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).						
	······································					
••••••						
••••••						

 	••••
 	••••
 	• • • •
	••••

	 	•••••



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

 $For queries \ or \ further \ information \ please \ contact \ the \ Copyright \ Team, \ First \ Floor, 9 \ Hills \ Road, \ Cambridge \ CB2 \ 1GE.$

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.