

Foundation

GCSE

Chemistry A (Gateway Science)

J248/02: Paper 2 (Foundation tier)

General Certificate of Secondary Education

Mark Scheme for June 2025

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2025

MARKING INSTRUCTIONS**PREPARATION FOR MARKING****RM ASSESSOR**

1. Make sure that you have accessed and completed the relevant training packages for on-screen marking: *RM Assessor Online Training*; *OCR Essential Guide to Marking*.
2. Make sure that you have read and understood the mark scheme and the question paper for this unit. These are available in RM Assessor.
3. Log-in to RM Assessor and mark the **required number** of practice responses ("scripts") and the **required number** of standardisation responses.

MARKING

1. Mark strictly to the mark scheme.
2. Marks awarded must relate directly to the marking criteria.
3. The schedule of dates is very important. It is essential that you meet the RM Assessor 50% and 100% (traditional 40% Batch 1 and 100% Batch 2) deadlines. If you experience problems, you must contact your Team Leader (Supervisor) without delay.
4. If you are in any doubt about applying the mark scheme, consult your Team Leader by telephone, email or via the RM Assessor messaging system.

5. Crossed-Out Responses

Where a candidate has crossed out a response and provided a clear alternative then the crossed-out response is not marked. Where no alternative response has been provided, examiners may give candidates the benefit of the doubt and mark the crossed-out response where legible.

Rubric Error Responses – Optional Questions

Where candidates have a choice of question across a whole paper or a whole section and have provided more answers than required, then all responses are marked and the highest mark allowable within the rubric is given. Enter a mark for each question answered into RM Assessor, which will select the highest mark from those awarded. *(The underlying assumption is that the candidate has penalised themselves by attempting more questions than necessary in the time allowed.)*

Multiple-Choice Question Responses

When a multiple-choice question has only a single, correct response and a candidate provides two responses (even if one of these responses is correct), then no mark should be awarded (as it is not possible to determine which was the first response selected by the candidate).

When a question requires candidates to select more than one option/multiple options, then local marking arrangements need to ensure consistency of approach.

Contradictory Responses

When a candidate provides contradictory responses, then no mark should be awarded, even if one of the answers is correct.

Short Answer Questions (requiring only a list by way of a response, usually worth only one mark per response)

Where candidates are required to provide a set number of short answer responses then only the set number of responses should be marked. The response space should be marked from left to right on each line and then line by line until the required number of responses have been considered. The remaining responses should not then be marked. Examiners will have to apply judgement as to whether a 'second response' on a line is a development of the 'first response', rather than a separate, discrete response. *(The underlying assumption is that the candidate is attempting to hedge their bets and therefore getting undue benefit rather than engaging with the question and giving the most relevant/correct responses.)*

Short Answer Questions (requiring a more developed response, worth two or more marks)

If the candidates are required to provide a description of, say, three items or factors and four items or factors are provided, then mark on a similar basis – that is downwards (as it is unlikely in this situation that a candidate will provide more than one response in each section of the response space).

Longer Answer Questions (requiring a developed response)

Where candidates have provided two (or more) responses to a medium or high tariff question which only required a single (developed) response and not crossed out the first response, then only the first response should be marked. Examiners will need to apply professional judgement as to whether the second (or a subsequent) response is a 'new start' or simply a poorly expressed continuation of the first response.

6. Always check the pages (and additional objects if present) at the end of the response in case any answers have been continued there. If the candidate has continued an answer there, then add the annotation 'SEEN' to confirm that the work has been seen and mark any responses using the annotations in section 11.
7. There is a NR (**No Response**) option. Award NR (No Response):
 - if there is nothing written at all in the answer space
 - OR if there is a comment which does not in any way relate to the question (e.g., 'can't do', 'don't know')
 - OR if there is a mark (e.g., a dash, a question mark) which is not an attempt at the question.

Note: Award 0 marks – for an attempt that earns no credit (including copying out the question).

8. The RM Assessor **comments box** is used by your Team Leader to explain the marking of the practice responses. Please refer to these comments when checking your practice responses. **Do not use the comments box for any other reason.**
9. Assistant Examiners will send a brief report on the performance of candidates to their Team Leader (Supervisor) via email by the end of the marking period. The report should contain notes on particular strengths displayed as well as common errors or weaknesses. Constructive criticism of the question paper/mark scheme is also appreciated.

10. For answers marked by levels of response:

Read through the whole answer from start to finish, using the Level descriptors to help you decide whether it is a strong or weak answer. The indicative scientific content in the Guidance column indicates the expected parameters for candidates' answers, but be prepared to recognise and credit unexpected approaches where they show relevance. Using a 'best-fit' approach based on the skills and science content evidenced within the answer, first decide which set of level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer.

Once the level is located, award the higher or lower mark:

The higher mark should be awarded where the level descriptor has been evidenced and all aspects of the communication statement (in *italics*) have been met.

The lower mark should be awarded where the level descriptor has been evidenced but aspects of the communication statement (in *italics*) are missing.

In summary:

The skills and science content determines the level.

The communication statement determines the mark within a level.

Level of response question on this paper is **21(a)**

11. Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

12. Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

13. Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

J248/02

Mark Scheme

June 2025

The breakdown of Assessment Objectives for GCSE (9-1) in Chemistry A:

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

J248/02

Mark Scheme

June 2025

For answers to Section A if an answer box is blank ALLOW correct indication of answer e.g. circled or underlined.

Question	Answer	Marks	AO element	Guidance
1	C	1	1.1	
2	A	1	1.2	
3	D	1	2.1	
4	D	1	1.1	
5	C	1	1.1	
6	D	1	2.2	
7	B	1	2.2	
8	D	1	2.1	
9	A	1	2.2	
10	C	1	1.1	
11	B	1	2.1	
12	B	1	2.1	
13	B	1	2.2	
14	B	1	1.1	
15	D	1	2.2	

J248/02

Mark Scheme

June 2025

Question			Answer	Marks	AO element	Guidance
16	(a)		Zinc ✓	1	1.1	ALLOW correct answer ticked, circled or underlined in the list.
	(b)	(i)	Bar correctly drawn to 20% ✓	1	2.1	
	(b)	(ii)	First check the answer on the answer line If answer = 1.875 / 1.88 / 1.9 (g) award 2 marks $\frac{37.5 \times 5.0}{100}$ OR 0.375×5.0 ✓ = 1.875 (g) ✓	2	2 × 2.1	ALLOW '2' No ECF
	(c)		Magnalium has a lower density than (pure) aluminium / ORA ✓ Magnalium is stronger (than aluminium or magnesium) / ORA ✓ Magnalium has a higher resistance to corrosion (than aluminium or magnesium) / ORA ✓	3	3 × 3.2b	Answers must be comparative, must go further than merely quoting the table for magnalium ALLOW 'when compared to the others' for strength and corrosion. ALLOW 'higher/highest relative strength' ALLOW 'density is in between'. IGNORE 'it's more dense than Mg' / it's not too high nor too low ALLOW magnalium is more lightweight than (pure) aluminium / magnalium is lighter than (pure) aluminium ALLOW 'rust' instead of 'corrode'.
	(d)	(i)	Zinc stops water AND oxygen/air reaching the iron ✓	1	1.1	
		(ii)	Sacrificial protection/zinc is more reactive (than iron) ✓	1	1.1	ALLOW answers about zinc reactivity seen in part (d)(i) if no answer in (d)(ii)

J248/02

Mark Scheme

June 2025

Question			Answer	Marks	AO element	Guidance
17	(a)		Metal Method used to extract the metal ✓ ✓	2	2 × 2.1	
	(b)	(i)	(Molybdenum oxide) loses oxygen ✓	1	2.1	Ties the oxygen loss to the Molybdenum OR discusses its transfer to the hydrogen/water e.g. 'Oxygen has reacted to form water instead.' IGNORE general statements about oxidation
	(b)	(ii)	First check the answer on the answer line If answer = 64 (%) award 3 marks Atom economy = $\frac{95.9}{95.9 + (3 \times 18)} \times 100$ ✓ $\frac{95.9}{95.9 + 54} \times 100$ $\frac{95.9}{149.9} \times 100$ = 63.976 (%) ✓ 2 sig figs: 64 (%) ✓	3	2 × 2.2 1 × 1.2	ALLOW ECF from incorrect M_r calculation of correct format ALLOW ECF if significant figures are correctly rounded from incorrect calculation of correct format
	(c)	(i)	Solution changed colour / Metal changed colour / Temperature change ✓	1	1.2	ALLOW fizzing/bubbles IGNORE metal rusts / corrodes

J248/02

Mark Scheme


June 2025

Question			Answer	Marks	AO element	Guidance
	(c)	(ii)	D Most reactive B A C Least reactive D and C in correct position ✓ B and A in correct position ✓	2	2 × 3.2b	
	(c)	(iii)	Idea that more reactive metals displace less reactive metals ✓	1	1.2	ALLOW D has most (displacement) reactions and C does not react ALLOW answers based on number of reactions e.g. 'D reacts with most'
	(d)		Copper has a lower melting point ☐ Copper is harder ☒ ✓ Copper is less dense ☐ Copper is less reactive ☒ ✓ Copper is less strong ☐	2	2 × 1.1	

J248/02

Mark Scheme

June 2025

Question			Answer	Marks	AO element	Guidance
18	(a)		Manufacture / use / transport / disposal ✓	1	1.1	ALLOW production / processing (of final artefact) IGNORE producing materials (instead of products) ALLOW recycling IGNORE decomposition
	(b)		Any three from: Idea of smaller mass ✓ Idea of higher percentage recycled ✓ Idea of less energy use ✓ Idea that overall cost (per container) is less (for aluminium) ✓	3	3 × 3.2a	ALLOW less raw materials IGNORE 'cost' without explanation If claim cost per kg is less – max of 2 marks
	(c)	(i)	Propanol ✓	1	1.1	ALLOW propan-1-ol, but DO NOT ALLOW propan-2-ol / propenol
	(c)	(ii)	Orange to colourless / decolourised ✓	1	2.2	IGNORE goes clear Must imply change, not a single colour statement
	(c)	(iii)	 Single bond between C atoms ✓ Rest of structure correct ✓	2	2 × 2.1	
	(d)	(i)	Idea that propane only contains single (covalent) bonds ✓ but propene contains a double (carbon to carbon covalent) bond ✓	2	2 × 2.1	DO NOT ALLOW 'no double bond' No ECF IGNORE saturated / unsaturated
	(d)	(ii)	(As the number of carbon atoms increases) the boiling point increases ✓	1	3.1a	

J248/02

Mark Scheme

June 2025

Question			Answer	Marks	AO element	Guidance
19	(a)		More fossil fuels being burned ☒ More people cycling instead of driving ☐ More trees being planted ☐ More wind turbines ☐	1	1.1	
	(b)		Any two from: Climate change or extremes / altered weather patterns ✓ melting ice caps / glaciers ✓ rising sea levels / flooding ✓ loss/change of habitats / species extinct ✓ problems with farming / crop failure ✓ drought /wildfires✓	2	2 × 1.1	DO NOT ALLOW acid rain or references to the ozone layer IGNORE 'temperature increase' without detail IGNORE unspecified 'natural hazards' ALLOW too hot to work ALLOW rising sea temperature
	(c)		(Use) limewater ✓ (which) turns milky/cloudy ✓	2	2 × 1.2	DO NOT ALLOW 'milky and fizzes'

J248/02

Mark Scheme

June 2025

Question			Answer	Marks	AO element	Guidance
20	(a)	(i)	Beaker ☐ Dropping pipette ☐ Measuring cylinder ☐ Volumetric pipette ☒ ✓	1	1.2	
	(a)	(ii)	phenolphthalein / methyl orange ✓	1	1.2	DO NOT ALLOW universal indicator ALLOW poor spelling e.g. methane orange / methylene orange
	(a)	(iii)	Swirl/stir the (conical) flask (while adding the acid) / add the acid dropwise / place the conical flask on a white tile / rinse the burette with sulfuric acid before filling ✓	1	3.3b	IGNORE repeat [stem] IGNORE 'mix the solution'
	(b)		24.7 (cm ³) ✓	1	3.1b	

J248/02

Mark Scheme

June 2025

Question			Answer	Marks	AO element	Guidance
	(c)		First check the answer on the answer line If answer = 24.45 (cm³) award 3 marks Mean = $\frac{24.40 + 24.50 + 24.50 + 24.40}{4}$ ✓ Answer to 2 decimal places = 24.45 (cm³) ✓	2	1 × 2.2 1 × 1.2	ALLOW ECF if decimal places are correctly rounded from incorrect calculation of mean volume
	(d)		$\text{H}_2\text{SO}_4 + 2\text{NaOH} \rightarrow \text{Na}_2\text{SO}_4 + 2\text{H}_2\text{O}$ Formulae ✓ Balancing ✓	2	2 × 2.2	ALLOW any correct multiple, including fractions DO NOT ALLOW and / & instead of '+' Balancing mark is dependent on the correct formulae but ALLOW 1 mark for a balanced equation with a minor error in subscripts / formulae e.g. $\text{H}_2\text{SO}_4 + 2\text{NAOH} \rightarrow \text{Na}_2\text{SO}_4 + 2\text{H}_2\text{O}$

Question		Answer	Marks	AO element	Guidance
21	(a)*	Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Demonstrates clear knowledge and understanding of scientific techniques and procedures to plan a series of experiments, and their results, to identify the white solid. <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i> Level 2 (3–4 marks) Demonstrates some knowledge and understanding of scientific techniques and procedures to plan a series of experiments, and their results, to identify the white solid. OR Demonstrates clear knowledge and understanding of scientific techniques and procedures to give the results of at least one test for ions. <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i> Level 1 (1–2 marks) Demonstrates limited knowledge and understanding of scientific techniques and procedures using the equipment provided to plan an experiment to identify an ion in the white solid OR Demonstrates limited knowledge and understanding of scientific techniques and procedures using the equipment provided to give the result of a test for an ion.	6	2 × 1.2 4 × 3.3a	AO1.2 Demonstrate knowledge and understanding of scientific techniques & procedures and AO3.3a Analyse information and ideas to develop experimental procedures Test for carbonate ions • Add dilute nitric acid • If bubbling / fizzing is observed the solid is sodium carbonate Test for lithium / sodium ions • Flame test • Moisten splint with water, dip into solid, put in blue Bunsen flame • A red flame indicates lithium ions / lithium bromide or lithium iodide • A yellow / orange flame indicates sodium ions / sodium carbonate Test for bromide / iodide ions • Add a few drops of dilute nitric acid (and shake) • Add a few drops of silver nitrate solution • A cream precipitate indicates bromide ions / lithium bromide • A yellow precipitate indicates iodide ions / lithium iodide

J248/02

Mark Scheme

June 2025

Question			Answer	Marks	AO element	Guidance
			<i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i> 0 marks No response or no response worthy of credit.			
	(b)		Any two from: (More) sensitive / can analyse small(er) amounts ✓ (More) accurate / reliable / less error ✓ Fast(er) / can run all the time / automated ✓ ✓	2	2 × 1.1	IGNORE more efficient / easier/ safer / precise
	(c)	(i)	$\text{Cl}_2 + 2\text{LiBr} \rightarrow 2\text{LiCl} + \text{Br}_2$ Formulae ✓ Balancing ✓	2	2 × 2.2	ALLOW any correct multiple, including fractions DO NOT ALLOW and / & instead of '+' Balancing mark is dependent on the correct formulae but ALLOW 1 mark for a balanced equation with a minor error in subscripts / formulae e.g. $\text{CL}_2 + 2\text{LiBr} \rightarrow 2\text{LiCl} + \text{Br}_2$
	(c)	(ii)	Iodine is less reactive than bromine / ORA ✓ So cannot displace bromine (from lithium bromide) ✓	2	2 × 2.2	DO NOT ALLOW Iodine weaker than bromine Must link iodine to bromine, not 'Iodine least reactive' Displacement should be of bromine, not LiBr

J248/02

Mark Scheme

June 2025

Question			Answer	Marks	AO element	Guidance
22	(a)		(Mistake) Delivery tube is in the (hydrochloric) acid / delivery tube should be above the (hydrochloric) acid ✓ (Problem) (hydrochloric) acid will travel up the (delivery) tube / no (hydrogen) gas will be collected ✓	2	2 × 3.3b	ALLOW solution, liquid, water or mixture for acid for MP1 & 2 BUT IGNORE reaction IGNORE delivery tube should be in the zinc IGNORE idea that gas syringe does not start at 0 cm³ ALLOW not all of the (hydrogen) gas will be collected / gas won't reach gas syringe
	(b)	(i)	First check the answer on the answer line If answer = 0.583 / 0.58 cm³/s or cm³s⁻¹ award 4 marks Volume of gas made between 0 s and 60 s = 35 cm³ ✓ Mean rate of reaction = 35 ÷ 60 ✓ = 0.583 ✓ (Unit) cm³/s or cm³ s⁻¹ ✓	4	3 × 2.2 1.2	ALLOW 0.6, BUT NOT 0.60 ALLOW ECF from incorrect volume of gas, but NOT from incorrect time, for MP2 ALLOW ECF Unit mark is independent of MP1, 2 & 3 IGNORE sec for s ALLOW correct answer in alternative units e.g. 5.8 × 10⁻⁴ dm³/s or 0.035 dm³/min

J248/02

Mark Scheme

June 2025

Question			Answer	Marks	AO element	Guidance
	(b)	(ii)	Curve starts at (0,0) but is steeper ✓ Levels off at 35 cm ³ ✓	2	2 × 2.2	
	(c)		Idea of more crowded particles / particles are closer together / more particles per unit volume ✓ Idea of more collisions per second / collisions more often / increased collision frequency / more chance of a collision ✓	2	2 × 1.2	ALLOW atoms / molecules / ions for particles ALLOW more particles in a given space / area IGNORE just more particles IGNORE just more collisions IGNORE faster collisions

J248/02

Mark Scheme

June 2025

23	(a)		Reaction is reversible / reaction can reach equilibrium ✓	1	1.1	ALLOW reaction goes both ways / reaction is at equilibrium
	(b)	(i)	Iron ☒ ✓ Manganese(IV) oxide ☐ Nickel ☐ Platinum ☐	1	1.1	
	(b)	(ii)	Provides an alternative (reaction) pathway ✓ With a lower activation energy ✓	2	2 × 1.1	ALLOW provides an alternative (energy) pathway
	(c)	(i)	A ☒ B ☐ C ☐ D ☐ ✓	1	3.2b	
	(c)	(ii)	First check the answer on the answer line If answer = 4.25 / 4.3 (kg) award 2 marks Mass of potassium = $\frac{17}{100} \times 25$ ✓ = 4.25 (kg) ✓	2	2 × 2.1	ALLOW ECF from incorrect percentage of potassium

J248/02

Mark Scheme

June 2025

Question			Answer	Marks	AO element	Guidance
	(c)	(iii)	Idea that larger amounts of fertiliser can be made / idea that process operates all the time or 24/7 / smaller number of workers needed / lower wage bill / idea of fewer shut-down periods ✓	1	1.1	ALLOW idea that supply (of fertiliser) will not run out as more is always being made IGNORE higher yield IGNORE fast(er) BUT ALLOW higher rate of production IGNORE cheaper

Need to get in touch?

If you ever have any questions about OCR qualifications or services (including administration, logistics and teaching) please feel free to get in touch with our customer support centre.

Call us on

01223 553998

Alternatively, you can email us on

support@ocr.org.uk

For more information visit



ocr.org.uk/qualifications/resource-finder



ocr.org.uk



Twitter/ocrextams



/ocrextams



/company/ocr



/ocrextams



CAMBRIDGE
UNIVERSITY PRESS & ASSESSMENT

OCR is part of Cambridge University Press & Assessment, a department of the University of Cambridge.

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored. © OCR 2025 Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered office The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA.

Registered company number 3484466. OCR is an exempt charity.

OCR operates academic and vocational qualifications regulated by Ofqual, Qualifications Wales and CCEA as listed in their qualifications registers including A Levels, GCSEs, Cambridge Technicals and Cambridge Nationals.

OCR provides resources to help you deliver our qualifications. These resources do not represent any particular teaching method we expect you to use. We update our resources regularly and aim to make sure content is accurate but please check the OCR website so that you have the most up-to-date version. OCR cannot be held responsible for any errors or omissions in these resources.

Though we make every effort to check our resources, there may be contradictions between published support and the specification, so it is important that you always use information in the latest specification. We indicate any specification changes within the document itself, change the version number and provide a summary of the changes. If you do notice a discrepancy between the specification and a resource, please [contact us](#).

Whether you already offer OCR qualifications, are new to OCR or are thinking about switching, you can request more information using our [Expression of Interest form](#).

Please [get in touch](#) if you want to discuss the accessibility of resources we offer to support you in delivering our qualifications.