



# Friday 5 June 2015 - Afternoon

# GCSE GATEWAY SCIENCE CHEMISTRY B

**B741/01** Chemistry modules C1, C2, C3 (Foundation Tier)

Candidates answer on the Question Paper. A calculator may be used for this paper.

OCR supplied materials:

None

Other materials required:

- Pencil
- Ruler (cm/mm)

**Duration:** 1 hour 15 minutes



| Candidate forename |    |  |      | Candidate surname |       |      |      |
|--------------------|----|--|------|-------------------|-------|------|------|
|                    |    |  | <br> |                   |       | <br> | <br> |
| Centre numb        | er |  |      | Candidate nu      | umber |      |      |

### **INSTRUCTIONS TO CANDIDATES**

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do not write in the bar codes.

### **INFORMATION FOR CANDIDATES**

- The quality of written communication is assessed in questions marked with a pencil (A).
- The Periodic Table can be found on the back page.
- The number of marks is given in brackets [ ] at the end of each question or part question.
- The total number of marks for this paper is 75.
- This document consists of 24 pages. Any blank pages are indicated.

2

# Answer all the questions.

# **SECTION A – Module C1**

1 This question is about some of the hydrocarbons found in crude oil.

(a) Which compound has a molecule with 20 atoms?

The table shows some information about five of these hydrocarbons.

| Hydrocarbon | Molecular<br>formula            | Fraction of crude oil that contains the hydrocarbon | Melting point<br>in °C | Boiling point<br>in °C | Density<br>in g/cm <sup>3</sup> |
|-------------|---------------------------------|---|------------------------|------------------------|---------------------------------|
| propane     | C <sub>3</sub> H <sub>8</sub>   | liquefied petroleum gases                           | -188                   | -42                    | 0.002                           |
| hexane      | C <sub>6</sub> H <sub>14</sub>  | petrol  | -95                    | 68                     | 0.66                            |
| decane      | C <sub>10</sub> H <sub>22</sub> | paraffin  | -30                    | 174                    | 0.73                            |
| hexadecane  | C <sub>16</sub> H <sub>34</sub> | diesel  | 18                     | 287                    | 0.77                            |
| icosane     | C <sub>20</sub> H <sub>42</sub> | heating oil   | 37                     | 343                    |                                 |

|     | Choose from the table.   |       |
|-----|--|-------|
|     |  | [1]   |
| (b) | Propane is a <b>hydrocarbon</b> .  |       |
|     | What is meant by a hydrocarbon?  |       |
|     |  |       |
|     |  |       |
|     |  | . [2] |
| (c) | The density changes as the number of carbon atoms in a hydrocarbon molecule increase |       |
|     | Describe this trend in density and predict the density of icosane.                   |       |
|     |  |       |
|     |  |       |
|     |  |       |

(d) A mixture contains hexane, decane, hexadecane and icosane.

Which method can be used to separate this mixture?

Choose from

# cracking

### emulsification

# evaporation

### fractional distillation

### polymerisation

|     |      | polymensation  |     |
|-----|------|--|-----|
|     | Ехр  | olain your answer.   |     |
|     | Met  | hod  |     |
|     | Ехр  | lanation   |     |
|     |      |  |     |
|     |      |  | [2] |
| (e) | Hex  | cane is one of the hydrocarbons found in petrol.                               |     |
|     | Hex  | cane completely burns in a plentiful supply of air.                            |     |
|     | Loo  | k at the word equation for this reaction.                                      |     |
|     |      | hexane + oxygen → carbon dioxide + water                                       |     |
|     | (i)  | Which gas in the air is needed for combustion?                                 |     |
|     |      |  | [1] |
|     | (ii) | Incomplete combustion happens when there is a limited supply of air.           |     |
|     |      | Write down the <b>word</b> equation for the incomplete combustion of hexane.   |     |
|     |      | Use your equation to suggest <b>one</b> disadvantage of incomplete combustion. |     |
|     |      |  |     |
|     |      |  |     |
|     |      |  |     |
|     |      |  | [2] |

| 2 | Stowmarket Sy  | vnthetics is a   | chemical con   | npany that m    | nakes polymers    |
|---|----------------|------------------|----------------|-----------------|-------------------|
| _ | Ctowniant Ct C | yritiiotioo io a | oriorinoar oon | iparry triat ii | iditoo polylliolo |

They make a polymer from a monomer called propenenitrile.

$$C = C$$

| (a) | What is the name of the polymer made from propenenitrile?  |
|-----|--|
| (b) | How many covalent bonds are shown in the displayed formula of propenenitrile?  Tick (✓) the correct box. |
|     | three  four  five  eight   |
|     | nine [1]   |

(c) Stowmarket Synthetics also make a polymer that is used to make bottles for fizzy drinks.



The polymer used to make the bottles is **non-biodegradable**.

Some scientists want the polymer to be **biodegradable**.

What is a **biodegradable** polymer?

Write about the advantages and disadvantages of using a **biodegradable** polymer to make these bottles.

| <br>    |
|---------|
|         |
|         |
| <br>    |
|         |
|         |
|         |
| <br>    |
|         |
| <br>[6] |

|     |   |   |  | 6                              |  |  |  |  |
|-----|---|---|--|--------------------------------|--|--|--|--|
| So  | me foo  | ods contain ad  | ditives.   |                                |  |  |  |  |
| Fla | lavour enhancers improve the flavour of a food.             |   |  |                                |  |  |  |  |
| An  | n emulsifier stops oil and water in a food from separating. |   |  |                                |  |  |  |  |
| (a) | Write   | e down the nai  | me of <b>another</b> fo                          | ood additive.                  |  |  |  |  |
|     | Desc  | cribe the job of  | f this food additiv                              | /e.                            |  |  |  |  |
|     | name  | e of food addit   | ive  |                                |  |  |  |  |
|     | ioh o   | of the additive   |  |                                |  |  |  |  |
|     | JOD 0   |   |  |                                |  |  |  |  |
|     |   |   |  |                                |  |  |  |  |
| (b) |   |   | ormation about formation                         |                                |  |  |  |  |
| (b) | ·   |   | ormation about f                                 |                                |  |  |  |  |
| (b) | ·   | finds some info   | ormation about f                                 |                                | Cost of making 1g of emulsifier in pence |  |  |  |
| (b) | ·   | finds some inform   | ormation about for ation.  Is it                 | our emulsifiers.  Does it have | Cost of making 1g of                     |  |  |  |
| (b) | ·   | finds some inform  at this inform  Emulsifier               | ormation about for ation.  Is it poisonous?      | Does it have a smell?          | Cost of making 1g of emulsifier in pence |  |  |  |
| (b) | ·   | finds some informations at this information.  Emulsifier  A | ormation about formation.  Is it poisonous?  yes | Does it have a smell?          | Cost of making 1g of emulsifier in pence |  |  |  |

| Which emulsifier is the most suitable to be used in a food? |
|---|
| Explain your answer.  |
|   |
|   |
|   |
|   |
| [3]   |

| (c) | Baking powder is used in cake mixes.              |
|-----|---|
|     | Baking powder makes carbon dioxide when heated.   |
|     | Write about the chemical test for carbon dioxide. |
|     |   |
|     |   |
|     | [2]   |

# 8 SECTION B – Module C2

- 4 This question is about building materials.
  - (a) Limestone is a rock used for buildings.
    - (i) Write down the name of **another** rock used for buildings.

Choose from the list.

amalgam

brass

granite

solder

| answer | [1 | ĺ |
|--------|----|---|
|--------|----|---|

(ii) Limestone is dug out of the ground in a quarry.



Removing limestone rock from a quarry causes environmental problems.

Write about **two** environmental problems caused by quarrying limestone.

.....

**(b)** Concrete is a building material.

Concrete is made stronger using a steel support.

This is called **reinforced concrete**.

Look at the table.

It gives some information about three types of steel.

| Type of steel | Iron alloyed with      | Relative strength | Other properties                      |
|---------------|------------------------|-------------------|---------------------------------------|
| A             | about 0.25% carbon     | 386               | easily shaped                         |
| В             | up to 2.5% carbon      | 414               | hard,<br>more difficult to shape      |
| С             | chromium<br>and nickel | 515               | easily shaped, resistant to corrosion |

| (i)  | Steel <b>C</b> is the best choice for reinforcing concrete.    |
|------|--|
|      | Use information from the table to give <b>two</b> reasons why. |
|      |  |
|      | [2]  |
| (ii) | The three types of steel in the table are <b>alloys</b> .      |
|      | What is meant by an alloy?                                     |
|      |  |
|      | [1]  |

|     |                     |                        | 10               |            |                      |
|-----|---------------------|------------------------|------------------|------------|----------------------|
| his | s question is about | sodium chloric         | le (salt).       |            |                      |
| (a) | Write down one us   | se of sodium o         | hloride.         |            |                      |
|     |                     |                        |                  |            |                      |
| (b) | Most of the UK's s  | alt comes fron         | n the Winsfo     | ord Salt N | line in Cheshire.    |
|     |                     |                        |                  |            |                      |
|     | Describe one way    | that the salt ca       | an be extra      | cted from  | the salt mine.       |
|     |                     |                        |                  |            |                      |
|     |                     |                        |                  |            |                      |
| (c) | Useful products ar  | e made from s          | sodium chlo      | ride solu  | tion by electrolysis |
|     | Electrolysis of sod | lium chloride s        | olution invo     | lves thes  | e particles:         |
|     |                     | Cl-                    | $Cl_2$           | H+         | H <sub>2</sub>       |
|     |                     | Na+                    | H <sub>2</sub> O |            | OH-                  |
|     |                     |                        |                  |            |                      |
|     | Some of the partic  | cles are <b>ions</b> . |                  |            |                      |
|     | Some of the partic  |                        | ules.            |            |                      |
|     | •                   |                        | ules.            |            |                      |
|     | Some of the partic  | cles are <b>molec</b>  |                  |            |                      |

| lons            | Molecules      |
|-----------------|----------------|
| OH <sup>-</sup> | H <sub>2</sub> |
|                 |                |
|                 |                |
|                 |                |
|                 |                |

6 Martin investigates the corrosion of different metals.

He places strips of metals in some damp gases.


Look at his results.

| Metal  | Appearance at start | Appearance after two weeks in damp      |                                       |              |  |
|--------|---------------------|---|---------------------------------------|--------------|--|
| Wietai |                     | oxygen                                  | acidic air                            | nitrogen     |  |
| copper | shiny pink          | small patches<br>of green on<br>surface | thick green<br>layer on<br>surface    | shiny pink   |  |
| iron   | shiny silver        | small patches<br>of brown on<br>surface | lots of<br>brown flakes<br>on surface | shiny silver |  |
| lead   | shiny silver        | dull silver                             | black layer<br>on surface             | shiny silver |  |

- (a) Martin concludes that:
  - oxygen is needed for corrosion
  - more corrosion happens in acidic air than in any of the other conditions.

|     | Is he correct?   |     |
|-----|--|-----|
|     | How can you tell? Write down evidence from the table in your answer. |     |
|     |  |     |
|     |  |     |
|     |  |     |
|     |  | [2] |
| (b) | Copper reacts with oxygen, O <sub>2</sub> .                          |     |
|     | Copper oxide, CuO, is made.  |     |
|     | Write a <b>balanced symbol</b> equation for this reaction.           |     |
|     |  |     |
|     |  | [2] |
|     |  |     |

- 7 This question is about fertilisers.
  - (a) Farmers add fertilisers to the soil.



| what part of a plant absorbs the minerals from the fertilisers? |   |
|---|---|
| [1  | 1 |
| •   |   |

**(b)** Ammonium phosphate,  $(NH_4)_3PO_4$ , is a fertiliser.



(i) Complete the table to show the number of each type of atom in the formula  $(NH_4)_3PO_4$ .

| Atom | Number |
|------|--------|
| N    |        |
| Н    |        |
| Р    |        |
| 0    |        |

|      |   | [2] |
|------|---|-----|
| (ii) | Write down the <b>names</b> of the <b>two</b> essential elements in ammonium phosphate. |     |
|      |   |     |
|      |   | [2] |

| (c) | Ammonium phosphate solution is made by reacting an acid with an alkali in a neutralisation reaction. |
|-----|--|
|     | Write down the name of the acid and the alkali needed to make ammonium phosphate.                    |
|     | Describe how an indicator can be used to check the <b>pH</b> of the solution made.                   |
|     | The quality of written communication will be assessed in your answer to this question.               |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |
|     |  |

# 14 SECTION C - Module C3

| Hyd | droge                               | en peroxide, $H_2O_2$ , is used in some spacecraft to provide oxygen.              |     |  |  |  |
|-----|-------------------------------------|--|-----|--|--|--|
| (a) | a) Hydrogen peroxide is a compound. |  |     |  |  |  |
|     | Hov                                 | v can you tell from its molecular formula?   |     |  |  |  |
|     |                                     |  |     |  |  |  |
|     |                                     |  | [1] |  |  |  |
| (b) | Нус                                 | drogen peroxide, $H_2O_2$ , can be made from hydrogen, $H_2$ , and oxygen, $O_2$ . |     |  |  |  |
|     |                                     | hydrogen + oxygen → hydrogen peroxide  |     |  |  |  |
|     | (i)                                 | Write the <b>balanced symbol</b> equation for this reaction.                       |     |  |  |  |
|     |                                     |  | [1] |  |  |  |
|     | (ii)                                | This reaction has a 100% atom economy.   |     |  |  |  |
|     |                                     | What does this mean?   |     |  |  |  |
|     |                                     |  |     |  |  |  |
|     |                                     |  | [1] |  |  |  |
|     | (iii)                               | Oskar finds out that 5g of hydrogen should make 85g of hydrogen peroxide.          |     |  |  |  |
|     |                                     | Show that 100 g of hydrogen should make 1700 g of hydrogen peroxide.               |     |  |  |  |
|     |                                     |  |     |  |  |  |
|     |                                     |  |     |  |  |  |
|     |                                     |  |     |  |  |  |
|     |                                     |  |     |  |  |  |
|     |                                     |  | [2] |  |  |  |

8

(iv) Oskar uses 100 g of hydrogen to make hydrogen peroxide.

He predicts he should make 1700 g of hydrogen peroxide.

He actually makes 1530 g of hydrogen peroxide.

Calculate Oskar's percentage yield of hydrogen peroxide.

(c) Hydrogen peroxide can also be made from barium peroxide.

barium peroxide + sulfuric acid  $\rightarrow$  hydrogen peroxide + barium sulfate

 $BaO_2$  +  $H_2SO_4$   $\rightarrow$   $H_2O_2$  +  $BaSO_4$ 

The table shows the relative formula masses,  $M_{\rm r}$ , of the substances in the symbol equation.

| Substance                      | Relative formula mass, M <sub>r</sub> |
|--------------------------------|---------------------------------------|
| BaO <sub>2</sub>               | 169                                   |
| H <sub>2</sub> SO <sub>4</sub> |                                       |
| H <sub>2</sub> O <sub>2</sub>  | 34                                    |
| BaSO <sub>4</sub>              | 233                                   |

(i) Calculate the relative formula mass,  $M_{\rm r}$ , of sulfuric acid,  ${\rm H_2SO_4}$ .

Put your answer in the table.

The relative atomic mass,  $A_r$ , of H = 1, O = 16 and S = 32.

[1]

(ii) Barium sulfate is a waste product in this reaction.

Calculate the atom economy for this reaction.

**9** Fatimah investigates the reaction between sodium hydrogencarbonate and dilute hydrochloric acid.

Fatimah does two investigations.

She always adds 0.5 g of sodium hydrogencarbonate to 20 cm<sup>3</sup> of dilute hydrochloric acid.

She measures the time it takes for the reaction mixture to stop bubbling.

This is called the reaction time.


### **Investigation One**

She does five different experiments.


She keeps the temperature the same.

Each experiment uses a different concentration of acid.

Look at a graph of her results.



(a) Fatimah makes a conclusion.



Do the results in Investigation one support Fatimah's conclusion?

Explain your answer.

Use the reacting particle model to explain Fatimah's results.

| The quality of written communication will be assessed in your answer to this question |   |
|---|---|
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
| <br>  |   |
|   |   |
| <br>[6  | 1 |

# (b) Investigation Two

Fatimah does five experiments.

She keeps the concentration of the acid the same.

She uses acid at different temperatures.

Look at her results.

| Temperature of acid in °C | Reaction time in seconds |
|---------------------------|--------------------------|
| 20                        | 68                       |
| 30                        | 34                       |
| 40                        | 17                       |
| 50                        | 9                        |
| 60                        | 5                        |

| (i)  | What conclusion can you make about the effect of <b>temperature</b> on the <b>reaction time</b> ? |
|------|---|
|      |   |
| (ii) | Fatimah does an experiment with acid at a temperature of 10 °C.                                   |
|      | Predict the reaction time, in seconds.  |
|      | seconds [1  |

| 10 | A pharmaceutical drug is made by a batch process. |   |  |  |  |  |  |
|----|---|---|--|--|--|--|--|
|    | (a)   | Write about <b>three</b> factors that affect the <b>cost</b> of making a pharmaceutical drug. |  |  |  |  |  |
|    |   |   |  |  |  |  |  |
|    |   |   |  |  |  |  |  |
|    |   |   |  |  |  |  |  |
|    |   |   |  |  |  |  |  |
|    |   |   |  |  |  |  |  |
|    |   |   | [3]  |  |  |  |  |
|    | (b)   | Wh  | en a pharmaceutical drug is manufactured it must be as pure as possible.                   |  |  |  |  |
|    |   | (i)   | Explain why it is important that the pharmaceutical drug is as pure as possible.           |  |  |  |  |
|    |   |   |  |  |  |  |  |
|    |   |   |  |  |  |  |  |
|    |   |   | [1]  |  |  |  |  |
|    |   | (ii)  | Write down <b>one</b> method a chemist can use to show that a pharmaceutical drug is pure. |  |  |  |  |
|    |   |   | [1]  |  |  |  |  |

### 11 Diamond is a form of carbon.



### **END OF QUESTION PAPER**

21 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

22 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

### PLEASE DO NOT WRITE ON THIS PAGE



### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

 $For queries \ or \ further \ information \ please \ contact \ the \ Copyright \ Team, \ First \ Floor, 9 \ Hills \ Road, \ Cambridge \ CB2 \ 1GE.$ 

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2015

# The Periodic Table of the Elements

| 0 | 4<br>He                 | 20<br><b>Ne</b><br>neon<br>10                                   | 40<br><b>Ar</b><br>argon<br>18       | 84<br>Kr<br>krypton<br>36        | 131<br>Xe<br>xenon<br>54            | [222]<br><b>Rn</b><br>radon<br>86   | t fully  |
|---|-------------------------|---|--------------------------------------|----------------------------------|-------------------------------------|-------------------------------------|--|
| 7 |                         | 19<br>F<br>fluorine<br>9  | 35.5<br>C <b>t</b><br>chlorine<br>17 | 80<br><b>Br</b><br>bromine<br>35 | 127<br><b>I</b><br>iodine<br>53     | [210] At astatine 85                | orted but no   |
| 9 |                         | 16<br>0<br>0<br>0<br>8  | 32<br>S<br>sulfur<br>16              | 79<br>Se<br>selenium<br>34       | 128<br>Te<br>tellurium<br>52        | [209] Po polonium 84                | ve been repo   |
| 2 |                         | 14<br>N<br>nitrogen<br>7  | 31<br>P<br>phosphorus<br>15          | 75<br>As<br>arsenic<br>33        | 122<br>Sb<br>antimony<br>51         | 209<br>Bi<br>bismuth<br>83          | rs 112-116 hav<br>authenticated  |
| 4 |                         | 12<br>C<br>carbon<br>6  | 28<br>Si<br>silicon                  | 73<br>Ge<br>germanium<br>32      | 119<br>Sn<br>tin<br>50              | 207 <b>Pb</b> lead 82               | mic numbers<br>a   |
| 3 |                         | 11<br><b>B</b><br>boron<br>5                                    | 27<br>At<br>aluminium<br>13          | 70<br><b>Ga</b><br>gallium<br>31 | 115<br><b>In</b><br>indium<br>49    | 204<br>T <b>t</b><br>thallium<br>81 | Elements with atomic numbers 112-116 have been reported but not fully<br>authenticated |
|   | ·                       |   |                                      | 65<br><b>Zn</b><br>zinc<br>30    | 112<br>Cd<br>cadmium<br>48          | 201<br><b>Hg</b><br>mercury<br>80   | Eleme  |
|   |                         |   |                                      | 63.5<br>Cu<br>copper<br>29       | 108<br><b>Ag</b><br>silver<br>47    | 197<br><b>Au</b><br>gold<br>79      | [272]<br>Rg<br>roentgenium<br>111  |
|   |                         |   |                                      | 59<br>Ni<br>nickel<br>28         | 106<br>Pd<br>palladium<br>46        | 195<br>Pt<br>platinum<br>78         | Ds damstadtium   |
|   |                         |   |                                      | 59<br><b>Co</b><br>cobalt<br>27  | 103<br><b>Rh</b><br>rhodium<br>45   | 192<br><b>Ir</b><br>iridium<br>77   | [268]<br>Mt<br>meitherium<br>109   |
|   | 1<br>H<br>hydrogen<br>1 |   |                                      | 56<br>Fe<br>iron<br>26           | 101<br><b>Ru</b><br>ruthenium<br>44 | 190<br>Os<br>osmium<br>76           | [277]<br>Hs<br>hassium<br>108  |
| - |                         |   |                                      | 55<br>Mn<br>manganese<br>25      | [98]<br>Tc<br>technetium<br>43      | 186<br>Re<br>rhenium<br>75          | [264] <b>Bh</b> bohrium 107  |
|   |                         | mass<br>ool<br>number   |                                      | 52<br>Cr<br>chromium<br>24       | 96<br>Mo<br>molybdenum<br>42        | 184<br>W<br>tungsten<br>74          | [266]<br>Sg<br>seaborgium<br>106   |
|   | Key                     | relative atomic mass<br>atomic symbol<br>atomic (proton) number | 51<br>V<br>vanadium<br>23            | 93<br><b>Nb</b><br>niobium<br>41 | 181<br>Ta<br>tantalum<br>73         | [262]     Db     dubnium     105    |  |
|   |                         | relati<br><b>at</b> c<br>atomic                                 |                                      | 48<br>Ti<br>titanium<br>22       | 91<br>Zr<br>zirconium<br>40         | 178<br><b>Hf</b><br>hafnium<br>72   | [261]<br>Rf<br>rutherfordium<br>104  |
|   |                         |   |                                      | 45<br>Sc<br>scandium<br>21       | 89<br><b>Y</b><br>yttrium<br>39     | 139<br>La*<br>Ianthanum<br>57       | [227]<br>Ac*<br>actinium<br>89   |
| 2 |                         | 9<br>Be<br>beryllium<br>4                                       | 24<br>Mg<br>magnesium<br>12          | 40<br>Ca<br>calcium<br>20        | 88<br>Sr<br>strontium<br>38         | 137<br><b>Ba</b><br>barium<br>56    | [226]<br><b>Ra</b><br>radium<br>88   |
| _ |                         | 7<br>Li<br>lithium<br>3   | 23<br>Na<br>sodium<br>11             | 39<br>K<br>potassium<br>19       | 85<br><b>Rb</b><br>rubidium<br>37   | 133<br>Cs<br>caesium<br>55          | [223]<br>Fr<br>francium<br>87  |

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.