



**GCSE**

**Chemistry B**

Unit **B741/02**: Modules C1, C2, C3 (Higher Tier)

General Certificate of Secondary Education

**Mark Scheme for June 2015**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.



© OCR 2015

B741/02

Final Mark Scheme

June 2015

## Annotations

Annotation	Meaning
	correct response
	incorrect response
<b>BOD</b>	benefit of the doubt
<b>NBOD</b>	benefit of the doubt <b>not</b> given
<b>ECF</b>	error carried forward
<b>^</b>	information omitted
<b>I</b>	ignore
<b>R</b>	reject
<b>CON</b>	contradiction
<b>L1</b>	Level 1
<b>L2</b>	Level 2
<b>L3</b>	Level 3

B741/02

Final Mark Scheme

June 2015

**ADDITIONAL OBJECTS:** You **must** assess and annotate the additional objects for each script you mark. Where credit is awarded, appropriate annotation must be used. If no credit is to be awarded for the additional object, please use annotation as agreed at the SSU.

When you open the script if the message appears that there are additional objects you must check these additional objects.

The additional objects are normally additional sheets of answers that must be marked. You should immediately link each extra answer with the appropriate question using the paper clip icon.

**PLEASE ASK YOUR TEAM LEADER IF YOU DO NOT KNOW HOW TO DO THIS.**

It is vitally important that all parts of the candidate's answer are marked.

### Subject-specific Marking Instructions

Abbreviations, annotations and conventions used in the detailed Mark Scheme.

/	=	alternative and acceptable answers for the same marking point
(1)	=	separates marking points
allow	=	answers that can be accepted
not	=	answers which are not worthy of credit
reject	=	answers which are not worthy of credit
ignore	=	statements which are irrelevant
()	=	words which are not essential to gain credit
<u>    </u>	=	underlined words must be present in answer to score a mark (although not correctly spelt unless otherwise stated)
ecf	=	error carried forward
AW	=	alternative wording
ora	=	or reverse argument

B741/02

Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance
1 a	contains carbon and hydrogen (1)  only / aw (1)	2	<p><b>allow</b> (formula) has only (1) C and H (1)</p> <p>the only is <b>not</b> an independent mark and must be linked to the carbon and hydrogen</p> <p><b>not</b> contains carbon and hydrogen <b>molecules</b> = 0 marks for the question</p> <p><b>not</b> contains a <b>mixture</b> of carbon and hydrogen = 0 marks for the question</p> <p><b>not</b> an <b>element</b> containing carbon and hydrogen = 0 marks for the question</p> <p><b>not</b> hydro atoms</p>
b	all (carbon-carbon) bonds are single bonds / contains <b>only</b> single bonds (1)	1	<p><b>allow</b> does not contain a double bond (1)</p> <p><b>ignore</b> has maximum number of bonds</p> <p><b>ignore</b> has the maximum number of hydrogen atoms</p>
c	<p>idea that hydrocarbons have different boiling points (1)</p> <p><b>and any two from:</b></p> <p>larger molecules or longer chains have higher boiling points / ora (1)</p> <p>larger molecules or longer chains have stronger intermolecular forces / ora (1)</p> <p>idea that stronger intermolecular forces results in higher boiling point / ora (1)</p>	3	<p><b>allow</b> hexadecane for <b>larger</b> molecules or hexane for <b>smaller</b> molecules throughout the question</p> <p><b>ignore</b> melting points</p> <p><b>allow</b> molecules with higher mass have higher boiling points / ora (1)</p> <p><b>allow</b> larger molecules or longer chains have more intermolecular forces / ora (1)</p> <p><b>allow</b> idea that stronger intermolecular forces results in more energy needed (to boil) / ora (1)</p>

B741/02

Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance
d	$2\text{C}_6\text{H}_{14} + 19\text{O}_2 \rightarrow 12\text{CO}_2 + 14\text{H}_2\text{O}$ right hand side correct (1) left hand side correct (1)	2	
e	hexane + oxygen → carbon + water <b>or</b> hexane + oxygen → carbon monoxide + water <b>or</b> hexane + oxygen → carbon + carbon monoxide + water (1)	1	<b>allow</b> correct formula instead of names $\text{C}_6\text{H}_{14}$ , $\text{O}_2$ , C, $\text{H}_2\text{O}$ and CO <b>allow</b> mix of names and correct formulae symbol equation, if given, does not need to be balanced  <b>ignore</b> soot  <b>not</b> '+ carbon dioxide' in products <b>not</b> '+ energy'
	<b>Total</b>	<b>9</b>	

B741/02

Final Mark Scheme


June 2015

Question	Answer	Marks	Guidance
2 a	nine (1)	1	<b>more than one tick scores 0</b>
<p data-bbox="136 258 297 296">✎ b</p>	<p data-bbox="297 258 1131 571"><b>Level 3</b> Explains why the polymer has a low melting point in terms of intermolecular forces <b>AND</b> gives two suitable properties, with reasons, for the polymer Quality of communication does not impede communication of science at this level. (5 - 6 marks)</p> <p data-bbox="297 571 1131 884"><b>Level 2</b> Explains why the polymer has a low melting point in terms of intermolecular forces <b>OR</b> gives two suitable properties, with reasons, for the polymer Quality of written communication partly impedes communication of the science at this level. (3 – 4 marks)</p> <p data-bbox="297 884 1131 1197"><b>Level 1</b> Attempts to explain why the polymer has a low melting point in terms of intermolecular forces <b>OR</b> gives one suitable property, with a reason, for the polymer <b>OR</b> gives two suitable properties Quality of communication impedes communication of the science at this level. (1 – 2 marks)</p> <p data-bbox="297 1197 1131 1358"><b>Level 0</b> Insufficient or irrelevant science. Answer not worthy of credit. (0 marks)</p>	6	<p data-bbox="1261 258 2013 296">This question is targeted at grades up to A*</p> <p data-bbox="1261 296 2013 603">Indicative scientific points at level 3 must include:</p> <ul data-bbox="1261 363 2013 497" style="list-style-type: none"> <li>• weak intermolecular forces between polymer molecules</li> <li>• does not need much energy to overcome or break the intermolecular forces</li> </ul> <p data-bbox="1261 497 2013 603"><b>do not allow</b> break covalent bonds</p> <p data-bbox="1261 603 2013 1126"><b>Suitable properties may include:</b></p> <ul data-bbox="1261 641 2013 1094" style="list-style-type: none"> <li>• insoluble in water or waterproof so drink does not leak out</li> <li>• unreactive so it doesn't react with the contents or doesn't break down</li> <li>• flexible or bendy so can be made into different shapes</li> <li>• non-biodegradable so it will not decompose while still in use</li> <li>• non-toxic so drink does not get contaminated</li> <li>• low density or lightweight so that the bottle isn't heavy (to carry or transport)</li> <li>• strong so it contains the pressure or doesn't break when dropped</li> </ul> <p data-bbox="1261 1126 2013 1197"><b>ignore</b> rigid / can be recycled / transparent</p> <p data-bbox="1261 1197 2013 1358"><b>Use the L1, L2, L3 annotations in Scoris. Do not use ticks.</b></p>
<b>Total</b>		<b>7</b>	

B741/02

Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance
3 a	<b>B</b> (1) not poisonous (1) no smell (1)	3	<b>A</b> or <b>C</b> scores 0 for the question <b>allow</b> ora, eg A is not suitable as it is poisonous (1) <b>allow</b> ora, eg D is not suitable as it has a smell (1) <b>allow D</b> since it is not poisonous (1)
b i		2	<b>allow</b> one mark if the correct labels are swapped around <b>allow</b> a straight line for the tail <b>ignore</b> water loving / water hating
ii	<b>any two from:</b> <b>cell</b> walls rupture (1) (resulting in) loss of (rigid) structure / a softer texture (1) starch grains swell up (1)	2	<b>allow cell</b> walls break down or burst (1) <b>ignore</b> cellulose breaks down <b>allow</b> potato becomes softer (1) <b>allow</b> starch (molecules) swell up (1) <b>ignore</b> cells swell up <b>ignore</b> references to surface area <b>ignore</b> references to denaturing <b>ignore</b> references to proteins
<b>Total</b>		<b>7</b>	



B741/02

## Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance
4	<p><b>any two from:</b></p> <p>idea that results on animals not (necessarily) same as with humans (1)</p> <p>animals do not have a choice of being tested (1)</p> <p>idea that may harm or hurt the animal / testing is cruel (1)</p>	2	<p><b>allow</b> idea that animals have rights / morally wrong / unethical (1)</p> <p><b>ignore</b> references to alternative methods of testing cosmetics</p>
	<b>Total</b>	<b>2</b>	

B741/02

Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance
5 a	sand and water <input type="checkbox"/> limestone and sand <input type="checkbox"/> limestone and clay <input checked="" type="checkbox"/> limestone and granite <input type="checkbox"/> sand and clay <input type="checkbox"/>	1	<b>more than one tick scores 0</b>
b i	<b>any two from:</b> steel is strong (under tension) (1) steel is (more) flexible (1) steel stops the concrete stretching / cracking / breaking (1) concrete is hard (1) concrete is strong <b>under compression</b> (1)	2	<b>Assume unqualified answers refer to reinforced concrete</b> <b>allow</b> steel gives concrete (more) strength (1)  <b>allow</b> concrete cracks (without steel reinforcing) (1)  <b>allow</b> combines the strength and flexibility of steel with the hardness of concrete (2) <b>ignore</b> reinforced concrete is a composite material  <b>if no other mark awarded, allow</b> reinforced concrete is stronger or reinforced concrete is more flexible (1)
b ii	(C because) <b>any two from:</b> strongest (1) (very good) resistance to corrosion (1) easily shaped (1) low density (1) other properties more important than high cost (1)	2	<b>marks are for explanation</b> <b>if A or B chosen scores 0</b>  <b>allow</b> doesn't corrode (1)  <b>ignore</b> light, but <b>allow</b> lightweight (1)
	<b>Total</b>	<b>5</b>	

B741/02

Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance
6 a	(no because) <b>hastelloy</b> is more resistant to corrosion at <b>high(er) concentrations</b> of acid (at 20°C) / ora (1)  but (yes because) all (three) metals are more resistant to corrosion at <b>low(er) temperatures</b> / ora (1)	2	<b>marks are for explanations</b>
b i	0.6 (cm <sup>3</sup> /hour) (1)	1	
b ii	(pH) 6	1	
c	$2Al + 3H_2SO_4 \rightarrow Al_2(SO_4)_3 + 3H_2$  formulae (1) balancing (1)	2	balancing mark is conditional on correct formulae <b>allow</b> any correct multiple e.g. $4Al + 6H_2SO_4 \rightarrow 2Al_2(SO_4)_3 + 6H_2$ <b>allow</b> = or $\Rightarrow$ for arrow <b>not</b> 'and' or & for + <b>allow</b> one mark for correct balanced equation with incorrect use of upper and lower case formulae e.g. $2Al + 3H_2SO_4 \rightarrow Al_2(SO_4)_3 + 3H_2$
	<b>Total</b>	<b>6</b>	

B741/02

## Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance
7 a	hydrogen (1)	1	<b>allow</b> correct answer ticked, circled or underlined in list if answer line is blank
b	chlorine is reactive (and may react with the electrode)/  so that the products don't react with the electrode (1)	1	<b>allow</b> electrode product reacts with electrode / hydrogen reacts with electrode (1)  <b>ignore</b> so electrodes do not react with sodium chloride (solution) / so electrodes do not react with solution or electrolyte
c i	$2Cl^- - 2e^- \rightarrow Cl_2(1)$	1	<b>allow</b> any correct multiple, including fractions
c ii	oxidation because electrons are lost (1)	1	<b>allow</b> oxidation number of <i>Cl</i> increases / oxidation number of <i>Cl</i> goes from -1 to 0 (1)  <b>not</b> chlorine loses electrons or chlorine ions lose electrons
<b>Total</b>		<b>4</b>	

B741/02

Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance										
8 a	<p><b>argument for:</b> (world) population is rising / (so) need to produce more food (1)</p> <p><b>argument against:</b> eutrophication or death of aquatic organisms (from excessive use of fertilisers) / idea of pollution of water supplies (from excessive use of fertilisers) (1)</p>	2	<p><b>must have an argument for and an argument against the use of fertilisers for 2 marks</b></p> <p><b>allow</b> increasing population to feed (1) <b>allow</b> fertilisers increase crop yield (1) <b>allow</b> higher level answers eg replace essential elements (used by a previous crop) (1) <b>ignore</b> crops grow bigger or faster or idea of better crops</p> <p><b>ignore</b> cost</p>										
b i	<table border="1" data-bbox="405 804 936 1038"> <thead> <tr> <th data-bbox="405 804 669 852">Atom</th> <th data-bbox="669 804 936 852">Number</th> </tr> </thead> <tbody> <tr> <td data-bbox="405 852 669 900">N</td> <td data-bbox="669 852 936 900">3</td> </tr> <tr> <td data-bbox="405 900 669 948">H</td> <td data-bbox="669 900 936 948">12</td> </tr> <tr> <td data-bbox="405 948 669 995">P</td> <td data-bbox="669 948 936 995">1</td> </tr> <tr> <td data-bbox="405 995 669 1038">O</td> <td data-bbox="669 995 936 1038">4</td> </tr> </tbody> </table> <p><b>all four</b> correct scores (2) <b>two or three</b> correct scores (1) <b>one</b> correct scores (0)</p>	Atom	Number	N	3	H	12	P	1	O	4	2	
Atom	Number												
N	3												
H	12												
P	1												
O	4												

B741/02

Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance
b ii	<p><b>Level 3</b> States the name of the acid <u>and</u> the alkali needed to make ammonium phosphate <b>AND</b> fully describes how ammonium phosphate can be made. Quality of written communication does not impede communication of the science at this level. (5 – 6 marks)</p> <p><b>Level 2</b> States the name of the acid <u>and</u> the alkali needed to make ammonium phosphate <b>AND</b> attempts to describe how ammonium phosphate can be made. Quality of written communication partly impedes communication of the science at this level. (3 – 4 marks)</p> <p><b>Level 1</b> States the name of the acid <u>and</u> the alkali needed to make ammonium phosphate <b>OR</b> attempts to describe how ammonium phosphate can be made. Quality of written communication impedes communication of the science at this level. (1 – 2 marks)</p> <p><b>Level 0</b> Insufficient or irrelevant science. Answer not worthy of credit. (0 marks)</p>	6	<p><b>This question is targeted at grades up to A</b></p> <p><b>Indicative scientific points may include:</b></p> <p><b>Acid</b> needed is phosphoric acid / <math>\text{H}_3\text{PO}_4</math></p> <p><b>Alkali</b> needed is ammonia / ammonium hydroxide / <math>\text{NH}_3</math> / <math>\text{NH}_4\text{OH}</math> <b>ignore</b> ammonia hydroxide</p> <p><b>To make ammonium phosphate:</b></p> <ul style="list-style-type: none"> <li>• titrate the acid with the alkali, using an indicator / add the acid to the alkali (or vice versa), using an indicator</li> <li>• repeat the titration until consistent results are obtained</li> <li>• use the titration result to add the correct amounts of acid and alkali together without the indicator / decolourise indicator with carbon</li> <li>• evaporate (most of) the solution</li> <li>• leave the remaining solution to crystallise</li> </ul> <p><b>allow</b> add excess ammonia to phosphoric acid and then heat the mixture to drive off the excess ammonia</p> <p><b>Use the L1, L2, L3 annotations in Scoris. Do not use ticks.</b></p>
<b>Total</b>		<b>10</b>	

B741/02

Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance
9 a i	all atoms in reactants end up in the product (1)	1	<p><b>allow</b> only hydrogen peroxide is made / only one product made / no waste products / no unwanted products (1)</p> <p><b>ignore</b> no product is wasted</p> <p><b>ignore</b> same number of atoms on each side of the equation / all reactants have been converted into products</p>
ii	<p>reduce the production of unwanted <b>products</b> / reduces amount of waste <b>products</b> (1)</p> <p>makes the process more sustainable (1)</p>	2	<p>reduces waste is <b>not</b> sufficient more cost effective / makes more profit is <b>not</b> sufficient</p> <p><b>allow</b> makes the process greener (1) <b>ignore</b> better for the environment</p>
b i	<p>idea that 2 g of H<sub>2</sub> makes 34 g of H<sub>2</sub>O<sub>2</sub> (1)</p> <p>idea that 100 g of H<sub>2</sub> is 50 x 2 g so mass of H<sub>2</sub>O<sub>2</sub> is 34 x 50 (1)</p>	2	<p><b>allow</b> <math>\frac{34}{2} \times 100</math> (2)</p> <p><b>eg</b> H<sub>2</sub> + O<sub>2</sub> → H<sub>2</sub>O<sub>2</sub> (1) 2x 50 = 100      34 x 50 = 1700</p> <p><b>allow</b> 32 x 50 = 1600g O<sub>2</sub> (1) <b>and</b> 100g H<sub>2</sub> + 1600g O<sub>2</sub> = 1700g H<sub>2</sub>O<sub>2</sub> (1)</p> <p><b>but</b> 100g + 1600g = 1700g scores 0 if no evidence of other relevant calculation</p>

B741/02

Final Mark Scheme

June 2015


Question	Answer	Marks	Guidance
ii	<p><b>LOOK FOR ANSWER FIRST OF ALL</b>  <b>IF percentage yield = 90 AWARD 2 MARKS</b></p> $\frac{1530}{1700} \times 100 \text{ (1)}$ <p>90 (1)</p>	2	<p><b>allow</b> <math>\frac{\text{actual}}{\text{predicted}} \times 100</math> <b>or</b> <math>\frac{am}{pm} \times 100</math> (1)</p>
c	<p><b>LOOK FOR ANSWER FIRST OF ALL</b>  <b>IF atom economy = 12.7(34) OR 13 AWARD 2 MARKS</b></p> $\frac{34}{169 + 98} \times 100 \text{ or } \frac{34}{267} \times 100 \text{ or } \frac{34}{34 + 233} \times 100 \text{ (1)}$ <p>12.7 (1)</p>	2	<p><b>allow</b> <math>\frac{M_r \text{ of desired product}}{\text{sum of } M_r \text{ of all products}} \times 100</math> (1)</p>
<b>Total</b>		<b>9</b>	



B741/02

Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance
<b>10</b> 	<p><b>Level 3</b>            Complete evaluation including some information from the graph  <b>AND</b>            explanation using reacting particle model that must mention the idea of collision frequency            Quality of communication does not impede communication of science at this level.            (5 - 6 marks)</p> <p><b>Level 2</b>            Complete evaluation including some information from the graph <b>AND</b> explanation using reacting particle model that must mention the idea of collisions  <b>OR</b>            explanation using reacting particle model that must mention the idea of collision frequency            Quality of written communication partly impedes communication of the science at this level.            (3 – 4 marks)</p> <p><b>Level 1</b>            Complete evaluation including some information from the graph  <b>OR</b>            explanation using reacting particle model that must mention the idea of collisions            Quality of communication impedes communication of the science at this level.            (1 – 2 marks)</p> <p><b>Level 0</b>            Insufficient or irrelevant science. Answer not worthy of credit.            (0 marks)</p>	6	<p><b>This question is targeted at grades up to A</b></p> <p><b>Indicative scientific points may include:</b></p> <p><b>Evaluation</b></p> <ul style="list-style-type: none"> <li>• results support the analysis</li> <li>• idea that as concentration increases reaction time decreases and the rate of reaction increases</li> </ul> <p><b>Reacting particle model</b></p> <ul style="list-style-type: none"> <li>• as acid is more concentrated particles (of acid) are more crowded</li> <li>• as acid is more concentrated particles (of acid) are closer together</li> <li>• as acid is more concentrated more particles (of acid) per unit volume</li> <li>• as acid is more concentrated there are more collisions</li> <li>• as acid is more concentrated there are more collisions per second</li> </ul> <p><b>allow</b> collisions more often, more chance of collision, increases collision frequency for more collisions per second  <b>allow</b> reverse argument with as acid gets less concentrated</p> <p><b>Use the L1, L2, L3 annotations in Scoris. Do not use ticks.</b></p>
	<b>Total</b>	<b>6</b>	

B741/02

Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance
11 a	<p><b>any one from:</b></p> <p>idea of easier for quality control / idea that batches can be traced and recalled (1)</p> <p>idea of matching seasonal demand (1)</p> <p>often only a small amount of the drug is needed / not in high demand / ora (1)</p> <p>idea that you can switch to making a different drug (1)</p>	1	<p><b>allow</b> idea of fluctuating demand (1)</p> <p><b>allow</b> (drugs) aren't needed all the time (1)</p> <p><b>allow</b> idea that made in batches so that they don't go out of date (1)</p> <p><b>ignore</b> references to cost</p>
b	<p><b>any two from:</b></p> <p>takes a long time to research or test the drug (1)</p> <p>raw materials may be rare (1)</p> <p>purification procedures may be expensive / quality control is expensive (1)</p> <p>may be difficult to automate so expensive labour costs (1)</p> <p>idea that strict safety laws have to be met (1)</p>	2	<p><b>allow</b> idea that many tests need to be carried out (in developing a drug) (1)</p> <p><b>allow</b> raw materials are difficult to extract (from plants) (1)</p> <p><b>ignore</b> raw materials are expensive</p> <p><b>allow</b> idea of high wages for skilled workers / scientists (1)</p>
<b>Total</b>		<b>3</b>	

B741/02

Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance
12 a	<p><b>LOOK FOR ANSWER FIRST OF ALL</b>  <b>IF final temperature = 37.2 AWARD 3 MARKS</b>  <b>IF final temperature = 37. 23809523809524 / 37 / or</b>  <b>any value correctly rounded up to 2 or more</b>  <b>decimal places AWARD 2 MARKS</b></p> $\Delta T = \frac{1600}{25 \times 4.2} \quad (1)$ <p><math>\Delta T = 15.23809523809524 \quad (1)</math></p> <p>Final temperature = 37.2 (1)</p>	3	<p><b>allow</b> <math>\Delta T = \frac{q}{c \times m} \quad (1)</math>  <math>q</math> = energy transferred  <math>c</math> = specific heat capacity  <math>m</math> = mass</p> <p><b>allow</b> any answer correctly rounded up</p> <p>only <b>allow</b> this mark if quoted to one decimal place  <b>allow</b> ecf from wrong temperature rise calculated</p>
b	<p>bond breaking absorbs or takes in energy  <b>AND</b> bond making releases or gives out energy (1)</p> <p>idea that energy released is greater than energy absorbed (1)</p>	2	<p><b>Second marking point is dependent on the first</b></p> <p><b>allow</b> bond breaking is endothermic <b>AND</b> bond making is exothermic (1)</p> <p><b>allow</b> more energy associated with bond making than with bond breaking (1)  <b>BUT</b> more energy released on forming bonds than absorbed in breaking bonds (2)</p>
<b>Total</b>		<b>5</b>	

B741/02

Final Mark Scheme

June 2015

Question	Answer	Marks	Guidance
13 a	slippery (1)	1	<b>allow</b> weak bonds or forces <b>between layers</b> (1) <b>allow layers</b> can slide over each other (1)
b	has delocalised electrons / free electrons / electrons can move (1)	1	<b>ignore</b> spare electrons <b>not</b> ions can move
	<b>Total</b>	<b>2</b>	

**OCR (Oxford Cambridge and RSA Examinations)**  
1 Hills Road  
Cambridge  
CB1 2EU

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

[www.ocr.org.uk](http://www.ocr.org.uk)

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
is a Company Limited by Guarantee  
Registered in England  
Registered Office; 1 Hills Road, Cambridge, CB1 2EU  
Registered Company Number: 3484466  
OCR is an exempt Charity

**OCR (Oxford Cambridge and RSA Examinations)**  
Head office  
Telephone: 01223 552552  
Facsimile: 01223 552553

© OCR 2015

