

GCSE (9-1)

Chemistry B (Twenty First Century)

Unit **J258F/01**: Foundation Tier – Breadth in chemistry

General Certificate of Secondary Education

Mark Scheme for June 2018

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2018

J258F/01 Mark Scheme June 2018

Annotations available in RM Assessor

| Annotation | Meaning |
|------------|--|
| ✓ | Correct response |
| × | Incorrect response |
| ^ | Omission mark |
| BOD | Benefit of doubt given |
| CON | Contradiction |
| RE | Rounding error |
| SF | Error in number of significant figures |
| ECF | Error carried forward |
| L1 | Level 1 |
| L2 | Level 2 |
| L3 | Level 3 |
| NBOD | Benefit of doubt not given |
| SEEN | Noted but no credit given |
| I | Ignore |

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

| Annotation | Meaning |
|--------------|---|
| 1 | alternative and acceptable answers for the same marking point |
| ✓ | Separates marking points |
| DO NOT ALLOW | Answers which are not worthy of credit |
| IGNORE | Statements which are irrelevant |
| ALLOW | Answers that can be accepted |
| () | Words which are not essential to gain credit |
| _ | Underlined words must be present in answer to score a mark |
| ECF | Error carried forward |
| AW | Alternative wording |
| ORA | Or reverse argument |

| Q | Question | | Answer | Marks | AO element | Guidance |
|---|----------|-----------|--|-------|------------|---|
| 1 | (a) | Methane ✓ | | 1 | 1.1 | |
| | (b) | (i) | Irregular rise / generally up but sometimes falls / rises but now constant /AW ✓ | | 3.1a | The candidate must discuss the irregularity of the rise in some way |
| | | (ii) | 12 ✓ | 1 | 2.2 | |
| | (c) | | Carbon atom ✓ Double bond ✓ Oxygen atom ✓ | 3 | 1.1 × 3 | ALLOW the double bond line to either (or both) double bond(s) ALLOW oxygen link to either (or both) oxygen atoms DO NOT ALLOW a link to 'ionic bond' as this a CON to the double bond mark. |

| J258F/01 | Mark Scheme | June 2018 |
|----------|---------------|------------|
| 02301701 | Walk Official | dulic 2010 |

| Q | Question | | Answer | | AO element | Guidance |
|---|----------|--|---|---|------------|---|
| 2 | (a) | | Adds sherbet powder to water / carries out the reaction ✓ | | 3.3a | |
| | | | Temperature falls / AW ✓ | | 1.1 | Result must relate to an experimentally observable factor i.e. temp [rather than energy] |
| | (b) | | Activation energy products reactants | 3 | 1.1 × 3 | Curve with single hump ✓ Products line labelled and above reactants line ✓ Activation energy unambiguously labelled ✓ This point can only be gained if the products line is above the reactants line |

PMT

| Q | uesti | ion | Answer | Marks | AO element | Guidance |
|---|-------|------|--|-------|------------|---|
| 3 | (a) | (i) | Hydrogen, nitrogen, oxygen, sulfur ✓ | | 1.1 | Any other boxes ticked are CON |
| | | (ii) | Nitrogen ✓ | 1 | 1.1 | |
| | (b) | (i) | Any one from: | 1 | 3.2a | |
| | | | artificial fertilisers (can) cause environmental damage ✓ | | | IGNORE 'environmentally friendly' /soil damage |
| | | | uses a waste product ✓ | | | ALLOW animals produce it / there are animals on the farm |
| | | (ii) | Any one from: not enough manure/cows AW ✓ | 1 | 3.2a | IGNORE 'more effective' unless explained ALLOW easier to use / can be used in smaller |
| | | | supply of natural fertilisers is difficult to manage/transport / AW ✓ | | | amounts / AW ✓ |
| | | | composition of natural fertilisers is variable / AW ✓ | | | ʻquicker' BOD ʻmore reliable' – not enough detail |
| | (c) | (i) | White ✓ | 3 | 1.2 × 2 | |
| | | | precipitate/solid ✓ | | | |
| | | | Barium sulfate ✓ | | 2.1 | IGNORE reference to ammonium chloride |
| | | (ii) | Evaporate the solution ✓ | 1 | 1.2 | |
| | (d) | | FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 0.21 (kg) award 3 marks 28/132 ✓ | 3 | 2.2 × 2 | 212.12 = 2 marks 212.1212 = 1 mark |
| | | | = 0.21 (kg) ✓ 2 decimal places ✓ | | 1.2 | ALLOW the two decimal places as an independent mark. |

| Q | Question | | Answer | | | Marks | AO element | Guidance | |
|---|----------|-----|---|------------------|--------------|--------------------------|---------------|----------|---|
| 4 | 4 (a) | | | | | | 3 | 1.1 × 3 | |
| | | | | Chlorine | Bromine | lodine | | | |
| | | | Appearance at room temperature and pressure | Green gas | Red liquid | Grey solid | | | ALLOW all the usual alternatives for colour of bromine |
| | | | Colour as a gas | yellow- green | Red-brown | Purple/mauve Violet √ | | | |
| | | | Product with sodium | NaCl √ | NaBr | Nal | | | |
| | | | | | | | | | |
| | (b) | (i) | potassium chlo KBr ✓ | ride √ | | | 2 | 2.2 × 2 | Symbol for Br must be correct |
| | (ii) | | (because) brom | nine is formed | / bromine is | red-brown √ | 1 | 2.1 | DO NOT ALLOW 'bromide' references |

| Q | uestion | Answer | Marks | AO element | Guidance | |
|---|---------|-----------------------------------|-------|------------|------------------------------------|--|
| 5 | (a) | R, and it conducts electricity ✓ | 1 | 1.1 | IGNORE other comments | |
| | (b) | R ✓ | 1 | 2.1 | If more than one option given, CON | |
| | (c) | Q ✓ | 2 | 2.1 × 2 | Mark independently | |
| | | noble gas / Group 0 / unreactive√ | | | ALLOW full outer shell | |
| | (d) | Giant ionic ✓ | 1 | 2.1 | | |
| | (e) | 16 ✓ | 1 | 1.1 | ALLOW '2:8:6' | |

J258F/01 Mark Scheme June 2018

| Q | Question | | Answer | | AO element | Guidance |
|---|----------|--|--|---|------------|---------------------------------|
| 6 | (a) | | chloride ✓ positive✓ electrons ✓ | 3 | 1.1 × 3 | |
| | (b) | | Chlorine turns litmus (red then) bleached ✓ hydrogen pops when lit ✓ | 3 | 1.2 × 3 | |
| | | | Oxygen should relight glowing splint / spill / AW ✓ | | | ALLOW lit splint burns brighter |

| Q | Question | | Answer | | | Marks | AO element | Guidance |
|---|----------|------|--|--|-------|-------|------------|-------------------------|
| 7 | (a) | (i) | Manganese oxide + carbon → carbon oxide/mono | Manganese oxide + carbon $ ightarrow$ carbon oxide/monoxide/dioxide + manganese \checkmark | | | | IGNORE symbol equations |
| | | (ii) | | | | 4 | | |
| | | | | True | False | | | |
| | | | Carbon is more reactive than aluminium | | ✓ | | 1.1 | |
| | | | Carbon reduces manganese oxide | ✓ | | | 2.1 | |
| | | | Aluminium is more reactive than manganese | ✓ | | | 2.1 | |
| | | | Carbon reduces aluminium oxide | | ✓ | | 2.1 | |
| | | | | | | | | |
| | (b) | (i) | Middle diagram ringed ✓ | | 1 | 1.1 | | |
| | | (ii) | Left-hand box: (lattice of) metal/positive ion(s) | | | | 1.1 | |
| | | | AND | | | | | |
| | | | Right-hand box: ('sea' of freely moving / delocalised) | electron(s) √ | | | | |

| Question | | on | Answer | | AO element | Guidance |
|----------|-----|------|---|---|--------------|--|
| 8 | (a) | | OH⁻ ✓ | 1 | 1.1 | |
| | (b) | (i) | Idea of dividing cost by cm³ ORA√ Some comparison of unit costs, eg: Gutcalm £1.75 / 24 = £0.073 per cm³ Milkomag £1.50 / 21 = £0.071 per cm³ so better √ | 2 | 3.1a 3.2a | There must be some indication that a calculation has been performed IGNORE incorrect rounding as assessed elsewhere |
| | | (ii) | Use a volumetric pipette ✓ | 1 | 2.2 | |

| C | uestion | Answer | | AO element | Guidance |
|---|---------|---|---|------------|---|
| 9 | (a) | A High relative breaking strength / less likely to break High temperature needed to soften OR C Any two from: Low cost ✓ Quite a high temperature needed to soften It is stiff ✓ | 2 | 3.2a × 2 | DO NOT credit choice without reason(s) IGNORE flexible, references to boiling point |
| | (b) | B ✓ if correct, look for 2 nd mark (Lowest) softening temperature ✓ | 2 | 3.2a × 2 | Only allow the 2 nd mark if 'B' is given. ALLOW breaking strength IGNORE flexibility CON cost |
| | (c) | F_C=C F_F | 1 | 2.1 | |

| J258F/01 | Mark Scheme | June 2018 |
|----------|--------------|------------|
| 02301701 | Mark Ochenic | Julie 2010 |

| Q | Question | | Answer | | AO element | Guidance |
|----|----------|-------|--|---|------------|---|
| 10 | (a) | | Alkene ✓ | 1 | 1.1 | |
| | (b) | | Any two from: fossil fuels running out / not sustainable ✓ burning fossil fuels produces pollutants ✓ alternatives to fossil fuels are increasingly used ✓ | 2 | 1.1 × 2 | IGNORE green / environmentally friendly arguments |
| | (c) | (i) | Yes, because there are three hydrogens per carbon / AW | 1 | 2.2 | |
| | | (ii) | Carbon always forms four bonds ✓ | 1 | 2.1 | |
| | | (iii) | H H H H H H H H H H H H H H H H H H H | 1 | 2.1 | |

PMT

| Q | Question | | Answer | Marks | AO element | Guidance |
|----|----------|------|--|-------|---------------|---|
| 11 | (a) | | 10 nm ✓ | 1 | 1.1 | |
| | (b) | | Uses less √ | 2 | 1.1 × 2 | |
| | | | (large surface area means) faster / AW ✓ | | | |
| | (c) | | Any two from: Carbon monoxide / CO ✓ | 2 | 1.1 × 2 | IGNORE carbon dioxide |
| | | | (carbon) particulates ✓ | | | |
| | | | unburnt fuel / AW ✓ | | | |
| | (d) | (i) | 4+ ✓ | 1 | 2.1 | |
| | | (ii) | FIRST CHECK ANSWER ON ANSWERLINE If answer = 81 / 81.25 / 81.3 (%) award 3 marks | 3 | 1.2 × 3 | ALLOW ecf if % oxygen calculated. Working is then essential |
| | | | Mass Ce = 160 − 30 OR 130g ✓ = 130 × 100/160 ✓ = 81 (%) ✓ | | | eg 30x100/160 ✓ = 18.75(%) or 19(%) ✓ But 19(%) without working gains no credit . |

PMT

| Q | uesti | on | Answer | Marks | AO element | Guidance |
|----|-------|----|--|-------|------------|---|
| 12 | (a) | | FIRST CHECK ANSWER ON ANSWER LINE If answer = 0.08 ± 1 (cm ³ /s) award 2 marks | 2 | 2.2 × 2 | |
| | | | Change in volume = 8 ± 1 (cm³) ✓ | | | ALLOW use of any number 7- 9 anywhere in calculation (1) |
| | | | rate = $8 / 100 = 0.08 \text{ (cm}^3/\text{s)} \checkmark$ | | | ALLOW ECF for 2 nd mark: rate = change in volume / 100 ALLOW 0.07 – 0.09 (2) |
| | (b) | | "Particle size" of carbonate / AW ✓ Temperature ✓ | 2 | 3.3a × 2 | ALLOW take readings every 200s or less/ same time interval IGNORE 'the same time' |
| | (c) | | Particles closer/have less space / more particles in same volume / more (densely) packed ✓ Collide more frequently / higher rate of collisions / more collisions per unit time/per second ✓ | 2 | 2.1 × 2 | ALLOW molecules for particles ALLOW more chance of collisions IGNORE more particles / more collisions / faster collisions / energy arguments / more successful collisions / |
| | (d) | | FIRST CHECK ANSWER ON ANSWER LINE If answer = 17 (cm³) award 3 marks | 3 | | |
| | | | 0.07 / 0.10 or 0.10/0.07 ✓ | | 2.2 × 2 | |
| | | | (uses 24)= 16.8 ✓ | | | ICNORE 47.0 |
| | | | = 17 (cm ³) \(| | 1.2 | IGNORE 17.0 ALLOW MP3 for (incorrect) answer with working rounded to 2sf |

| Q | Question | | Answer | Marks | AO element | Guidance |
|----|----------|------|---|-------|---------------|---|
| 13 | (a) | | No overall loss (in mass) idea / No elements/mass/atoms/chemicals/particles/compounds lost / law states that matter is neither (created nor) destroyed in a chemical reaction / AW ✓ Carbon dioxide is a gas / Carbon dioxide leaves the test tube / a gas is given off / idea that all products are not in the test tube / AW ✓ | 2 | 3.1b × 2 | ALLOW It is an open system |
| | (b) | | FIRST CHECK ANSWER ON ANSWER LINE If answer = $52.2 / 52.4 / 52.3$ (%) award 4 marks (formula mass of reactants or MgCO ₃) = $84.3 / 84 \checkmark$ (formula mass of product or CO ₂) = $44 \checkmark$ Correct substitution = $44 / 84.3 \times 100 / 44 / 84 \times 100 \checkmark$ Ans+dec pl= $52.2 / 52.4 / 52.3$ (%) (1 decimal place) \checkmark | 4 | 2.2 × 3 | If no marks awarded for MP3 and MP4 ALLOW correct working towards formula masses for max (2) 24(.3) + 12 + (3x16) / 12 + (2 x 16) ALLOW ecf ALLOW 52.1(%) (Rounding assessed in previous question) |
| | (c) | (i) | 2.2 (g)√ | 1 | 2.2 | ALLOW 2 or more sf |
| | | (ii) | 82(%) ✓ | 1 | 2.2 | ALLOW 2 or more sf |
| | (d) | | lons with correct electrons ✓ Charges ✓ | 2 | 1.2 × 2 | ALLOW (1) for one correct ion ALLOW eight electrons in outer shell of Mg ALLOW all oxygen electrons with same symbol IGNORE correct inner shells DO NOT ALLOW incorrect inner shells |

OCR (Oxford Cambridge and RSA Examinations) The Triangle Building **Shaftesbury Road** Cambridge CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998 Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA Registered Company Number: 3484466 **OCR** is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)

Head office

Telephone: 01223 552552 Facsimile: 01223 552553



